

CORN PICKER SPECIAL

Rubber
**HUSKING
ROLLS**



Low
As **\$9.20**

**ROLLER
CHAIN**



Low
As
96¢ Per Ft.
See Page 4

**TRACTOR
SUPPLY
Co.**

1159 UNIVERSITY AVE.

Phone: Elkhurst 1510

ST. PAUL, MINN.

6th & Main

Phone: 2-7581

SIoux FALLS,

SO. DAK.


Precision

TRACTOR & IMPLEMENT PARTS

Trasco

QUALITY FARM EQUIPMENT

21 COMPLETE STOCKS WITH SAME LOW PRICES



TRACTOR SUPPLY

is the place to buy

CORN PICKER PARTS

Increased Stocks for Popular Makes and Models

Word is passing through the Corn Belt: "TRACTOR SUPPLY is the place to buy Corn Picker Parts!" In one short year the demand for Precision Corn Picker Parts has far exceeded our estimates. This year we have greatly expanded our line of parts. We have done our best to supply the parts you have recommended. Unstable conditions in the market for all metal products has, to some extent, retarded our efforts. But it is our objective to have a complete line of the most needed parts for most makes and models of Corn Pickers.

Your overwhelming acceptance of Precision Corn Picker Parts was no accident. The same policy that for years has brought you Precision Tractor Parts is still in effect: Quality Parts at Low, Money-Saving Prices... with Your Satisfaction Fully Guaranteed. Check your Corn Picker NOW! Order your parts now from the Tractor Supply Farm Stores serving the Corn Belt. You will soon discover why the most progressive and productive farmers say, "TRACTOR SUPPLY is the place to buy Corn Picker Parts!"

OUR GUARANTEE OF SATISFACTION

We Guarantee Each Item We Sell!

WE GUARANTEE Precision Parts to be equal to, or better than, the parts they replace.

WE GUARANTEE Trasco Farm Equipment to be made of the highest quality materials and workmanship and to be capable of performing the farm jobs described.

WE GUARANTEE to Satisfy You on Each Transaction. If for any reason you are not satisfied, you are entitled to full and immediate replacement of merchandise or refund of purchase price. We make no "service charge" on exchanges or refunds. All we ask is that you return the merchandise within a reasonable length of time.

There Is a TRACTOR SUPPLY Farm Store Serving Your Community

ILLINOIS

*CHICAGO—

Jim Calheon, Mgr.
2682 N. Halsted
Tel.: BUc-1-5900

*BLOOMINGTON—

John Pugsley, Mgr.
210 Center St., Tel. 68430

*STERLING—

Bob Ridenour, Mgr.
406 Avenue "A", Tel.: 2412

OHIO

*LIMA—

Ray Branson, Mgr.
Elm & Union Sts., Tel.: 22021

WISCONSIN

*FOND DU LAC—

Everett DeHarty, Mgr.
14 5th St., Tel.: 8095

IOWA

*MASON CITY—

Les Ackmann, Mgr.
17 7th St., S.W., Tel.: 1203

*SIOUX CITY—

George Johnston, Mgr.
711 5th St., Tel.: 58280

*FT. DODGE—

John Reinhardt, Mgr.
620 1st Ave. So.
Tel.: Walnut 4573

NEBRASKA

*OMAHA—

Bill Beal, Mgr.
4615 S. 26th St.
Tel.: Market 3133

*COLUMBUS—

Forrest Walker, Mgr.
2517 11th St., Tel.: 8102

*KEARNEY—

John Schack, Mgr.
2008 Avenue "A", Tel.: 32011

NORTH DAKOTA

MINOT—

Milo Page, Mgr.
509 3rd St., N.E., Tel.: 37210

WILLISTON—

Al Copeland, Mgr.
20 Main St., Tel.: 167

SOUTH DAKOTA

*SIOUX FALLS—

Calvin Campbell, Mgr.
6th & Main Sts., Tel.: 27581

MINNESOTA

*ST. PAUL—

Carl Pietsch, Mgr.
1159 University Ave.
Tel.: Elkhurst 1510

TEXAS

FT. WORTH—

Slim Schroeder, Mgr.
500 Weatherford
Tel.: Fannin 2851

LUBBOCK—

Leon Hankins
906 Avenue "H", Tel.: 25986

WACO—

Ed Olive, Mgr.
211 So. 4th St., Tel.: 3-7772

KANSAS

WICHITA—

Wilmer Wilson, Mgr.
340 N. Water St., Tel.: 55247

SALINA—

Jerry Hoffman, Mgr.
115 So. 5th St., Tel.: 73300

OKLAHOMA

ENID—

Ray McNeely, Mgr.
116 W. Cherokee St., Tel.: 6039

*Tractor Supply Farm Stores Serving the Corn Belt Area

See Page 31 for Index & Shipping Information

IMPROVED BONDED CORD and RUBBER HUSKING ROLLS

For IHC, WOOD Bros.
DEERE, OLIVER,
MINN. MOLINE,
NEW IDEA,
CASE, CO-OP,
M-H, G.I.
and Others


P-518
for Woods

P-501
for IHC

P-505
for Deere

low as
\$9.30
EACH

For FASTER, CLEANER, ALL-WEATHER PICKING



SCALLOPED CONTOUR
RUBBER CORD EDGES
FOR GREATEST
GRIPPING POWER

Designed for ALL-WEATHER Better Husking
Eliminates Need for Special Roller Compounds
Cord and Rubber—Proven Best Gripping Surface
Cleans as Hand Husking—Minimum of Shelling
Easy to Install—Exact Fit—No Need to Time
Superior Husking of Tough Hybrid Corn
Time and Labor Saving—Pick Cleaner, Faster



SHIELDED ENDS
FOR EXTRA
BEARING PROTECTION

USE TO REPLACE UPPER HUSK ROLLS

"Minnesota" Husking Rolls are simple to install. Just remove present upper rollers and replace with new Minnesota type. No bending of shields or changing of picker, no need to time or mesh. Just keep tension adjustment set so that rollers are in firm contact at all times.

Scalloped Edges for Greater Picking Power

Made of rubber and fabric discs assembled on shaft under tremendous pressure. There is no chance of the discs turning on the shaft, and the gripping power of the serrated edges insures cleaner corn.

Pick Cleaner With Less Shelling

The ears move through the husking bed so smoothly and quickly there is little chance for shelling. When installing as replacement rollers you need the extra stripping power supplied by the irregular contours of the scalloped edges. Husks are stripped off cleanly—as clean as when husking by hand.

Tested and Approved for Much Original Equipment

The new 1951 Minnesota Roller design and construction has been approved after thorough testing and will be used for new picker production by several leading Corn Picker manufacturers, or supplied as optional at extra cost.

Fully Machined—Easy Installation

Shafts duplicate originals in all dimensions, have machined ends, cupped to cover bearing ends and prevent wrapping of silk and husks. Install a set of these Minnesota Rollers this season, in place of the upper rolls in your husking unit, and enjoy the cleanest operation your picker ever turned out.

Fits make, model, type Picker	Number of Rolls	Stk. No.	Wt. Lbs.	Price EACH
IHC 1M 1-row Mounted	2	P-501	16	\$12.10
IHC 1P 1-row Pull	3	P-501	16	12.10
IHC 2M 2-row Mounted	4	P-501	16	12.10
IHC 2P, 200 2-row Pull	5	P-501	16	12.10
IHC 20, 22, 22B 2-row Mounted	4	P-503	12	12.35
IHC #24, 14P Rubber Husking Roll Inserts on Page 12				
WOOD BROS. All 1941-51 1-row Pull	3	P-518	8	9.30
DEERE 1, 2, 21, 25, 25A	4	P-504	16	12.60
DEERE 10	3	P-504	16	12.60
DEERE 15	2	P-504	16	12.60
DEERE, 226, 200	2	P-505	17	11.60
DEERE 101 (to 1946)	1	P-505	17	11.60
DEERE 101 (1946 and up, Nos. 18071 up)	1	P-505X	17	12.00
CASE 1R, 1S 2-row Pull	4	P-515	20	14.35
OLIVER Cornmaster, 2-row (to #7057)	4	P-511	13	13.60
OLIVER Cornmaster, 2-row (#7057 and up)	4	P-511X	14	14.20
OLIVER #5 1-row Pull	4	P-512	12	13.00
MINN. MOLINE 2-row Huskor	6	P-513	15	9.95
MINN. MOLINE 1-row Huskor	4	P-514	12	9.35
MASSEY HARRIS 2-row, Self Propelled	3	P-519	22	14.60
	2	P-520	22	14.60
NEW IDEA, model 4 2-row (lot 54)	3	P-508	17	14.35
E-14, E-14X nos. on old roll casting)	1	P-508X	17	14.35
NEW IDEA, model 6 2-row (lots 55-69)	3	P-508	17	14.35
E-216, E-217 nos. on old roll casting)	1	P-508X	17	14.35
NEW IDEA, model 6 2-row lots 70-124)	3	P-509	20	14.10
E-270, E-271 nos. on old roll casting)	1	P-509X	20	14.10
NEW IDEA, model 7 1-row (lots 77 to date)	2	P-510	20	14.85
E-326, E-325 nos. on old roll casting)	1	P-510X	20	14.85
NATL. FARM, CORN BELT, CO-OP, BLACKHAWK	1	P-517	18	12.60
BELLE CITY, model E 1-roll Pull	2	P-521	18	12.60
G.I., FARM-RITE, DAVID BRADLEY, Genl. Implement 1-2	1	P-525	8	11.30

USERS EVERYWHERE PRAISE MINNESOTA ROLLS!



"PICKED VERY CLEAN
IN MY 2-M"

Anthony Feist
Bloomington, Ill.
says

"Last year I bought a set of Tractor Supply husking rolls for my IHC 2-M Picker. They sure gave good service and I am happy to recommend them!



"BETTER CORN FROM
MY DEERE"

G. H. Blakewell
Clear Lake, Iowa
says

"I use Tractor Supply husking rolls on my John Deere Picker. Cleaner picking and better corn mean a big saving."



"LESS SHELLING WITH
MY WOODS"

Joe Vampola
Papillon, Neb.
says

"I use Tractor Supply Rubber Husking Rolls on my Woods picker. The scalloped edges shell less corn in the field, and pick much cleaner."

Tractor Supply Is the Place to Buy Corn Picker Parts

Precision Hardened Steel ROLLER CHAIN

Precision Roller Chain is made for us by one of the leading suppliers of original equipment and is fully interchangeable with same size chain of other standard manufacturers. It will fit all standard sprockets on combines, corn pickers and other farm machines. All chain is Precision made of select steel with wearing surfaces hardened for maximum chain life. Side plates are heavy to resist stretch, rollers are held to close tolerance for exact fit. Special riveted construction, all assembled.

HOW TO ORDER ROLLER CHAIN

SAVE
up to **45%**

PITCH—is the distance between roller centers.

WIDTH—is the distance between the inside edges of the side bars. Roller chain is sold by the foot, and is cut to the length you order. Be sure to check carefully the Pitch, Width, and Length desired before ordering, using your old chain and sprockets. We will be glad to make up a complete roller chain for you for any farm implement application, at a tremendous savings. The best way to order is to give us the Chain Number, Length, and whether or not Connecting Links and Half Links are desired.

STEEL ROLLER CHAIN

CHAIN NUMBER	PITCH	WIDTH	No. of ROLLERS in 10 ft.	WEIGHT per ft.	CHAIN per ft.	CONN. LINK	EA.	HALF LINK	EA.
REGULAR ROLLER CHAIN & LINKS									
RC-40	1/2"	3/8"	240	1/2 lb.	\$.96	4c	CL-40	12c	HL-40 34c
RC-50	3/4"	3/4"	192	3/4 lb.	1.15	6c	CL-50	14c	HL-50 39c
RC-60	3/4"	1/2"	160	1 lb.	1.44	9c	CL-60	18c	HL-60 49c
RC-60H Hvy.	3/4"	1/2"	160	1 1/4 lbs.	1.68	10 1/2 c	CL-60H	19c	HL-60H 52c
RC-80	1"	5/8"	120	1 3/4 lbs.	2.40	20c	CL-80	27c	HL-80 85c
RC-80H	1"	5/8"	120	2 lbs.	2.64	22c	CL-80H	29c	HL-80H 93c
RC-100	1 1/4"	3/4"	96	2 3/4 lbs.	3.65	38c	CL-100	41c	HL-100 1.25
EXTENDED PITCH ROLLER CHAIN & LINKS									
RC-52	1 1/4"	3/4"	96	3/4 lb.	\$.96	10c	CL-52	16c	HL-52 42c
RC-63	1 1/2"	1/2"	80	1 lb.	1.36	17c	CL-63	25c	HL-63 60c
DOUBLE STRAND ROLLER CHAIN & LINKS									
RD-50	3/4"	3/4"	192	1 1/2 lbs.	\$2.68	14c	CD-50	31c	HD-50 85c
RD-60	3/4"	1"	160	2 lbs.	4.00	25c	CD-60	37c	HD-60 1.10

Count Number of Rollers in Chain Desired and Order by "per Roller" price, or by "per ft."


ROLLER CHAIN SPROCKETS

Replace worn sprockets promptly and save excessive wear on your chain drive equipment. Precision built steel sprockets are correctly made, with accurately cut teeth, for full power transmission and long, silent service.

Sprockets listed conform to all S. A. E. and A. S. M. E. standards and are interchangeable with all standard American manufacturers chain drive equipment. Sprockets are supplied with minimum bore plain center hole as illustrated. The size to the center hole of the sprocket supplied is shown in the column "STOCK BORE." Sprockets can be reamed out easily to fit special shafts as needed, up to the size shown in the "MAXIMUM BORE" column. Sprockets have hub on one side only, the other side is flat. The thickness of the sprocket, (the space it occupied on the shaft) is shown in the column "HUB THICKNESS."

NOTICE—We cannot supply special sprockets or ream to fit special shafts on stock orders of sprockets. Be sure to match chain size before ordering sprockets.


FOR RC-50, 5/8" PITCH CHAIN							
Number of Teeth	Outside Diam.	Stock Bore	Max. Bore	Hub Thickness	Stk. No.	Wt. Lbs.	Price Each
11	2.50"	5/8"	1 1/8"	1"	RC-511	3/4	\$2.65
12	2.71"	5/8"	1 1/8"	1"	RC-512	3/4	2.75
13	2.91"	5/8"	1 1/4"	1"	RC-513	1	2.85
15	3.31"	5/8"	1 3/8"	1"	RC-515	1 1/4	2.95
17	3.72"	5/8"	1 3/4"	1"	RC-517	1 3/4	3.75
21	4.52"	3/4"	1 7/8"	1 1/8"	RC-521	3	5.65
FOR RC-60, 3/4" PITCH CHAIN							
11	3.00"	3/4"	1 1/8"	1 1/4"	RC-611	1 1/4	\$2.80
12	3.25"	3/4"	1 1/8"	1 1/4"	RC-612	1 1/2	3.15
13	3.49"	3/4"	1 1/2"	1 1/4"	RC-613	1 3/4	3.25
15	3.98"	3/4"	1 3/8"	1 1/4"	RC-615	2 1/2	4.35
17	4.46"	3/4"	2 1/4"	1 1/4"	RC-617	4 1/4	5.25
19	4.94"	3/4"	2 1/4"	1 1/2"	RC-619	4 3/4	5.75
21	5.43"	3/4"	2 1/4"	1 1/2"	RC-621	5	6.75
FOR RC-80, 1" PITCH CHAIN							
11	4.00"	1 1/8"	1 5/8"	1 3/8"	RC-811	2 1/2	4.75
19	6.59"	1 1/8"	2 3/4"	1 3/4"	RC-819	8	9.95



HALF LINK CONN. LINK

IMPORTANT

Be sure to order a Connecting Link to couple your chain together. If odd number of rollers is needed, order an offset link (Half Link) to complete your chain.



Special
ROLLER CHAIN
SPROCKET
For 3/4" Chain



24 Tooth
Fits RC60 Chain

Special Purchase steel roller chain sprocket for regular 3/4" pitch chain, (RC60). Center hole reamed to fit onto 1" round shaft. Each with key slot and tapped hole for screw.

24 Tooth—Stk. No. P-992—Wt. 6 lbs.

\$2.95
Ea.

Your Best Chain Buy Is At Tractor Supply

Precision Hardened Steel

LINK CHAIN

Precision Link Chain is made for us by an original equipment supplier and is fully interchangeable with the same size chain of standard manufacturers. All link chain is carefully inspected by both the manufacturer and Tractor Supply Co. as double protection against flaws in construction.

HOW TO ORDER LINK CHAIN

SAVE

up to **40%**

Since the same size links are used in many application on farm machines, you are offered the extra savings in buying chain in 10 ft. rolls. Check number of links on old chain for correct size and compare with column marked "No. of Links in 10' Roll."

IMPORTANT—Be sure to order necessary Attachment Links!

Special

10 TOOTH SPROCKET For No. 55 Chain

Special Purchase! 10 tooth iron sprocket for regular #55 chain. Fits onto 1" round shaft. 6" high, 2" thick through center hole, hub on 1 side. Milled key slot and hole for set screw.



Stk.No.P-990—Wt. 4 lbs.....Ea. **89c**



STEEL LINK CHAIN

Stk. No.	Chain No.	No. Links 10'	Wt. 10'	Price Per 10' Roll
32	32	104	3.2 lbs.	\$2.20
34	34	86	3.6 lbs.	2.20
45	45	74	4.8 lbs.	2.50
52	52	80	6.6 lbs.	2.95
55	55	74	6.0 lbs.	2.65
62	62	73	8.6 lbs.	3.65
62H	62H	73	11.2 lbs.	4.25
62Z	62Z	72	12.5 lbs.	5.95
67	67	52	11.0 lbs.	3.95


ATTACHMENT AND INDIVIDUAL LINKS

Stk. No.	For Chain No.	Type Link	Wt. Ea.	Price Ea.
45SD	45	SD	2 oz.	\$.07
45KI	45	K-I	2 oz.	.07
55L	55	Plain	1 1/2 oz.	.03
55A2R	55	A2-R	3-oz.	.07
55A2L	55	A2-L	3 oz.	.07
55C1	55	C-1	2 1/2 oz.	.08
55G27R	55	G27R	2 1/2 oz.	.08
55G27L	55	G27L	2 1/2 oz.	.08
55KI	55	K-I	2 oz.	.07
55SD	55	SD	3 oz.	.07
62SD	62	SD	3 1/2 oz.	.09
62HL	62H	Plain	3 oz.	.06
62HCP	62H	C-P	5 oz.	.15
62C7	62H	C-7	5 oz.	.15
67ASR	67	ASR	6 oz.	.12
67ASL	67	ASL	6 oz.	.12

COUPLER LINKS

For Easy Attaching of Links In Making Chain Endless

Stk. No.	For Chain-No.	Wt. Ea.	Price Ea.
45C	45	2 oz.	\$.17
55C	55	2 oz.	.17
62C	62	3 oz.	.20
62HC	62H	3 1/2 oz.	.32




Handy

CHAIN REMOVER

Just the thing for your tractor or implement tool box! Attaches or detaches chain while your in the field. Put chain in slot and strike with hammer. Slots spaced for most used sizes of chain. Made of strong malleable iron.

Stk.No.20A69—Wt. 3 lbs.....Each **98c**



Farmer's

REPAIR BLOCK

All purpose farm bench tool, ideal for making repairs on chain, guards, sections, sickles, etc. Has 8 specially designed units to make repair work easier. Made of malleable iron.

Stk.No.20A70—Wt. 13 1/2 lbs.....Ea. **\$2.98**

Special MATCHED GEARS


Reduction & Speed-Up



Steel gears in matched pairs for gear reduction or speed-up, on lifts, elevators, conveyors. All teeth 3/4" wide. Small gear has 21 teeth. Large gear in choice of 132 or 144 (6.28 to 1 or 6.85 to 1). All gears fit onto 1" round shaft. Each with key slot and hole for set screw. Sold in pairs only. Wt. 14 lbs.
Pr. 21 & 132 tooth gears—Stk.No.P-995
Pr. 21 & 144 tooth gears—Stk.No.P-996 **\$6.95**

Your Best Chain Buy Is at Tractor Supply

PINS — KEYS — BUSHINGS



CORN PICKER PINS

Steel pins, one hole, sizes stamped in. Headed type as shown, lengths measured under head. Aver. Shipping wts. 1 oz. small, 3 oz. large.

INDIVIDUAL PINS—EXTRA SAVING in 10 lots

Diam. x Lgth.	Stk. No.	Ea.	10 for	Diam. x Lgth.	Stk. No.	Ea.	10 for
1/4" x 1 1/4"	2E100	6c	45c	5/16" x 2"	2E106	9c	67c
1/4" x 1 1/2"	2E101	6c	45c	5/16" x 2 1/4"	2E107	10c	75c
1/4" x 1 3/4"	2E102	7c	52c	3/8" x 1 3/4"	2E108	12c	89c
1/4" x 2"	2E103	7c	52c	3/8" x 2"	2E109	13c	98c
5/16" x 1 1/2"	2E104	8c	60c	3/8" x 2 1/4"	2E110	13c	98c
5/16" x 1 3/4"	2E105	8c	60c	3/8" x 2 1/2"	2E111	14c	1.05

CORN PICKER PIN ASSORTMENTS

50 Piece Assortment—Sizes from 1/4" x 1 1/4" to 3/8" x 2 3/8".
Stk. No. 2E85. 2 lbs. Per Asst. **\$1.65**

75 Piece Assortment—Sizes from 5/16" x 1 1/4" to 7/16" x 2 3/8".
Stk. No. 2E86. 5 1/2 lbs. Per Asst. **\$3.49**



ADJUSTABLE PINS

25 Piece Assortment—Headed pins, size stamped in each, series of holes as pictured for adjustment to length desired. Sizes from 3/16" x 1" to 1/2" x 4".
Stk. No. 2E87. 2 lbs. 25 Piece Asst. **\$3.10**

ROUND PIN STOCK

Annealed tool steel pins in most used diameters, supplied in 12" lengths, can be cut easily to length required.

INDIVIDUAL PINS—EACH 12" LONG				ASSORTMENT			
Diam.	Stk. No.	Oz.	Each	3 for	10 Pieces, Each 12" Long.		
1/8"	2E124	1	7c	18c	One each of 1/8", 3/8", 7/16",		
3/16"	2E125	2	15c	39c	and 1/2" diam.—two each of		
1/4"	2E126	2	22c	59c	3/16", 1/4" and 5/16".		
5/16"	2E127	3	30c	79c	Stk. No. 2E123—		
3/8"	2E128	4	37c	98c	2 1/2 lbs. Per Asst. \$1.89		
7/16"	2E129	5	45c	1.20			
1/2"	2E130	6	52c	1.39			

HALF MOON KEYS

100 Pc. ASSORTMENT—LARGE SIZE KEYS

Contains most commonly used larger sizes, from 1/2" x 1/16" up to 2 3/4" x 1/2". 100 pieces assorted. Stk. No. 2E89. 2 1/4 lbs. Per Asst. **\$3.85**

MACHINE KEYS

Square and Rectangular straight machine keys in 12" lengths, easily sawed to exact length as required.

INDIVIDUAL KEYS—EACH 12" LONG							
Size	Stk. No.	Oz.	Ea.	3 for	Size	Stk. No.	Oz.
1/8" x 3/8"	2E154	1	15c	39c	5/16" x 1/4"	2E158	3
3/16" x 3/8"	2E155	2	22c	59c	5/16" x 5/16"	2E159	3
1/4" x 3/8"	2E156	2	30c	79c	3/4" x 5/16"	2E160	4
1/4" x 1/4"	2E157	2	30c	79c	3/4" x 3/8"	2E161	4

8 Pc. ASSORTMENT—1 Each of Sizes in 12" Length Listed Above.
Stk. No. 2E151. 2 1/2 lbs. Per Asst. **\$1.75**

MACHINE KEY ASSORTMENT

26 Pc. Assortment of Cut-to-Length square Machine Keys. Sizes from 1/8" x 1/8" x 1 1/2" up to 3/8" x 3/8" x 3 1/2". Stk. No. 2E88. 2 lbs. **\$1.75**

Redi-Bolt THREADED STEEL RODS



At last . . . a quick, easy and inexpensive way to make "on-the-job" repairs on farm machinery, grain boxes, hay racks, etc. Made of cold drawn steel, 36" long in 6 sizes for 1/4" to 3/4". Each rod threaded to take standard nuts. Special finish protects from rust. Easy to heat and shape—twice as strong as ordinary steel.

1/4" x 36"—Stk. No. 2E1	Ea. 55c
5/16" x 36"—Stk. No. 2E2	Ea. 63c
3/8" x 36"—Stk. No. 2E3	Ea. 73c
1/2" x 36"—Stk. No. 2E4	Ea. 98c
5/8" x 36"—Stk. No. 2E5	Ea. \$1.55
3/4" x 36"—Stk. No. 2E6	Ea. \$1.90

BUY A SET & SAVE!

12-pc. set contains 1, 1/4"; 2, 1/2"; 3, 3/8"; 3, 1/2"; 2, 5/8"; and 1, 3/4" sizes. All 36" lengths.

Stk. No. 2E7. Set **\$10.95**

CLASSIFIED ASSORTMENTS



Each size in its own compartment, here are the items you need badly when you need them. Packed in waxed paper, screw top cartons, easily stored, always available. Sizes and items printed on paper cover for easy reference.

79c
500
Cotter
Keys

COTTER KEYS. About 500 pieces in 1/8", 3/8" and 1/2" diameters, lengths from 1/2" to 1 1/2". Stk. No. 19A24	79c
FLAT STEEL WASHERS. About 200 steel washers, ranging from 1/8" to 1/2" hole sizes. Stk. No. 19A26	98c
LOCK WASHERS. About 200 steel lock washers, ranging from 1/4" to 3/4" hole sizes. Stk. No. 19A22	98c
STOVE BOLTS. About 100 stove bolts with square nuts. 3/8" and 1/4" diameters, up to 1 1/4" long. Stk. No. 19A21	98c
CAP SCREWS. About 27 cap screws, diameters 1/4" to 1/4" in lengths from 1" to 2". Stk. No. 19A23	98c
S.A.E. HEX NUTS. About 100 steel nuts, SAE thread, diameter 1/4", 3/8", 1/2", and 1/2". Stk. No. 19A25	98c
U.S.S. HEX NUTS. About 100 steel Hex nuts with U. S. Standard thread, diameters 1/4" to 1/2". Stk. No. 19A19	98c



MACHINERY BUSHINGS

Solid steel machinery bushings in assortments specially developed for average farm needs. Each bushing is correctly proportioned with size and thickness stamped on it, eliminating guesswork and measuring.

21-Pc. Asst. Sizes from 1/2" to 1 3/4" hole diameters. Stk. No. 2E-90—Ship. wt. 1 1/2 lbs.	Asst. 75c
56-Pc. Asst. Sizes from 1/2" to 1 3/4" hole diameters. Stk. No. 2E-91—Ship. wt. 3 1/4 lbs.	Asst. \$1.49
130-Pc. Asst. Sizes from 3/8" to 2 1/8" hole diameters. Stk. No. 2E-92—Ship. wt. 6 lbs.	Asst. \$4.65



EXTRA LARGE COTTER PINS

Special assortment for farm use with cotter pins in the LARGER sizes. Assortments include 1/8" x 1 1/2", 1/8" x 2" 3/16" x 2", 3/16" x 3", 1/4" x 2 1/4", and 1/4" x 3".

25 PINS in assorted sizes. In bag. Stk. No. 18A20—Wt. 3/8 lb.	Asst. 25c
85 PINS in assorted sizes. Packed in reusable celluloid container (as illustrated). Stk. No. 18A21—Wt. 2 lbs.	Asst. \$1.25



QUICK REPAIR WASHERS

Fits on shaft without dis-assembling to take up and play. Light tap locks it permanently in place.

Outer Diam.	Inner Diam.	Thick-ness	Stk. No.	Oz.	PRICE EACH	10-PC. ASST.
1 3/4"	3/4"	1/8"	18A89	1 1/2	15c	10 washers from table at left in assortment, priced far less than individual pieces. Sizes from 3/4" to 2" inner diam. Stk. No. 18A88. Wt. 1 1/2 lbs. Asst. \$1.69
1 7/8"	7/8"	1/8"	18A90	1 1/2	15c	
2"	1"	1/8"	18A91	2	15c	
2 1/4"	1 1/4"	1/8"	18A92	3	22c	
2 1/2"	1 1/2"	1/8"	18A93	4	24c	
2 3/4"	1 3/4"	1/8"	18A94	5	26c	
3"	2"	1/8"	18A95	6	30c	



UNIVERSAL JOINTS

Heavy Duty Blood Bros. Joint, type 3DS. One end 1 3/8" diam. with keyway, other end 1 3/8" plain round. 8" long overall, 4" across center. A special job lot purchase permits the low price.
Stk. No. T-393. Wt. 7 lbs. Each, **\$3.95**

UNIVERSAL JOINT PARTS

For BLOOD BROS. Joints as Used on Pickers, Combines, Etc.

For BLOOD Bros. Joints 1FR, 1FS

Center Cross Measures 2-23/32" wide overall			
Center Cross	T-411	10 oz.	Each, \$1.85
Steel Bushing	T-412	3 oz.	Set of 4, 89c
Cork Washer	T-413	1/2 oz.	Set of 4, 33c
Retainer	T-414	1 oz.	Set of 4, 33c
REPAIR KIT—Contains 1 center cross, and 4 each of steel bushing, cork washer, and retainer, for 1 joint complete. Stk. No. T-415. 2 lbs. \$3.29			


For BLOOD Bros. Joint 3D

Center Cross 3-11/16"—Early type without cover plate			
Center Cross	T-401	1 lb.	Each, \$1.95
Steel Bushing	T-402	1 lb.	Set of 4, 1.55
Cork Washer	T-403	2 oz.	Set of 4, .33
Retainer	T-404	4 oz.	Set of 4, .33

For BLOOD Bros. Joint 3-DS

Center Cross 3-11/16"—Cover Plate, Set Screws			
Center Cross	T-401	1 lb.	Each, \$1.95
Steel Bushing	T-406	1 lb.	Set of 4, 1.55
Cork Washer	T-407	2 oz.	Set of 4, .27
Retainer	T-408	4 oz.	Set of 4, .27
Cover Plate, screws	T-409	6 oz.	Set of 4, .65

TRIPLE JET CORN PICKER BLOWERS



Installation on Wood Bros. Picker

AVAILABLE for FOLLOWING MODELS

Order Stk. No. 53A85—SPECIFY MODEL

- #CPB-40—For WOOD Bros. Pickers
- #CPB-85—For IHC model 2-M
- #CPB-95—For IHC model 2-P
- #CPB-80—For IHC model 24 (see footnote)
- #CPB-55—For DEERE 226 (see footnote)
- #CPB-25—For DEERE 200
- #CPB-30—For DEERE 101 (to 1948 only)
- #CPB-35—For DEERE 101 (1948-50)
- #CPB-45—For OLIVER 2-row Cornmaster
- #CPB-50—For Belle City EH, ES
- #CPB-60—For MASSEY HARRIS S-P

NOTE: Models for IHC 24 and Deere 226 are equipped with one canvas elevator tube only.

**For CLEANER PICKING
and BETTER CORN YIELDS**

High Output, Heavy Duty
Blower Unit, Complete
With Flex Tubes and
Mountings.....

\$89⁵⁰

FITS MOST PICKER MODELS—

Wood Bros.; Deere 101, 200, 226;
IHC 2M, 24P; 24; Massey Harris S-P;
Oliver Cornmaster; Belle City

TRIPLE JET CLEANING

Here is a rugged, compact, long lasting blower attachment that will give you thorough cleaning action unequalled by any other—THREE times the trash and silks are fluffed and whipped out by the powerful air blasts directed at the THREE most important points in your picker.


Users report an increase in yield up to 20% in shelled corn after installing this blower, which easily pays for the moderate installation.

CUSTOM DESIGNED INSTALLATION

There is a Triple-Jet Blower specially designed for each of the models shown at left, each complete with high output blower unit, mountings, and three 4 inch flex tubes for directing the air streams (except models for IHC 24 and Deere 226).

1. Top Jet at husking bed cleans out loose husks, stalks, and dirt picked up with corn.
2. Jet at bottom of husking bed directs strong up-blast, again fluffing and loosening husks and silks.
3. Third Jet keeps hopper clean and prevents any remaining trash from moving up elevator.

HYDRAULIC LIFT for IHC 2M Picker on M or H



ELIMINATES MANUAL
LIFTING of PICKER

OLD HAND LEVER
BECOMES
GAUGE LEVER

PROVIDES up to 8" HYDRAULIC LIFT

You no longer need to stop at the end of the row while you manually lift your IHC 2M Picker to turn around. Here is a simple control designed to work with your regular IHC Lift-All hydraulic cylinder and give you finger tip control of raising and lowering. Fits right into the machine, no drilling or machining. Adjustable to control height of lift and speed of lowering.

\$18.95

FOR PICKER PARTS by MAKE and MODEL

Pages 8-9—Parts and Items for WOOD Bros.
Pages 10-11-12—Parts for IHC Pickers
Page 13—Parts for MINN. MOLINE-OLIVER
Pages 14-15—Parts for DEERE Pickers

HELP US HELP YOU!

We are eager to extend our lines of Precision Repair parts to cover additional needed items in the Picker, Combine, and other Implement field. Your help in telling us about items requiring frequent replacement can assist us in securing and offering you these needed parts in future catalogs at our usual savings to you.



ROLLER COMPOUND for Corn Pickers

10 Pound Flare Top Rail of Heavy Petroleum Base Semi-Fluid Compound which is so popular for corn picking in dry weather. This material is very thick and sticky, and must be heated before it can be applied to picker rolls. Picks clean, and helps control shelling when corn is very dry.

Can be Shipped Freight Only. Not Prepaid.

10 Pound Container.

Stk.No.L-25. Each,

\$1.69

3 CANS,

30 Lbs. for.....

\$4.75

POWER TAKEOFF ADAPTORS



ECONOMY ADAPTOR—Increases 1 1/8" Shaft to 1 3/8" (At Left)

Machined steel, fully raised splines, increases 1 1/8" shaft to 1 3/8". Low Cost, Does the Job. Stk.No.T-354. 6 oz.Each, **\$2.15**

EXTENSION ADAPTOR—Increases 1 1/8" to 1 3/8" (At Right)

Heavy duty machined steel, increases 1 1/8" shaft to 1 3/8", also extends length 4". Stk.No.T-355. 1 1/2 lbs.Each, **\$3.49**

REDUCER ADAPTOR—Decreases 1 3/4" to 1 3/8"

Heavy duty machined steel, decreases 1 3/4" shaft to 1 3/8", also extends length 4". Stk.No.T-357. 3 1/2 lbs.Each, **\$6.50**

REDUCER ADAPTOR—Decreases 1 3/8" to 1 1/8"


Heavy duty machined steel, reduces 1 3/8" shaft to 1 1/8" spline, also extends length 4". Stk.No.T-356. 2 1/2 lbs.Each, **\$5.95**

For PICKER NEEDS — RELY on TRACTOR SUPPLY

Parts for WOOD Bros. CORN PICKERS

HUSKING ROLLS

Minnesota Rubber and Cord Husking Rollers



For Faster, Cleaner, All-Weather Picking

Made of rubber and fabric discs assembled on shaft under tremendous pressure. There is no chance for the discs to turn on the shaft, and you are sure of longer wear and better performance.

Pick Cleaner with Less Shelling

The ears move through the husking bed so smoothly and quickly there is little chance for shelling. The husks are stripped off cleanly—as clean as when husking by hand. Cleaner corn means less loss in the crib, and speedier drying. Save time and labor by eliminating frequent stops to clean out the husking bed.

Fully Machined Shafts, Easy Installation

Steel Tubes duplicate original Woods dimensions, have machined ends cupped to cover bearing ends, prevents wrapping of silks and husks. Use on upper rollers for best performance—just remove your old rollers and install new ones in same place. For All Woods Bros. Pickers. Stk.No.P-518. 8 lbs. EACH, **\$9.30**

ROLLS for OTHER MAKES of Pickers on Page 3

SAVE
up
to

40%

GEARS
For WOODS

low
as,
each,

98¢



SNAPPING ROLL GEARS

13 tooth Spur Gear, used on both snap roll shafts. Replaces Woods part CP-1512. 2 used on picker, best to install in pairs.

Usual list \$5.95—SAVE 40%. Stk.No.P-340. 4 lbs. Ea. **\$3.55**



HUSKING ROLL GEARS

10 tooth Spur Gears used on husking rolls. Gears are same except for bore, 7/8" for the 3 steel rolls, 1" for the 3 rubber rolls. 7/8" Bore, 3 used on the steel husking rolls, repl. Woods part CP-2300. Stk.No.P-343. 2 lbs. Ea.

1" Bore, 3 used on the rubber husking rolls, repl. Woods part CP-2301. Stk.No.P-344. 2 lbs. Ea. **98¢**

GATHERING CHAINS BEVEL PINION & GEAR

12 tooth Bevel Drive Pinion, repl. Woods CP-77C, drives gear listed below, on inner and outer gatherers. Stk.No.P-342. 1 1/2 lbs. Each, **\$1.45**

19 tooth Bevel Gear, repl. Woods CP-906C, used with above pinion on inner and outer gatherers. Stk.No.P-341. 2 lbs. Each, **\$1.45**

HUSK ROLL DRIVE BEVEL GEARS

17 tooth Bevel Gear, 7/8" bore, fits on Husk Rake drive shaft, replaces Woods part CP-2097C.

Stk.No.P-348. 1 1/2 lbs. Each, **\$1.65**

17 tooth Bevel Gear, fits on Slip Clutch Shaft, replaces Woods 5F-1559, works with above.

Stk.No.P-349. 1 1/2 lbs. Each, **\$1.55**

SAVE
up
to

35%

BEARINGS
For WOODS

low
as,
each

65¢



Woods pickers use all-metal bearings throughout. These bearings are exact factory duplicates.

BEARING FOR 7/8" SHAFT, REPLACES WOODS CP-798, MANY APPLICATIONS

Gathering Chain Pinion shaft (1); Rear on Gathering Chain Shaft (1); Gathering Chain Bevel Pinion (1); Snap Board Gathering Chain Sprocket (1); Snap Corn Elevator lower shaft (2); Feed Rake Drive shaft (2); Husk Rake Rear Drive shaft (2); Wagon Elevator throwout Clutch (2); Wagon Elevator Auger shaft (1). Stk.No.P-393. Ship. wt. 1 lb. Each, **65¢**

SNAPPING ROLLS FRONT BEARING

Bearing, complete with oilite bushing, 1 used on front end of each snapping roll shaft, repl. Woods CP-1175. Stk.No.P-394. 2 1/2 lbs. Ea. **\$2.35**

SNAPPING ROLLS REAR BEARING

Bearing, complete with oilite bushing, 1 used on rear end of each snapping roll shaft, repl. Woods CP-1322. Stk.No.P-394. 2 1/2 lbs. Ea. **\$2.35**

HUSKING ROLL BEARINGS

Rear Bearing on the Steel Husk Rolls, 3 used. Repl. Woods CP-1557. Stk.No.P-396. 1 1/2 lbs. Each, **\$1.55**

Front Bearing on All 6 rolls, 6 used; also Rear Bearing on the Rubber rolls, 3 used. Repl. Woods CP-3066. Stk.No.P-397. 1 1/2 lbs. Each, **\$1.55**

SAVE
up
to

40%

BUSHINGS
For WOODS

low
as,
each

45¢



SNAP ROLLS SHAFT BUSHING

2 used in each metal bearing on each end of Snap Rolls Shafts, 8 in all; also 2 used in bearing on Power Shaft. Repl. Woods part 16-4062.


Stk.No.P-398. 6 oz. Each, **45¢**



WHEEL BUSHINGS

MAIN WHEEL HUB BUSHING—Right Wheel. 2 used. Repl. part CP-3029. Stk.No.P-389. 6 oz. Each, **\$1.69**

GRAIN WHEEL HUB BUSHING—Left Wheel. 2 used. Repl. part CP-3255. Stk.No.-P388. 5 oz. Each, **\$1.29**



UNIVERSAL JOINT PARTS

There are 3 universal joints in the power transmission line of the Woods Picker. Early models used Mechanics joints—1948 and later models use Blood Bros. as do earlier models where the joints have been converted.

For All Blood Bros. Universal Joints on Woods

CENTER CROSS—Repl. Woods part CP-3330. Stk.No.T-411. 10 oz. Each, **\$1.85**

STEEL BUSHING—Repl. Woods part CP-3329. Stk.No.T-412. 4 per joint. 10 oz. Set of 4, **89¢**

CORK WASHER—Repl. Woods part CP-3333. Stk.No.T-413. 4 per joint. 2 oz. Set of 4, **33¢**

RETAINER—Repl. Woods part CP-3334. Stk.No.T-414. 4 per joint. 4 oz. Set of 4, **33¢**

REPAIR KIT—Contains 1 Center Cross, 4 Steel Bushings, 4 Cork Washers, and 4 Retainer Washers. Stk.No.T-415. 2 lbs. SET, **\$3.29**

V DRIVE BELTS

for Woods Pickers

LARGE V BELT

Power shaft large pulley and Snap Roll drive large pulley. Belt replaces Woods part CP-1726, size 121"x7/8". Usual dealer's price \$9.19—SAVE 25%. Stk.No.B-230. 5 lbs. **\$6.85**

SNAP CORN ELEVATOR DRIVE BELT

Drives from Cleaning Fan pulley to Elevator pulley. Repl. Woods part CP-2681, for 1943-50 pickers. Usual dealer's price \$5.32—SAVE 30%. Stk.No.B-261. 3 lbs. **\$3.75**

Same as above, but for 1939-42 pickers, repl. CP-1725. Usual dealer's price \$5.43—SAVE 28%. Stk.No.B-260. 3 lbs. **\$3.95**



All Merchandise Brand New and Fully Guaranteed

Parts for WOOD Bros. CORN PICKERS

SAVE
up to **50%**
to

**ROLLER CHAIN
SPROCKETS** low
as **\$1.29**
each

Precision made sprockets, exact duplicates of originals, fully machined as required. You can't afford to gamble on worn sprockets breaking, or snagging a chain, when you can replace now with New Precision Sprockets at these low prices.

9 Tooth HUSK UNIT DRIVE SPROCKET
9 Tooth Sprocket for 1 1/4" Extended pitch roller chain, fits on power shaft behind big sheave. Replaces Woods part CP-940C. Stk.No.P-315. 2 1/2 lbs.Each, **\$1.29**



13 Tooth SNAP ROLL DRIVE SPROCKET
13 tooth sprocket for 5/8" roller chain, fits on snap roll shaft, all pickers above #8092, repl. CP-3239-1. Stk.No.P-301. 3 lbs.Each, **\$2.65**



24 Tooth GATHERING CHAIN DRIVE SPROCKET
24 tooth sprocket for 5/8" roller chain, fits on Gathering chain pinion shaft, all pickers above #8092. Replaces Woods part CP-3236. Stk.No.P-302. 3 lbs.Each, **\$2.43**



11 Tooth Single SPROCKET for HUSK ROLLS
11 tooth single sprocket for 3/4" roller chain, fits on husking rolls shafts (2 used). Repl. Woods CP-1672. Stk.No.P-307. 3 lbs.Each, **\$2.50**



11 Tooth Double SPROCKET for HUSK ROLLS
11 tooth DOUBLE sprocket for 3/4" roller chain, fits on center husking roll shaft. Repl. Woods part CP-1671-1. Stk.No.P-306. 5 lbs.Each, **\$3.69**



COMPLETE ROLLER DRIVE CHAINS

SAVE 38% to 46%
on New Top Quality Chains

Chains are made up to correct length, as stated below, complete with connecting link ready to install on your Woods picker. Brand New standard American roller chain, product of leading chain producers.

BEATER—SNAP ROLLS—GATHERER—5/8" CHAIN
Complete chain for drive, 5/8" pitch, 96 pitch length, with connecting link. Fits all Woods above #8092. Usual dealer's price \$10.90—SAVE 46%. Stk.No.RC50-96. 4 lbs.**\$5.90**

HUSKING ROLLS—3/4" ROLLER CHAIN
Complete chain for 1 drive, 2 used on picker. 3/4" pitch, 24 pitch length with conn. link. Usual dealer's price \$4.15—SAVE 43%. Stk.No.RC60-24. 1 1/2 lbs.**\$2.34**

HUSK UNIT—1 1/4" Extended Pitch CHAIN
Complete chain for drive, 1 1/4" long extended pitch chain, 73 pitch length with conn. link. Usual dealer's price \$12.40—SAVE 38%. Stk.No.RC52-73. 5 lbs.**\$7.78**

**GATHERING CHAIN
SPROCKETS** low
as **\$1.35**
each

8 Tooth GATHERER DRIVE SPROCKET
8 Tooth Sprocket for Steel Chain, on both inner and outer Gatherer Chain Pinion shafts, 2 used per picker. Replaces Woods part CP-2071. Stk.No.P-310. 4 lbs.Each, **\$1.35**



**9 Tooth OUTER GATHERING CHAIN
DRIVING SPROCKET**
9 Tooth Sprocket for Steel Gathering Chain, repl. Woods CP-907. Drives Outer Gathering Chain. Stk.No.P-314. 4 lbs.Each, **\$1.95**



**9 Tooth INNER GATHERING CHAIN
DRIVING SPROCKET**
9 Tooth Sprocket for Steel Gathering Chain, repl. Woods CP-1638. Drives Inner Upper Gathering Chain. Stk.No.P-317. 4 lbs.Each, **\$2.10**



**8 Tooth IDLER SPROCKET for ALL 3
GATHERING CHAINS**
8 Tooth Sprocket for Steel Gathering Chains, 3 used on picker, repl. Woods CP-3130. Stk.No.P-318. 3 lbs.Each, **\$1.39**




SAVE
up to **35%**
to

**STEEL CHAIN
SPROCKETS** low
as **93c**
each

6 Tooth SPROCKET for #55 STEEL CHAIN
7 of these sprockets used on each Woods Bros. Picker. Husk Rake Front and Rear (4 used). Snap Corn Elevator Upper (2 used). Wagon Elevator Lower (1 used). Repl. Woods CP-1100. Stk.No.P-311. 3 lbs.Each, **93c**



**9 Tooth FEED RAKE DRIVING and SNAP
CORN ELEVATOR DRIVEN SPROCKETS**
9 Tooth Sprocket for #55 steel chain, repl. Woods CP-853. 2 used on upper shaft of Snap Corn Elevator, also 2 used on driving shaft for Husk Feed Rake, 4 used per picker. Stk.No.P-312. 3 1/2 lbs.Each, **\$1.10**



**6 Tooth IDLER SPROCKET for FEED RAKE CURTAIN
and WAGON ELEVATOR CONVEYOR CHAIN**
6 Tooth Sprocket for #55 steel chain, repl. Woods CP-60. 2 used on upper shaft of Husk Feed Rake, also 1 used on top (idler) shaft of Wagon Elevator Conveyor. Stk.No.P-316. 4 lbs.Each, **\$1.25**



**6 Tooth IDLER SPROCKET for HUSK RAKE DRIVE
and WAGON ELEV. DRIVE STUB ROLLER**
6 Tooth Sprocket for #55 steel chain, repl. Woods CP-2597. 1 used on idler bracket of Husk Drive, also 1 used on idler bracket of Wagon Elevator Drive. Stk.No.P-313. 3 1/2 lbs.Each, **\$1.19**



6 Tooth ELEVATOR CLUTCH SPROCKET
6 Tooth Sprocket for #55 steel chain, repl. Woods CP-746. Works with P-320 (CP-747) Clutch Spool listed below, On Wagon Elevator Drive Clutch Shaft. Stk.No.P-319. 2 1/2 lbs.Each, **\$1.19**




ELEVATOR CLUTCH SPOOL
Clutch Half, works with above 6 tooth sprocket, repl. Woods CP-747, on Wagon Elevator Clutch Shaft. Stk.No.P-320. 2 lbs.Each, **\$1.25**



STEEL LINK CHAIN


—55—\$2.65 for 10—SAVE \$1.00

Woods Bros. Pickers use large amounts of steel detachable chain in many applications. Size #62H is used in the gatherers, with 62H-CP finger links, see complete chains above. #55 chain is used throughout other drives, husk conveyor, husk rake, wagon elevator drive, wagon elevator conveyor, snap unit, snap corn elevator, feed curtain, feed rake, etc. Order in 10 foot rolls for greatest economy.



#55 STEEL LINK CHAIN—10 Foot Roll, 7 lbs.....**\$2.65**

ATTACHMENT LINKS for #55 CHAIN



a) #55-A2L, repl. Woods 164105.	7c
b) #55-A2R, repl. Woods 164104.	7c
c) #55-G27L, repl. Woods 164107.	8c
d) #55-G27R, repl. Woods 164106.	8c
e) #55-K1, repl. Woods 164108.	7c
f) #55-SD, repl. Woods 164109.	7c

Assembled GATHERING CHAINS

SAVE 35% on
Complete Chains



All Gathering chains for Woods are supplied completely assembled, made up of #62H heavy steel detachable chain with CP finger links properly spaced, ready to install. Brand New chains, made for us by leading chain producers, at real economy prices.

OUTER Chain—52 plain links, 13 finger links, repl. CP-2546. Usual price \$7.65—SAVE 35%. Stk.No.P-601. 9 lbs.Each, **\$4.98**

INNER Upper—40 plain links, 10 finger links, repl. CP-2545. Usual price \$5.90—SAVE 35%. Stk.No.P-602. 7 lbs.Each, **\$3.85**

INNER LOWER—For wood snap boards, 23 plain, 6 finger links, repl. CP-2550. Usual price \$3.45—SAVE 35%. Stk.No.P-603. 4 lbs.Each, **\$2.25**

INNER LOWER—(For late pickers with steel snap boards). 20 plain, 6 finger links, repl. 16-4490. Usual price \$3.20—SAVE 35%. Stk.No.P-604. 3 1/2 lbs.Each, **\$2.09**

See Page 31 for Index and Shipping Information

Parts for IHC CORN PICKERS

GATHERING CHAIN SPROCKETS

low as **99¢**

TRIPLE SPROCKET FOR DOUBLE GATHERER CHAINS



For 2M, 1M, 1P, 2P. Triple Sprocket, all 7 tooth, drives double gatherer chains. 2 used on 2-row pickers. Repl. IHC UB-1914.
Stk.No.P-213. 9 lbs. Each, **\$2.95**

DOUBLE GATHERER CHAIN LOWER SPROCKET



For 2M, 1M, 1P, 2P. 10 Tooth Sprocket, lower sprocket on all Double Gatherer Chains. 4 used on 2-row pickers. Repl. IHC UA-1915.

Stk.No.P-214. 3 lbs. Each, **\$1.25**

SINGLE GATHERER CHAIN SPROCKET



For 2M, 1M, 1P, 2P. 8 Tooth Sprocket, lower sprocket on all single Gatherer Chains. 2 used on 2-row pickers. Repl. IHC UA-1916.

Stk.No.P-215. 3 lbs. Each, **99¢**

SINGLE GATHERER DRIVE SPROCKET AND PINION



For 2M, 1M, 1P, 2P. 7 Tooth Sprocket and 12 Tooth Pinion, drives single Gatherer Chain, 2 used on 2-row pickers. Repl. IHC U-1819.

Stk.No.P-211. 4 lbs. Each, **\$3.45**

DOUBLE GATHERER DRIVE SPROCKET AND PINION




For 2M, 1M, 1P, 2P. 7 Tooth Sprocket and 12 Tooth Pinion, drives Double Gatherer drive sprocket, 2 used on 2-row. Repl. IHC U-1913.

Stk.No.P-212. 4 lbs. Each, **\$3.25**

PICKER BEARINGS

Implement Type Roller Bearings Low as **43¢**



International Corn Pickers use a great quantity of Implement Type roller bearings in many applications. The most popular sizes are listed below, showing the IHC part numbers and all dimensions for easy identification. Please order by our stock number.

Roller Bearing for 7/8" shaft, 1 3/8" O.D. 1 3/8" long, repl. U5307.	Each, 43¢
Stk.No.P-703. 4 oz.	
Roller Bearing for 7/8" shaft, 1 3/8" O.D. 1 3/8" long, repl. #1359.	Each, 43¢
Stk.No.P-701. 4 oz.	
Roller Bearing for 7/8" shaft, 1 3/8" O.D. 2 1/4" long, repl. H4974D.	Each, 45¢
Stk.No.P-702. 5 oz.	
Roller Bearing for 1" shaft, 1 1/2" O.D. 2" long, repl. H-39034.	Each, 45¢
Stk.No.P-704. 6 oz.	
Outer Race for above Roller. Stk.No.4840. 1 oz.	Each, 25¢
Roller Bearing for 1 1/8" shaft, 2" O.D. 1 1/8" long, repl. ST188.	Each, 98¢
Stk.No.P-707. 8 oz.	
Outer Race for above Roller. Stk.No.4425. 1 oz.	Each, 30¢
Roller Bearing for 1 1/4" shaft, 1 7/8" O.D. 1 1/8" long, repl. ST146.	Each, 98¢
Stk.No.P-705. 10 oz.	
Outer Race for above Roller. Stk.No.4843. 2 oz.	Each, 35¢
Roller Bearing for 1 1/4" shaft, 1 7/8" O.D. 2 1/8" long, repl. ST148.	Each, \$1.25
Stk.No.P-706. 1 lb.	
Outer Race for above Roller. Stk.No.4837. 2 oz.	Each, 45¢

BEARING APPLICATIONS for 2M PICKER


Bearings, same as listed by size above, with specific applications shown for the 2M 2-Row Mounted Picker. Figure in parentheses is quantity used in that application.

Roller Bearing for 7/8" shaft, repl. No. 1359. Stk.No.P-701. 4 oz.	Each, 43¢
Double Gatherer Chain Sprocket, lower (4); Single Gatherer Chain Sprocket (2); Double Gatherer Chain Idler Sprocket (2); First Elevator Head Shaft (4); Double Gatherer drive Sprocket and Pinion (4); Single Gatherer Drive Sprocket and Pinion (4); Ear Forwarder belt drive shaft box (4); First Elevator drive tightener sprocket (2); First Elevator drive chain idler sprocket (2); Main Drive Chain idler sprocket (4); Husk conveyor drive chain tightener sprocket (2); Husk conveyor chain idler sprocket (2); Wagon Elevator drive roller gear (2); Wagon Elevator Gear shaft (2); Wagon Elevator head shaft (2); Wagon Elevator drive chain tightener sprockets (2); Wagon Elevator worm shafts (4).	
Roller Bearing for 7/8" shaft, repl. H4974D. Stk.No.P-702. 5 oz.	Each, 45¢
Double Gatherer Drive Chain Triple Sprocket (4); Upper and Lower HUSKING ROLL Boxes, both ends (16); Fan shaft (4).	
Roller Bearing for 7/8" shaft, repl. U5307. Stk.No.P-703. 4 oz.	Each, 43¢
Husk Conveyor Drive shaft (4); Trash Roll shaft (2).	
Roller Bearing for 1" shaft, repl. H-39034. Stk.No.P-704. 6 oz.	Each, 45¢
Outer Race for above Roller. Stk.No.4840. 1 oz.	Each, 25¢
Gatherer Drive Bracket L and R (4);	
Roller Bearing for 1 1/8" shaft, repl. ST188. Stk.No.P-707. 8 oz.	Each, 98¢
Outer Race for above Roller. Stk.No.4425. 1 oz.	Each, 30¢
Snapping Unit Drive Shafts (2); Husking Roll Drive shafts (4); Main Drive shafts (2).	
Roller Bearing for 1 1/4" shaft, repl. ST146. Stk.No.P-705. 10 oz.	Each, 98¢
Outer Race for above Roller. Stk.No.4843. 2 oz.	Each, 35¢
Snapping Unit Drive Shafts (2); Main Gear Case (small brg.) (2).	
Roller Bearing for 1 1/4" shaft, repl. ST148. Stk.No.P-706. 1 lb.	Each, \$1.25
Outer Race for above Roller. Stk.No.4837. 2 oz.	Each, .45
SNAPPING ROLLS, upper end (4); Main Gear Case Large brg. (2).	
Roller Bearing for 7/8" Fan shaft, repl. M44274. Stk.No.94532. 8 oz.	Each, 85¢
Outer Race for above Roller. Stk.No.4840. 2 oz.	Each, 25¢
Repl. IHC M-44274, for FAN SHAFT (2).	

SAVE **25%**

ASSEMBLED TO LENGTH **GATHERING CHAINS**

For IHC 1-M, 2-M, 1-P, 2-P PICKERS



Heavy duty malleable chain, each link Precision made from correct analysis materials, formed to exact shape, heat normalized, fitted with tight fitting hardened pins, and assembled into a long running chain that will resist wear and stretch. Chains for 2M, 1M, 2P, and 1P exactly duplicate originals in number of plain links and finger links, and are supplied all ready to put on your picker. Each chain includes a connecting pin with cotter for making chain endless. No assembling to do—just wrap around sprockets and pin together.

GATHER CHAINS for 2M, 2P, 1M, 1P

The 2-Row Pickers (2M and 2P) use a set of 3 chains for each Row, or a total of 6 different chains. The 1-Row Pickers (1M and 1P) use a set of 3 chains for the complete machine. The 1-Row chains are the same as those used on the LEFT side of a 2-Row machine. The terms LEFT and RIGHT, as used, refer always to the Left Hand and Right Hand respectively, WHEN FACING THE PICKER FROM THE REAR.

SINGLE GATHERER—LEFT Side on 2-Row; Also used on 1-Row	
Assembled chain consists of 51 links (repl. IHC UB876) and 17 finger links (repl. IHC UA874). Ship. wt. 17 lbs.	
Usual list \$16.80. Stk.No.P-694.	Each, \$12.65
SINGLE GATHERER—RIGHT Side on 2-Row; Not used on 1-Row	
Assembled chain consists of 51 links (repl. IHC UB876) and 17 finger links (repl. IHC UA875). Ship. wt. 17 lbs.	
Usual list \$16.80. Stk.No.P-695.	Each, \$12.65
DOUBLE GATHERER—UPPER Chain on LEFT Side on 2-Row; UPPER on 1-Row	
Assembled chain consists of 26 links (repl. IHC UB876) and 8 finger links (repl. IHC UA875). Ship. wt. 8 lbs.	
Usual list \$8.35. Stk.No.P-692.	Each, \$6.25
DOUBLE GATHERER—UPPER Chain on RIGHT Side on 2-Row; NOT on 1-Row	
Assembled chain consists of 26 links (repl. IHC UB876) and 8 finger links (repl. IHC UA874). Ship. wt. 8 lbs.	
Usual list \$8.35. Stk.No.P-693.	Each, \$6.25
DOUBLE GATHERER—LOWER Chain on LEFT Side on 2-Row; LOWER on 1-Row	
Assembled chain consists of 21 links (repl. IHC UB876) and 7 finger links (repl. IHC UA875). Ship. wt. 7 lbs.	
Usual list \$6.90. Stk.No.P-690.	Each, \$5.15
DOUBLE GATHERER—LOWER Chain on RIGHT Side on 2-Row; NOT on 1-Row	
Assembled chain consists of 21 links (repl. IHC UB876) and 7 finger links (repl. IHC UA874). Ship. wt. 7 lbs.	
Usual list \$6.90. Stk.No.P-691.	Each, \$5.15

INDIVIDUAL CHAIN LINKS—PINS

Each link complete with 1 Rivet and Cotter for Attaching.	
PLAIN link, repl. UB874.	Stk.No.P-687. Each, 19¢
FINGER link, repl. UA874.	Stk.No.P-688. Each, 25¢
FINGER link, repl. UA875.	Stk.No.P-689. Each, 25¢
RIVET connector only, with cotter key.	Stk.No.P-686. Each, 9¢

SAVE up to **43%**

DRIVE BEVEL GEARS low as **\$3.75** each



SNAP UNIT DRIVE SHAFT BEVEL PINIONS

For 2M and 1M. 16 Tooth Bevel Pinions, threaded to fit onto long snapping unit drive shafts. Gear for Left Side shaft on 2M (also used on 1M) has R.H. thread, and vice versa. Pinion for Left Side Shaft (2M and 1M) repl. U-1832. Has R.H. thread. Stk.No.P-242. Each, **\$3.75**
Pinion for Right Side Shaft (2M only) repl. U-1833. Has L.H. thread. Stk.No.P-243. Each, **\$3.75**



SNAP UNIT COUNTERSHAFT BEVEL GEAR

For 1M and 2M. 17 Tooth Bevel Gear, repl. IHC U-1820. Stk.No.P-244. 5 lbs. **\$3.95**



MAIN DRIVE BEVEL GEARS for 1M, 2M, 2P

16 Tooth Pinion and 17 Tooth Gear, In Main Drive Gear Case.

PINION, 16 Tooth, repl. U-1833	
Stk.No.P-243. 4 lbs.	Each, \$3.75
GEAR, 17 Tooth, repl. U-1820	
Stk.No.P-244. 5 lbs.	Each, \$3.95



SNAPPING UNIT DRIVE COUPLING

For 2M, 1M. 2 used on 2-row, repl. IHC U-1923. On Snap Unit Drive shafts (left and right). Stk.No.P-220. 3 lbs. Each, **\$1.65**

Parts for IHC CORN PICKERS

BRAND NEW—ASSEMBLED TO LENGTH ROLLER DRIVE CHAINS



Chains listed below are supplied cut to correct length and complete with connecting link for installing. Chains are all brand new, strictly top grade as made by leading chain suppliers. Original specifications as to size, heaviness, length, etc. are followed closely. Most IHC pickers use RC60H and RC80H chains—these are similar to RC60 and RC80 but have heavier side bars. In every application we supply the heavier type chain as used by International.

COMPARE TRACTOR SUPPLY'S PRICES BEFORE YOU BUY.

Application Stk.No. lbs. EACH

ROLLER CHAINS for IHC 2-M

Two Row Mounted Picker. Left and Right Chains are the same, two used per machine.

Main Drive Roller Chain, 3/4" Heavy, 168 links, 10'6" long, same for Right or Left	RC60H168	12	\$17.83
Snapping Unit Drive Roller Chain, 3/4" Heavy 52 links, 3'8" long, same for Right and Left	RC60H52	4	5.65
Husk Conveyor—Ear Forwarder Roller Chain, 1 1/4" Extended Pitch chain, 75 links	RC52-75	5	7.98

ROLLER CHAINS for IHC 1-M One Row Mounted Picker.

Main Drive Roller Chain, 1939 up, 3/4" Heavy 168 links, 10'6" long	RC60H168	12	\$17.83
Snapping Unit Drive Roller Chain, 3/4" Heavy 52 links, 3'8" long	RC60H52	4	5.65
Husk Conveyor—Ear Forwarder Roller Chain, 1 1/4" Extended Pitch Chain, 75 links	RC52-75	5	7.98

ROLLER CHAINS for 1-P, 1 Row Pull

Main Drive Roller Chain, 3/4" Heavy, 175 links	RC60H175	13	\$18.98
Snapping Unit Drive Roller Chain, 3/4" Heavy, 52 Links	RC60H52	4	5.65

ROLLER CHAINS for 2-P, 2 Row Pull

Main Drive Roller Chain, 1" Heavy, 133 links	RC80H133	27	\$30.26
Snapping Unit Drive Roller Chain, 3/4" Heavy, 52 Links	RC60H52	4	5.65

ROLLER CHAINS for 200, 201, 2 Row Pull

Cleaning Fan Drive Chain, 5/8" Pitch, 120 links	RC50-120	5	\$ 7.34
1st Elev. and Husk Conveyor (1932-38) 5/8", 157 Links	RC50-157	7	9.89
Main Drive Roller Chain, 1" Heavy, 149 links	RC80H149	30	33.78
Gatherer Drive Slip Clutch Chain, 1931-36, 3/4" Pitch, 71 links long	RC50-71	3	4.73
Gatherer Drive Slip Clutch Chain, 1936-38, 3/4" Heavy, 63 links long	RC60H63	6	7.22
Inner Gatherer Drive Chain (High Corn) 1932-38, 3/4" Pitch, 60 links	RC50-60	2 1/2	3.74
Inner Gatherer Drive Chain (Low Corn) 1932-38, 3/4" Pitch, 51 links	RC50-51	2 1/4	3.53
Outer Gatherer Drive Chain, 3/4" Pitch, 58 links	RC50-58	2 1/4	3.62

ROLLER CHAINS for 100, 101, 1 Row Pull

Gatherer and Elevator Drive Roller Chain, High Corn—1929-34, 3/4" Heavy, 49 links	RC60H49	4	\$ 5.75
Gatherer and Elevator Drive Roller Chain, High Corn—1935-38, 3/4" Heavy, 48 links	RC60H48	4	5.23
Gatherer and Elevator Drive Roller Chain, Low Corn—1931-38, 3/4" Heavy, 48 links	RC60H48	4	5.23
Husk Conveyor & Ear Retarder Roller Chain, 3/4" Pitch, 175 links	RC50-175	8	10.27
Main Drive Roller Chain, 1" Heavy, 136 links	RC80H136	28	30.21
Trash Roll Drive Chain, 3/4" Pitch, 70 links	RC50-70	3	4.34

ROLLER CHAINS for 20, 22B, 2 Row Mounted

Main Drive Roller Chain, 1" Heavy, 217 links	RC80H217	46	\$48.74
Gatherer and 1st Elev. Drive Chain, 3/4" Heavy, 49 Links	RC60H49	4	5.75
Husk Conveyor & Ear Forwarder Chain, Left only, 3/4" Pitch, 137 links	RC50-137	6	8.69
Husk Conveyor and Ear Forwarder Chain, Right only, 3/4" Pitch, 110 links	RC50-110	5	6.74
Trash Roll Drive Chain, 3/4" Pitch, 70 links	RC50-70	3	4.34

HUSKING ROLL SPUR GEARS

For 1M, 2M, 1P, 2P, 20, 22B, 200, 201 Pickers



12 Tooth Spur Gears, run in pairs on upper end of Husking Rolls shafts. Always install these mating gears new in pairs.

ROUND Hole Gear, for upper (outside) shaft. Replaces IHC UA-529. Stk.No.P-250. 1 lb. Each, 85c

KEY Shaped Hole Gear, for lower (inside) shaft. Replaces IHC UC-530. Stk.No.P-251. 1 lb. Each, 85c

WAGON ELEVATOR MAIN DRIVE PINION

For 2M, 1M. 8 Tooth Pinion Gear, fits on end of Main Drive Shaft, drives wagon elevator gears, 2 used on 2-row; replaces IHC UA-1910.

Stk.No.P-252. 1 lb. Each, \$1.50

SAVE

up to 41%

ROLLER CHAIN SPROCKETS

low as 75c

For Pickers 2-M, 1-M, 2-P, and 1-P

Precision sprockets for IHC Pickers, accurately machined and duplicates of originals priced to cut your picker repair costs way down. Guaranteed for long and efficient service in drives as listed.

SNAPPING UNIT DRIVE for 2M



18 Tooth Sprocket for 3/4" roller chain, repl. IHC part U-1945. Fits on snap roll drive countershaft, 2 used on 2M. Stk.No.P-206. 1 1/2 lbs. Each, \$1.10

MAIN DRIVE SPROCKET for 1M-2M



20 Tooth Sprocket for 3/4" roller chain, repl. IHC U-1956. Located next to main gear case, 2 used on 2M, 1 on 1M. Stk.No.P-201. 3 lbs. Each, \$2.45

22 Tooth Speed-Up Main Drive Sprocket for 3/4" chain. Used to replace regular 20 tooth type listed above. On 2 row pickers both sprockets must be changed. Repl. IHC U-1982 Stk.No.P-200. 3 1/2 lbs. Each, \$3.25

HUSK CONVEYOR—EAR FORWARDER



For 1M, 2M, 2P. 18 Tooth Sprocket for 3/4" roller chain, repl. IHC U-1897. Rivets to U-1896 38 tooth Husk Roll sprocket. 2 on 2M. Stk.No.P-202. 1 lb. Each, 75c

HUSK ROLL DRIVE SPROCKET



For 2M, 1M, 1P. 38 Tooth Sprocket for 3/4" roller chain. Rivets to sprocket P-202 listed above. 2 used on 2-row, replaces IHC U-1896. Stk.No.P-207. 6 lbs. Each, \$3.69

CLEANING FAN SPROCKET for 2M, 1M, 1P



18 Tooth Sprocket for 3/4" roller chain, repl. IHC part U-1904. Fits on cleaning fan shaft, 2 used on 2M, 1 on 1M and 1P. Stk.No.P-203. 2 lbs. Each, \$4.65

GATHERER DRIVE SLIP CLUTCH SPROCKET



For 2M, 1M, 2P, 1P. 23 Tooth Sprocket for 3/4" roller chain, repl. IHC part U-1912. Stk.No.P-205. 2 lbs. Each, \$1.60

GATHERER DRIVE SPROCKET



For 2M, 1M, 2P, 1P. 11 Tooth Sprocket for 3/4" roller chain. 2 used on 2-row pickers, replaces IHC U-1985. Stk.No.P-208. 1 1/2 lbs. Each, \$1.59

SAVE up to 35%

BRAND NEW GEARS

low as 95c

Precision Picker Gears, well made and machined as required, priced to save you a big part of the usual high list price.

HUSKING ROLL DRIVE GEARS

For 1M, 2M, 1P, 2P, 20, 22B, 200, 201 Pickers

DOUBLE BEVEL GEAR

14 Tooth Double Bevel Drive Gear, fits on Husking Roll drive shaft. Replaces IHC U-1341, works with pair of miter gears as listed below.

Stk.No.P-245. 2 lbs. \$1.19

MITER BEVEL GEARS

14 Tooth Miter Gear, two used with each of above drive gears. Fit on husking roll shafts, replace IHC part UA-502.

Stk.No.P-246. 1 1/2 lbs. 95c

SNAPPING ROLL SPUR GEARS

For 1M, 2M, 1P, and 2P Pickers

13 Tooth Steel Spur Gears, repl. IHC part UA-1839. One gear used on upper end of each snap roll shaft. For operating efficiency always renew both gears together.

Stk.No.P-241. 5 lbs. Each \$3.95

Other Parts for IHC Pickers on Page 12

RUBBER HUSKING ROLLS

"Minnesota" Type Rubber and Cord Construction



For Faster, Cleaner, All-Weather Picking

Made of rubber and fabric discs assembled on shaft under tremendous pressure. There is no chance of the discs turning on the shaft, and the gripping power of the serrated edges insures cleaner corn.

Pick Cleaner With Less Shelling

The ears move through the husking bed so smoothly and quickly there is little chance for shelling. When installing as replacement rollers you need the extra stripping power supplied by the irregular contours of the scalloped edges. Husks are stripped off cleanly—as clean as when husking by hand.

Tested and Approved for Much Original Equipment

The New Minnesota Roller design and construction has been approved after thorough testing and will be used for new picker production by several leading Corn Picker manufacturers, or supplied as optional at extra cost.

Fully Machined—Easy Installation

Shafts duplicate originals in all dimensions, have machined ends, cupped to cover bearing ends and prevent wrapping of silk and husks. Install a set of these Minnesota Rollers this season, in place of the upper rolls in your husking unit, and enjoy the cleanest operation your picker ever turned out.

For IHC Pickers 1M-2M-IP-2P-200

1M uses 2; 1P uses 3; 2M uses 4; 2P and 200 use 5.
Stk.No.P-501. 17 lbs. EACH, **\$12.10**

For IHC Pickers Nos. 20-22-22B


4 used on each of these models.
Stk.No.P-503. 13 lbs. EACH, **\$12.35**

HUSK ROLL INSERTS for IHC 24, 14-P listed below.

ROLLS for Other Makes and Models listed on page 3.

STEEL LINK CHAIN

FOR LESS!



International Pickers use large quantities of steel link chain in various applications. See complete chain listings by sizes on Chain page.

Double Gatherer Drive Chain for 2M, 1M, 2P, 1P. Use 56 links #62-H chain.
First Elevator Conveyor Chain for 2M, 1M, 2P, 1P. Use 100 links #62-H steel chain and 13 attachment links #62-SD.
First Elevator Drive Chain for 2M, 1M, 1P. Use 50 links #55 chain.
Trash Roll Drive Chain for 2M and 1M. Use 28 links #55 chain.
Husk Conveyor Chains for 2M, 1M, 2P, 1P. Use #45 chain.
Wagon Elevator Drive Chain for 2M, 1M, 2P, 1P. Use 146 links #55 chain.
Wagon Elevator Conveyors Chains for 2M, 1M, 2P, 1P. Use 132 links #62-H steel chain and 19 attachment links #62-SD.
#55 Chain, 74 links to 10', 7 lbs. Per 10 Foot Roll..... \$2.50
#62-H Chain, 73 links to 10', 12 lbs. Per 10 Foot Roll..... \$2.65
#45 Chain, 74 links to 10', 5 lbs. Per 10 Foot Roll..... \$4.25
#62-SD attachment link. 3 oz..... Each, .09



Elevator Chains—Paddles

Heavy Rubber-Cord Paddles only, as used on Elevators on 1M, 2M, 1P, and 2P.
For WAGON ELEV. repl. U-19414.
Stk.No.P-645. 6 oz. Each, **19c**
For 1st ELEV. repl. U-19415.
Stk.No.P-646. 5 oz. Each, **19c**

PADDLES with No. 62-SD CHAIN LINK Attached

For WAGON ELEVATORS—repl. U-19426. Stk.No.P-642. 8 oz. Each, **45c**
For 1st ELEVATORS—repl. U-19427. Stk.No.P-643. 7 oz. Each, **45c**

COMPLETE ASSEMBLED CONVEYOR CHAINS

WAGON ELEVATOR CHAIN with PADDLES for 2-M
Chain consists of 132 links #62 chain, with 19 attachment links with paddles, for 2-M Wagon Elevator. Stk.No.P-641. 10 lbs. **\$12.95**
1st ELEVATOR CHAIN with PADDLES for 2-M, 1-M, 2-P
Chain consists of 87 links #62 chain, with 13 attachment links with paddles, for 1st Elevator. Stk.No.P-640. 8 lbs. **\$8.95**

Parts for IHC #24, 14-P PICKERS

HUSK ROLL INSERTS

for

24, 14-P



All 1946 thru mid-1950 model 24 and 14-P IHC Pickers use rubber insert bars in the upper Husking Roll section. There are 3 to each roller, 12 in all on the #24 and 6 on the #14-P.

Precision Husking Roll Inserts meet original specifications fully, all dimensions are exact for easy installation. Each Insert Bar is molded around a heavy steel reinforcing section, with live tough rubber bonded to it for better, cleaner, husking action. Install in sets of 3 per roll.

Repl. IHC part 575 048 R91. IHC list \$2.10 Each.
Stk.No.P-500. **\$1.75** SET of 3
2 lbs. Each, For 1 Roll **\$4.98**

GATHERER CHAINS



#62-Z heavy steel chain, with Left and Right finger links as required, assembled to correct length, ready to install on your 24 or 14-P Picker.

RIGHT HAND Gatherer Chains on #24 (2 used). 24 links 62Z plain, with 8 finger links 62ZA-L. EACH, **\$3.85**
Stk.No.P-631. 8 lbs.

LEFT HAND Gatherer Chains on #24 (2 used). Also used on 14-P (2 used). 24 links 62Z plain, with 8 finger links 62ZA-R. EACH, **\$3.85**
Stk.No.P-632. 8 lbs.

SPROCKETS for 24, 14-P



Double Sprocket, Outer Gatherer Drive Chain, 1946-50. 16 T. for 3/4" roller chain, 10 T. for 62Z Gatherer chain. 2 used on #24, 1 used on 14-P, repl. 575112R1. Stk.No.P-231. 5 lbs. Each, **\$1.75**
Double Sprocket, 1st Elevator Drive Chain, 1946-50. 16 T. for 3/4" roller chain, 8 T. for 62Z 1st Elev. chain. 2 used on #24, 1 used on 14-P, repl. 575068R1. Stk.No.P-232. 4 1/2 lbs. Each, **\$1.65**



ROLLER CHAINS for #24, 2 Row Mounted

Chain Application and Description	Stk.No.	Lbs.	Each
Main Drive Roller Chain (with Farmall "H" tractor), 126 links 3/4" pitch, 1 used, repl. 575182R91.	RC60H126	11	\$13.42
Main Drive Roller Chain (with Farmall "M" tractor), 141 links 3/4" pitch, 1 used, repl. 575183R92.	RC60H141	12	15.41
Snapping Unit Drive Roller Chain, 88 links 3/4" pitch, 2 used, repl. 575581R91.	RC60H88	8	9.43
Trash Roll & Beater Jackshaft Chain, 1946-47, 1950, 57 links 3/4" pitch, 2 used, repl. 575356R91.	RC50-57	2 1/2	3.89
Trash Roll & Beater Jackshaft Chain, 1947-49, 49 links 3/4" pitch, 2 used, repl. U11234.	RC60H49	4 1/2	5.75
Outer Lower Gatherer Drive Roller Chain, 1946-50, 46 links 3/4" pitch, 2 used, repl. 575227R91.	RC50-46	2	2.90
Wagon Elevator Drive Roller Chain, 1946-47, 1950, 126 links 3/4" pitch, 1 used, repl. 575702R91.	RC50-126	5	7.70
Wagon Elevator Drive Roller Chain, 1947-49, 105 links 3/4" pitch, 1 used, repl. 576443R91.	RC60H105	10	11.63

ROLLER CHAINS for 14-P, 1 Row Pull

Chain Application and Description	Stk.No.	Lbs.	Each
Trash Roll & Beater Jackshaft Chain, 1947-49, 49 links 3/4" pitch, repl. U-11234.	RC60H49	4 1/2	\$ 5.75
Trash Roll & Beater Jackshaft Chain, 1949 up, 57 links 3/4" pitch, repl. 575356R91.	RC50-57	2 1/2	3.89
Snapping Unit Drive Roller Chain, 1947 up, 84 links 3/4" pitch, repl. 576380R91.	RC60H84	8	9.01
Left Lower Gatherer Drive Chain, 1947-50, 46 links 3/4" pitch, repl. 575227R91.	RC50-46	2	2.90
Wagon Elevator Drive Roller Chain, 1947, 1949-51, 133 links 3/4" pitch, repl. 576381R91.	RC50133	6	8.45
Wagon Elevator Drive Roller Chain, 1948-49, 112 links 3/4" pitch, repl. M43716.	RC60H112	10	11.95

FAN DRIVE BELT

For #24, 14-P. V-Belt, repl. IHC 11464K, 20365K. 21/32" diameter, 87" circumference.
Stk.No.B-203. 3 lbs. **\$2.45**



SAVE 40% on BRAND NEW ROLLER CHAINS STEEL LINK CHAINS



Roller Chains as listed are supplied complete with connecting link, ready to install on picker. Each chain is brand new, top quality American standard manufacture, cut to length for the drive listed.

Steel Link Chains listed show the link size, and number of links required for each drive. Steel link chain is used in many applications, and is sold in economical 10' rolls. See Page 5.

CHAINS for OLIVER 2-Row Pickers

Chain Application, Oliver No. Replaced	Stk. No.	lbs.	Each
Main Drive Roller Chain, Gear Case to Snapping Unit, Nos. 2223 to 2878, repl. APO-1309. 48 links 1" pitch roller chain.	RC80-48	8	\$9.87
Main Drive Roller Chain, Gear Case to Snapping Unit, Nos. 2879 to 3878, repl. APO-1435. 46 links 3/4" pitch roller chain	RC60-45	3 3/4	4.63
Main Drive Roller Chain, Gear Case to Snapping Unit, Nos. 3879 and up, repl. AP-1553. 48 links 3/4" pitch roller chain	RC60-48	4	4.50
Roller Chain Driving Center Elevator, Nos. 2223-2878, repl. APO-1311. 114 links 3/4" pitch roller chain.	RC50-114	5	6.98
Roller Chain Driving Trash Rolls, Nos. 2878-3878, repl. APO-1450. 134 links 3/4" pitch roller chain.	RC50-134	6	8.18
Main Drive Roller Chain for Gathering Chains, AP-1236. 46 links 1 1/4" pitch roller chain.	RC100-46	11	17.89

STEEL LINK DRIVE CHAINS

Center Elevator Drive, Nos. 2879-8257, APO-1241, uses 28 links #55 chain.
Center Elevator Drive, Nos. 8258 and up, ACO-2940, uses 27 links #55 chain.
Trash Roll Drive, Nos. 3879 and up, APO-1514, uses 55 links #62 chain.
Husking Box Drive, Nos. 2879-3878, APO-1443, uses 52 links #62 chain.
Husking Box Drive, Nos. 3879-7056, APO-1554, uses 51 links #62 chain.
Husking Box Drive, Nos. 7057 and up, ACO-2905, uses 50 links #62 chain.
Main Drive Gear Case to Countershaft, Nos. 2879-4878, uses 44 links #62 chain.
Main Drive Gear Case to Countershaft, Nos. 4879 and up, uses 43 links #62 chain.
Lower Raddle and Shake Pan Drive, Nos. 3879-8257, uses 47 links #45 chain.
Lower Raddle and Shake Pan Drive, Nos. 8258 and up, uses 49 links #45 chain.
Feeder Raddle Drive, Nos. 2879-3878, ACO-4371, uses 50 links #45 chain.
Feeder Raddle Drive, Nos. 3879 and up, APO-1555, uses 28 links #45 chain.

CHAINS for OLIVER 1-Row

Chain Application, Oliver No. Replaced	Stk. No.	lbs.	Each
Roller Chain Drive, Trash Auger and Husking Rolls AC-7008. 116 links 3/4" pitch roller chain.	RC50-116	5	\$7.10
Roller Chain Driving Gathering Chains, AP-1236. 46 links 1 1/4" pitch roller chain.	RC100-46	11	17.89
Roller Chain, Countershaft to Snapping Unit Gear Case, AP-2800. 55 links 3/4" pitch roller chain.	RC60-55	4 1/4	5.53
Feeder Raddle Steel Link Drive Chain uses 32 links #45 chain.			
Husking Box and Center Elevator Drive uses 50 links #62 chain.			

CHAINS for OLIVER 2-Row

Chain Application, Oliver No. Replaced	Stk. No.	lbs.	Each
Snapping Roll Drive Roller Chain, AP-2976, 2 used. 82 links 3/4" pitch roller chain.	RC50-82	3 1/2	\$5.06
Roller Drive Chain, Jackshaft to Gear Case, AP-2992, 2 used. 51 links 3/4" pitch roller chain.	RC60-51	4	5.17
Husking Box Drive Roller Chain, AP-2994, 2 used. 68 links 3/4" pitch roller chain.	RC50-68	3	4.22
Ear Corn Elevator Drive Roller Chain, AP-3039, 2 used. 100 links 3/4" pitch roller chain.	RC50-100	4 1/2	6.14
Wagon Elevator Countershaft Roller Chain, AP-3061, 2 used. 43 links 3/4" pitch roller chain.	RC50-43	2	3.05
Wagon Elevator Drive Roller Chain, AP-3107, 1 used. 43 links 3/4" pitch roller chain.	RC50-63	2 3/4	4.25
Main Drive Roller Chain, AP-3109, 2 used. 140 links 3/4" pitch roller chain.	RC60-140	10	12.78
Shelled Corn Auger Drive, AC-4371, uses 50 links #45 steel chain.			
Husk Auger Drive, AP-1556, uses 47 links #45 steel link chain.			

CHAINS for New Ideal 1-Row Picker

Chain Application, Oliver No. Replaced	Stk. No.	lbs.	Each
Outer Gatherer Chain, Repl. CF-438, 32 links #67W with 16 finger links #67W-C6R.	Stk. No. P-625	7 1/2 lbs.	Each, \$6.39
Inner Gatherer Chain, Lower, repl. CF-435. 20 links #62H with 6 finger links #62HCP.	Stk. No. P-636	4 lbs.	Each, 2.13
Inner Gatherer Chain, Upper, repl. CF-437. 17 links #67W with 8 finger links #67W-C6L.	Stk. No. P-627	6 lbs.	Each, 3.25
First Elevator Drive Chain uses 48 links #55 steel link chain.			
Upper Presser Wheel Unit uses 75 links #42 steel link chain.			
Lower Presser Wheel Unit uses 45 links #42 steel link chain.			
Lower Presser Wheel Unit uses 26 links #55 steel link chain.			
Corn Saver Conveyor uses 126 links #42 chain with 8 each #42AIR and 42AIL.			
Husk Conveyor uses 56 links #42 chain with 4 each #42AIR and 42AIL.			
Corn Saver and Presser Wheel Drive uses 42 links #55 steel link chain.			
Main Shaft-Husking Roll Drive uses 21 links #62 steel link chain.			
Wagon Elevator Conveyor uses 144 links #55 chain with 20 links #55-SD.			

Complete Roller and Link Chain Listings on pages 4-5
Husking Rolls for All Model Corn Pickers on page 3
See Pages 3 through 15 for Picker Parts for All Makes

CHAINS for CASE 1, 1B, 1B Pickers

Chain Application and Case No. Replaced	Stk. No.	lbs.	Each
Elevator Head Roller Drive Chain, 01686CH, 1 used with 13 tooth Regular Drive Sprocket. 37 links 3/4" pitch roller chain.	RC50-37	1 3/4	\$2.69
Elevator Head Roller Drive Chain, 01686CH1, 1 used 20 tooth Speed-up Drive Sprocket. 41 links 3/4" pitch roller chain	RC50-41	2	2.93
Fan Drive Roller Chain, 09525HT1, 1 used. 167 links 3/4" pitch roller chain.	RC50-167	7	10.49
Center Elevator Rake uses 168 links #52 steel link chain.			
Gear Box to Countershaft Chain uses 44 links #52 steel link chain.			
Feed Rake Drive Chain uses 48 links #52 steel link chain.			
Wagon Elev. Conveyor Rake uses 177 links #62 with 22 #62-SD links.			

CHAINS for CASE P 1-Row Picker

Chain Application and Case No. Replaced	Stk. No.	lbs.	Each
Upper Cross Shaft Drive Roller Chain, 1943 and earlier. 42 links 3/4" pitch roller chain.	RC60-42	3 1/2	\$3.96
Upper Cross Shaft Drive Roller Chain, 1944 and after. 52 links 3/4" pitch roller chain.	RC60-52	4	4.86
Elevator Head Roller Drive Chain, 1942 and after. 39 links 3/4" pitch roller chain.	RC50-39	2	2.81
Wagon Elevator Lower Shaft Drive uses 38 links #52 steel link chain.			
Wagon Elevator Drive, to 1945, uses 41 links #52 steel link chain.			
Wagon Elevator Drive, 1945 and after, uses 36 links #52 steel link chain.			
Wagon Elev. Conveyor Chain (to 1948) uses 126 links #55 with 19 #55-SD links.			

For MINN. MOLINE 1-Row Harrow

Chain Application and Description	Stk. No.	lbs.	Each
Roller Chain Driving Husking Rolls, 40 links 1 1/4" extended pitch, repl. RH2241.	RC52-40	3	\$4.16
Roller Chain Driving Snapping Rolls, 71 links 1 1/4" extended pitch, repl. RH2237.	RC52-71	5	7.58
Upper Roller Chain for Right Hand Gatherer Drive, before ser. no. 110150.			
35 links 1 1/4" extended pitch, repl. RH2310.	RC52-35	2 1/2	3.98
Upper Roller Chain for Right Hand Gatherer Drive, after ser. no. 110151.			
36 links 1 1/4" extended pitch, repl. RH2310A.	RC52-36	2 1/2	3.76
Lower Roller Chain for Gatherer Drive and Snap Corn Elevator.			
32 links 1 1/4" extended pitch, repl. RH2309.	RC52-32	2 1/4	3.36
Roller Chain Driving Wagon Box Elevator, before ser. no. 113485.			
22 links 1 1/4" extended pitch, repl. RH2230.	RC52-22	2	8.36
Roller Chain Driving Wagon Box Elevator, after ser. no. 113486.			
21 links 1 1/4" extended pitch, repl. 15A31.	RC52-21	2	2.58
Husking Raddle Drive uses 64 links of #55 steel.			
Full 10 foot roll (73 links), cut to length.	#55	7	2.65

GATHERER CHAINS for 1-Row HUSKOR

Chain Application and Description	Stk. No.	lbs.	Each
Left Hand Gatherer Chain, repl. RH-1000.			
55 links #62H with 11 #62H-CP finger links.	P-620	12	\$4.89
Right Hand, Upper, Gatherer Chain, repl. RH-1002.			
35 links #62H with 7 #62H-CP finger links.	P-622	7 1/2	3.19
Right Hand, Lower, Gatherer Chain, repl. RH-2301.			
28 links #62H with 5 #62H-CP finger links.	P-623	6	2.39

For Minn. Moline 2-Row Harrow

Chain Application and Description	Stk. No.	lbs.	Each
Roller Chain Driving Husking Rolls, 37" long, 76 links 3/4" pitch chain.	RC60-76	8	\$7.02
Roller Chain Driving Snapping Rolls, 104 1/4" long, 139 links 3/4" pitch roller chain.	RC60-139	9	13.09
Roller Chain between Power Shaft Drive Assy. and Snapping Roll Drive Gear Hsg. 162 3/4" long.			
217 links 3/4" pitch roller chain.	RC60-217	14	20.11

GATHER CHAINS for 2-Row HUSKOR

Chain Application and Description	Stk. No.	lbs.	Each
Same chains used on Right and Left Side, two of each per Picker.			
Lower Inner Gatherer Chain, repl. RM-1001.			
25 links #62H with 5 #62H-CP finger links.	P-621	5 1/2	\$2.25
Upper Inner Gatherer Chain, repl. RH-002.			
35 links #62H with 7 #62H-CP finger links.	P-622	7 1/2	3.19
Outer Gatherer Chain, repl. RH-1000.			
55 links #62H with 11 #62H-CP finger links.	P-620	12	4.89

STEEL LINK DRIVE CHAINS for 2-Row HUSKOR

Chain Application and Description	Stk. No.	lbs.	Each
Snapped Corn (Center) Elevator uses 50 links of #62 steel chain.			
Buy a full 10' roll (73 links) for only.			\$3.65
Husking Roll Raddle Drive uses 65 links #55 steel chain.			
Wagon Box Elevator Drive uses 33 links #55 steel chain.			
Corn Saver Drive Chain uses 47 links #55 steel chain.			
Buy in full 10' rolls (74 links) for only.			\$2.65

Parts for DEERE CORN PICKERS

SAVE

40%

ROLLER CHAIN SPROCKETS

low as, 59c

For DEERE 226 Pickers

Many sprockets are same on 101 and 200 Pickers

Roller chain sprockets are listed below and pictured. Order from this column, or column at right where chains and sprockets are listed grouped by drives.

POWER DRIVE GEAR HOUSING SPROCKET

14 Tooth Sprocket for 3/4" roller chain, fits on shaft from Upper Gear housing, right and left. Repl. Deere part J-13559H, 2 used on 226 picker.

Usual list \$7.30—SAVE 40%. Stk.No.P-401. 3 lbs..... \$4.39

SNAP ROLL DRIVE SPROCKET

11 Tooth Sprocket for 3/4" roller chain, fits on Snap Roll shafts. Repl. Deere J-1491H, 4 used.

Usual list \$3.60—SAVE 25%. Stk.No.P-402. 1 1/2 lbs..... \$2.69

POWER GEAR HOUSING SPROCKET

12 Tooth Sprocket for 3/4" roller chain, fits on shaft from upper gear housing, right and left. Repl. Deere J-1431H, 2 used on 226 picker.

Usual list \$3.50—SAVE 25%. Stk.No.P-405. 1 1/2 lbs..... \$2.65

FIRST ELEVATOR DRIVEN SPROCKET

24 Tooth Bolt-on Sprocket for 3/4" roller chain, bolts to flange on shaft out of bevel gear hsg. R and L same. Repl. Deere J-13838H, 2 used on 226.

Usual list \$6.65—SAVE 25%. Stk.No.P-406. 2 lbs..... \$4.98

HUSKING ROLLS DRIVEN SPROCKET

20 Tooth Bolt-on Sprocket for 3/4" roller chain, bolts to flange on husking roll slip clutch shaft, R and L same. Repl. Deere J-13839H, 2 on 226.

Usual list \$7.05—SAVE 30%. Stk.No.P-407. 2 lbs..... \$4.95

POWER SHAFT DRIVEN SPROCKET

18 Tooth Sprocket for 3/4" roller chain, on Right and Left Power shaft. Repl. Deere J-1098H. 2 used on 226 and 200, 1 on 101.

Usual list \$3.15—SAVE 30%. Stk.No.P-418. 2 lbs..... \$2.19

WAGON ELEVATOR SPROCKET

14 Tooth Sprocket for 3/4" roller chain, on shaft from bearing gear housing. Repl. Deere J-1326H.

Usual list \$1.10—SAVE 25%. Stk.No.P-419. 1 1/2 lbs..... 83c

IDLER—TIGHTENER SPROCKET for 3/4" CHAIN

10 Tooth Tightener Sprocket for all 3/4" chain drives. Repl. Deere J-1639H. 6 used on 226 picker, also used on 200.

Usual list \$0.85—SAVE 29%. Stk.No.P-403. 1 lb..... 59c

HUSKING ROLL HOUSING CROSS SHAFT SPROCKET

21 Tooth Sprocket for 5/8" roller chain, fits on cross shaft. Repl. Deere J-1447H. 2 used on 226.

Usual list \$1.15—SAVE 23%. Stk.No.P-410. 1 1/2 lbs..... 89c

HUSKING AUGER DRIVEN SPROCKET

18 Tooth Sprocket for 5/8" roller chain, fits on end of L and R Auger shafts. Repl. Deere J-1417H. 2 used on 226 picker.

Usual list \$1.15—SAVE 25%. Stk.No.P-415. 1 1/2 lbs..... 87c

WAGON ELEVATOR DRIVE SPROCKET

14 Tooth Sprocket for 5/8" roller chain, fits on driven shaft out of gear housing. Repl. Deere J-1432H, used.


Usual list \$1.05—SAVE 25%. Stk.No.P-420. 1 lb..... 79c

IDLER—TIGHTENER SPROCKET for 5/8" CHAIN

11 Tooth Tightener Sprocket for all 5/8" chain drives. Repl. Deere J-1640H. 5 used on 226.

Usual list \$0.85—SAVE 29%. Stk.No.P-411. 1 lb..... 59c

V BELT for FAN DRIVE on 226



V Drive Belt for 1942 and later Model 226 Pickers. 1/2" width, 64 1/4" circumference, replaces Deere part J-12587H. Two used on picker. Stk.No.B-265. 1 lb..... Each, \$1.25

ROLLER CHAIN DRIVES for 226



Roller Chains and sprockets are listed below according to drive. Chains are shown complete, cut to exact length required for the application and supplied complete with connecting link. Sprockets are listed for cross reference and may be ordered here, or from listing at left where each is pictured and individually described more fully.

Left, or L.H. means the left hand side when facing the machine from the REAR.

Column "No. Used" gives the quantity of each piece used in the particular application referred to—it may also be used elsewhere on the picker. Column "Links or Teeth" gives the number of links (rollers) on chains and the number of teeth of sprockets.

Application	No. Links Used Teeth	Repl. Deere	Stk. No.	Wt. lbs. EACH
-------------	----------------------	-------------	----------	---------------

Right and Left HUSKING AUGER DRIVES

Roller Chain, 3/4" Pitch, 45 links,				
Right and Left same.....	2	45L	AJ6568H	RC50-45 2 1/4 \$3.17
Sprocket, Driven, Husk Auger, L & R.....	2	18T	J1417H	P-415 1 1/2 .87
Sprocket, Tightener, L & R.....	2	11T	J1640H	P-411 1 .59

Right and Left MAIN POWER DRIVE

Roller Chain, 3/4" Pitch, 68 links,				
Left Hand only.....	1	68L	AJ7021H	RC60-68 5 \$6.30
Roller Chain, 3/4" Pitch, 69 links,				
Right Hand only.....	1	69L	AJ7020H	RC60-69 5 6.79
Sprocket, Driven, on Power Shaft, L & R.....	2	18T	J1098H	P-418 2 2.19
Sprocket, Wagon Elevator, R only.....	1	14T	J1326H	P-419 1 1/2 .83

WAGON ELEVATOR DRIVE

Roller Chain, 3/4" Pitch, 67 links,				
one used.....	1	67L	AJ5841H	RC50-67 3 \$4.49
Sprocket, Driver, Gear Housing.....	1	14T	J1432H	P-420 1 .79
Sprocket, Tightener.....	1	11T	J1640H	P-411 1 .59

Right and Left SNAPPING ROLLS DRIVES

Roller Chain, 3/4" Pitch, 41 links,				
for Left side.....	1	41L	AJ7030H	RC60-41 3 1/2 \$4.27
Roller Chain, 3/4" Pitch, 37 links,				
for Right side.....	1	37L	AJ8614H	RC60-37 3 3/4 3.91
Sprocket, Driver, on Power Drive Gear				
Housing, both sides same.....	2	14T	J13559H	P-401 3 4.39
Sprocket, Driver, on Snap Roll Gudgeon.....	2	11T	J1491H	P-402 1 1/2 2.69
Sprocket, Tightener.....	2	10T	J1639H	P-403 1 .59

Right and Left INNER GATHERER DRIVES

Roller Chain, 3/4" Pitch, 40 links,				
same for Right or Left, 1943 up.....	2	40L	AJ8615H	RC60-40 3 \$3.78
Sprocket, Driver, on Snap Roll Gudgeon.....	2	11T	J1491H	P-402 1 1/2 2.69
Sprocket, Tightener.....	2	10T	J1639H	P-403 1 .59

Right and Left FIRST ELEVATOR and HUSK ROLLS

Roller Chain, 3/4" Pitch, 58 links,				
for Left Side only.....	1	58L	AJ7023H	RC60-58 4 \$5.40
Roller Chain, 3/4" Pitch, 64 links,				
for Right side only.....	1	64L	AJ7022H	RC60-64 4 1/2 5.94
Sprocket, Driver on Power Gear Hsg.....	2	12T	J1431H	P-405 1 1/2 2.65
Sprocket, Driven, First Elevator.....	2	24T	J13838H	P-406 2 4.98
Sprocket, Driven, Husking Rolls.....	2	20T	J13839H	P-407 2 4.95
Sprocket, Tightener.....	2	10T	J1639H	P-403 1 .59

HUSKING ROLL GEAR HOUSING DRIVES

Roller Chain, 3/4" Pitch, 56 links,				
same for Right or Left.....	2	56L	AJ8577H	RC50-56 2 1/2 \$3.50
Sprocket, Driven, on Husk Roll Housing				
Cross shaft, R and L same.....	2	21T	J1447H	P-410 1 1/2 .89
Sprocket, Tightener.....	2	11T	J1640H	P-411 1 .59

CHAIN APPLICATIONS for 101 PICKER

Snap Rolls Drive Roller Chain, 3/4" Pitch, 52 links.....	RC60-52	3 1/2	\$4.86
L.H. Gatherer Drive Roller Chain, 3/4" Pitch, 58 links.....	RC50-58	2 1/2	3.62
Husking Roll Drive Roller Chain, 3/4" Pitch, 92 links.....	RC50-92	4	5.66
Husking Roll Drag—Gear Case. Roller Chain, 3/4" Pitch, 41 links.....	RC50-41	2	2.93
1st Elevator Drive Roller Chain, 3/4" Pitch, 68 links.....	RC50-68	3	4.22
Trash Rolls Drive Roller Chain, 3/4" Pitch, 58 links.....	RC50-58	2 1/2	3.62
Husk Auger Drive Roller Chain, 3/4" Pitch, 39 links.....	RC50-39	2	2.81
Wagon Elevator Drive Roller Chain, 3/4" Pitch, 68 links.....	RC50-68	3	4.22
R.H. Gatherer Drive Chain is steel link type, #62 chain 38 links long. Order 10' roll of #62 from steel chain listing.			

CHAIN APPLICATIONS for 200 PICKER

Snap Rolls R.H. Drive Roller Chain, 3/4" Pitch, 78 links.....	RC60-78	5	\$7.20
Snap Rolls L.H. Drive Roller Chain, 3/4" Pitch, 75 links.....	RC60-75	5	7.33
Husk Rolls R & L Drives Roller Chain 3/4" Pitch, 95 links.....	RC50-95	4	6.17
Inner Gatherer Drives use 23 links of #62 steel link chain.			
Husking Augers use 16 links of #55 steel link chain.			
Wagon Elevator R.H. uses 32 links of #62 steel link chain.			
Wagon Elevator L.H. uses 57 links of #55 steel link chain.			
Order Steel Link Chain in 10' rolls from Steel Chain Listing.			

Parts for DEERE CORN PICKERS

SAVE on GATHERER CHAINS



All Gatherer Chains for Deere are supplied completely assembled, made up of #62H heavy steel detachable chain with C7 finger links properly spaced, ready to install on your picker.

These are all Brand New Chains, made for us by leading chain producers, to the exact same specifications as ordered for original equipment chains.

Compare Tractor Supply's Economy Prices on these frequently needed repair parts for your Deere Picker and join the thousands who say "You Save When You Buy from Tractor Supply."

GATHERER CHAINS for 226

INNER Gatherer Chain—same on both Left and Right.
33 links #62H and 8 finger links. Repl. Deere AJ-5744H, 2 used on 226 Picker. Stk.No.P-606. 7 lbs.....Each, **\$2.90**

OUTER UPPER Gatherer Chain—same Left and Right.
33 links #62H and 8 finger links. Repl. Deere AJ-5744H, 2 used on 226 Picker. Stk.No.P-606. 7 lbs.....Each, **\$2.90**

OUTER LOWER Gatherer Chain—same Left and Right.
20 links #62H and 6 finger links. Repl. Deere AJ-5745H, 2 used on 226 Picker. Stk.No.P-607. 4 lbs.....Each **\$1.98**

HUSKING ROLL DRAG CHAINS for 226

Complete assembled Husking Roll Drag Chains, same Left and Right, replace Deere part AJ-5713HN.
Stk.No.P-608. 10 lbs.....Each, **\$4.55**

GATHERER CHAINS for 101

Right Hand Gatherer Chain for 101, repl. Deere AJ-6561. 28 links #62H chain with 7 finger links #62H-C7. Stk.No.P-609. 5 lbs.....Each, **\$2.75**

Left Hand Gatherer Chain for 101, repl. Deere AJ-6562. 40 links #62H chain with 10 finger links #62H-C7. Stk.No.P-610. 7 lbs.....Each, **\$3.89**

STEEL LINK CHAIN



Deere Pickers use large amounts of steel detachable chain in many applications. Size 62H is generally used in gatherer chains with 62H-C7 finger link (see complete chains for 226 above). 62H is also used in Husking Roll Drag Chains.

First Elevator Conveyor, and Wagon Elevator Conveyor, on 226 Picker use #62 chain with 62-SH attachment links.

Order steel chain in 10' rolls for greatest economy. Identify the size links used from numbers on old chain and order in 10' rolls.

#45 Chain, 74 links to 10'. 6 lbs. Per 10' Roll only.....**\$2.50**

#55 Chain, 74 links to 10'. 7 lbs. Per 10' Roll only.....**2.65**

#62 Chain, 73 links to 10'. 10 lbs. Per 10' Roll only.....**3.65**

#62H Chain, 73 links to 10'. 12 lbs. Per 10' Roll only.....**4.25**

#62H chain has heavier wall than regular #62, fits same sprockets.

#62H-C7 finger link for Gatherer Chains.....Each, **15c**

SAVE on GEARS

for 101, 200, 226 Pickers

13 Tooth BEVEL PINION GEAR

13 Tooth Bevel Pinion Gear, repl. Deere J-1296H, used in many applications throughout 226, 101, and 200 pickers. 15 used on 226—Gatherer drives, 1st Elevator, Housing shafts, Husking Roll drives, etc.

Usual list \$1.60—SAVE 40%. Stk.No.P-450. 1 1/2 lbs. **95c**

HUSKING ROLLS GEARS

12 Tooth spur Gear, repl. Deere J-1219H. 1 used on each Husking Roll.

Usual list \$2.20—SAVE 25%. Stk.No.P-441. 2 lbs.....**\$1.65**

SNAP ROLL GEARS for 101, 200, 226 Also Used on POWER DRIVE


14 Tooth spur Gear, repl. Deere J-1218H. 1 used on each SNAP ROLL, also 2 in Power Drive.

Usual list \$2.90—SAVE 32%. Stk.No.P-440. 4 lbs.....**\$1.98**



RUBBER HUSKING ROLLS

"Minnesota" Type Rubber and Cord Construction



For Faster, Cleaner, All-Weather Picking.

Scalloped Edges for Greater Picking Power.

Made of rubber and fabric discs assembled on shaft under tremendous pressure. There is no chance of the discs turning on the shaft, and the gripping power of the serrated edges insures cleaner corn.

Pick Cleaner with Less Shelling

The ears move through the husking bed so smoothly and quickly there is little chance for shelling. When installing a replacement rollers you need the extra stripping power supplied by the irregular contours of the scalloped edges. Husks are stripped off cleanly—as clean as when husking by hand.

Fully Machined—Easy to Install

Shafts duplicate originals in all dimensions, have machined ends cupped to cover bearing ends and prevent wrapping of silk and husks. Install these Minnesota rollers in place of the upper rolls now in your husking unit for cleaner picking under all weather conditions.

Order the Minnesota Roll Tailor-Made for Your Picker

For 226 and 200 Pickers (2 used)
For 101 Prior to 1946 (1 used). Stk. No. P-505. 17 lbs.....Each, **\$11.60**

For 101 Pickers 1946 and after,
ser. nos. 18871 and up. (1 used). Stk. No. P-505X. 17 lbs.....Each **\$12.00**

For models 1 (4); 2 (4); 10 (3); 15 (2);
20 (5); 21 (4); 25 (4); and 25A (4). Stk. No. P-504. 16 lbs. Each, **\$12.60**

Complete Roller Listing for All Makes and Models on Page 3

BEARING APPLICATIONS

for 226 PICKER



The same bearing is commonly used in many applications throughout this model Picker. Table below gives bearing location, quantity used in that application (in parentheses) as well as the bearing number, John Deere number replaced, and price. Price shown is EACH. Allow 1/2 pound average shipping weight for each bearing.

Tapered Cone and Cup:

Gatherer Gear RH Long Dive shaft, both ends (4);
First Elevator Bevel Gear Housing drive shafts, both ends (2);
First Elevator Bevel Gear Housing Vertical shaft, clutch and (1);
Husking Roll Gear Housing Vertical shaft, R & L, Upper ends (2);
Husking Roll Gear Hsg. Cross Drive shaft, R & L, both ends (4);
Wagon Elevator Gear Hsg. Drive shaft, sprocket end (1);
Wagon Elevator Gear Hsg. Driven Cross shaft, both ends (2);
Bearing CONE, repl. Deere JD8115T. Stk.No.1380.....Each, **\$1.45**
Bearing CUP, repl. Deere JD7437N. Stk.No.1328.....Each, **.95**

Tapered Cone and Cup:

Gatherer Gear Vertical Drive shaft, lower ends (2);
Outer Gatherer Chains drive shafts, R and L (4);
First Elev. Bevel Gear Hsg. Vertical shaft (1);
Husking Roll Gear Hsg. Vertical shaft, R & L, lower ends (2);
Wagon Elev. Gear Hsg. Drive shaft, housing end (1);
RH Power Drive Gear Hsg. outer on driven shaft (1);
LH Power Drive Gear Hsg. driven shaft, housing end (1);
Bearing CONE, repl. Deere JD7358R. Stk.No.09078.....Each, **98c**
Bearing CUP, repl. Deere JD7438H. Stk.No.09195.....Each, **45c**

Tapered Cone and Cup:

RH Power Drive Gear Hsg. driven shaft, inner (1);
LH Power Drive Gear Hsg. driven shaft, housing end (1);
Bearing CONE, repl. Deere JD8117H. Stk.No.15590.....Each, **\$1.85**
Bearing CUP, repl. Deere JD7432H. Stk.No.15520.....Each, **1.15**

Tapered Cone and Cup:

Power Drive Gear Housing, R and L drive shaft, both ends (4)
Bearing CONE, repl. Deere JD8110N. Stk.No.15578.....Each, **\$1.85**
Bearing CUP, repl. Deere JD7432H. Stk.No.15520.....Each, **1.15**

SNAPPING ROLLS Roller Bearing, Gear End. 1 on each Roll.

Roller Assembly, repl. Deere JD7543H. Stk.No.94632.....Each, **93c**
Thrust Bearing, repl. Deere J19198H. Stk.No.P-726.....Each, **95c**

SNAPPING ROLLS, Front End Roller Bearings, 1 on each Roll.

Roller Assembly, repl. Deere JD7921H. Stk.No.94524.....Each, **85c**
Outer Race only, repl. Deere JD7454H. Stk.No.4811.....Each, **19c**

HUSKING ROLLS Roller Bearing, 1 on each end each Roll shaft.

Husking Roll Gear Hsg. Drive shaft, R & L, both ends;
Husk Auger shafts, R and L.
Roller Assembly, repl. Deere JD7934N. Stk.No.94416.....Each, **69c**
Outer Race only, repl. Deere JD7454H. Stk.No.4896.....Each, **17c**

Roller Bearing used in all Tightener and Idler Sprockets:

Roller Assembly, repl. Deere JD7940N. Stk.No.93212.....Each, **49c**

Other Corn Picker Parts on Pages 3 to 13

COMBINE V-BELTS

Superior Construction Guarantees Longer Life

COVERED FOR PROTECTION

Our combine V-belts are of top quality, for longer operating life under tough combining conditions. The tough cover keeps out dust, grit, and moisture and prevents premature wear of the belt.

The tension section (1) is your insurance against belt overheating. The cord section (2) contains tough rubber impregnated cables for extra pulling strength. The compression section (3) is made of fibrous materials to provide cross section rigidity.

100% DEPENDABILITY

Combine V-belts are called upon for the toughest kind of service, and a belt has to be rugged to withstand the extreme conditions of heat, stress, dust and grit. These belts are guaranteed to provide all of the most modern construction features to provide positive grip, flexibility to cling to small pulleys, strength to withstand shocks, plus a tight cover to keep out dust.

WEIGHTS: Belts under 48", 2 lbs.
49 to 60", 3 lbs. 72 to 100", 5 lbs.
60 to 72", 3 lbs. Over 100", 7 lbs.

Belt Application & Serial Nos. Fit	Repl. Mfr. No.	Size in Inches	STK. NO.	PRICE EACH
ALLIS CHALMERS "60"				
Cyl. Drive Belt, 1935-37, prior to #23800	502432	1 1/2 x 110 3/4	B-289	\$ 9.95
Cyl. Drive Belt, 1938-40, #23801-58836	502433	1 1/2 x 110 3/4	B-291	15.50
Cyl. Drive Belt, 1941 up, #58837 up	508971	1 1/2 x 119 1/4	B-292	15.95
Header Drive Belt, Prior to #58836	502434	7/8 x 108 3/4	B-280	5.65
Header Drive Belt, 1941 up, #58837 up	506910	7/8 x 151 3/4	B-281	9.50
Separator Drive Belt, all years	502435	x241 3/4	B-282	6.95
Reel Drive Belt, all years	502436	x175 3/4	B-283	4.95
Lwr. Draper Drive Belt, '35 up, #58837 up	501470	x56 1/2	B-201	1.75
Grain Bin Unloading Drive Belt, #23801 up	502437	x62 1/2	B-202	1.98
Straw Spreader Attachment Belt	502438	x87 3/4	B-203	2.45

ALLIS CHALMERS "40", 1931-41

Cylinder Drive	503303	1 1/2 x 79 3/4	B-288	\$ 7.50
Header & Fan Drive	503304	x106 3/4	B-205	3.00
Separator Drive	503305	x183	B-206	4.95
Reel	503306	1/2 x 142	B-207	3.30
Upper Draper	503308	x48 3/8	B-208	.95
Tailings Elevator	504093	1/2 x 67	B-209	1.30
Pickup (Rotor Type)	503327	x125 3/4	B-210	3.75
Pickup Drive	501510	x167 3/4	B-204	4.95

JOHN DEERE 11A & 12A, 1940-49

Cylinder	P-27312H	1 1/2 x 92	B-290	\$13.95
Grain Tank Elevator	P-29286H	x87	B-203	2.45
Conveyor Under Strawrack	P-27108H	x160 3/4	B-211	4.85
Tailings Elevator	P-29287H	x96	B-212	2.95
Feeder & Platform Canvas, rear beater & fan	P-30120H	7/8 x 242 3/4	B-284	16.95
Upper Tailings Auger	P-37230H	1/2 x 49 1/2	B-213	1.15
Special Bagging Attach. 1942-47	P-35760H	x99 3/4	B-281	2.95

JOHN DEERE 11 & 12, 1939-40

Cylinder	P-27312H	1 1/2 x 92	B-290	\$13.95
Straw Rack	P-27108H	x160 3/4	B-211	4.85
Return Elevator, 1939	P-461	1/2 x 92	B-214	2.15
Tailings Elevator	P-28905H	1/2 x 92	B-214	2.15

IHC MODEL 42, 42R, 1940-49

Cylinder (2 used)	16643K	1 1/2 x 63 3/4	B-286	\$ 7.95
Shaker Shaft & Cylinder Beater	16648K	x180 1/2	B-285	6.65
Reel (Ground driven, 2 used)	16649K	1/2 x 92	B-214	2.15
Reel (Power driven)	18649K	1/2 x 138 1/2	B-215	3.10
Fan	18202K	x45 1/2	B-216	1.69
Grain & Tailings Elevator	18203K	x136 1/2	B-217	3.95
Grain Bin Unloader	18204K	x42	B-218	1.45
Upper Feeder Canvas	16650K	1/2 x 77	B-219	1.69

IHC MODEL 60, 61, 1937-40

Straw Spreader—60 only	11464K	x87	B-203	\$ 2.45
Straw Spreader—61 only	14635K	x99 3/4	B-221	2.95
Reel (1938-40)	13988K	x115	B-222	3.50
Pickup—60 only	15166K	x122	B-223	3.75
Pickup—61 only	24510K	x70 3/4	B-224	2.15
Front Beater—60 only 1937-38	11206K	x77 3/4	B-220	2.50
Front Beater—61 only 1939	11206K	x77 3/4	B-220	2.50

IHC MODEL 62, 1941-49

Cylinder, 1941-51	21789K	1 1/2 x 92	B-290	\$13.95	
Straw Spreader	19894K	x122	B-223	3.75	
Reel Shaft	20365K	28570K	x87	B-203	2.45
Upper Feeder Canvas	20399K	x106 3/4	B-205	3.00	
Tank Unloader (P.T.O.)	20641K	x35	B-225	1.25	
Tank Unloader (Engine)	20209K	x52	B-226	1.80	
Pickup	15166K	x122	B-223	3.75	
Chaffer Fan	23221K	x99 3/4	B-221	2.95	

IHC MODEL 123 SP, 1943-49

Cylinder Beater	22849K	x120 1/2	B-230	\$ 6.85
Sickle	26267K	x118 3/4	B-231	6.85
Pickup	27550K	x99 3/4	B-221	2.95
Recleaner (left)	27145K	x48 3/4	B-232	1.65
Straw Spreader, 1944-47	18413KA	x145 1/2	B-233	4.50
Chaffer Fan Drive	23221K	x99 3/4	B-221	2.95

IHC MODEL 122

Cylinder	25385K	1 1/2 x 117 1/4	B-279	17.50
Reel	23898K	x62	B-202	\$ 1.98
Upper Feeder	16658K	x115	B-222	3.50
Straw Spreader	18413KA	x145 1/2	B-233	4.50

MASSEY HARRIS 6'-7' CLIPPER, 1939-49

Cylinder 1939-43	GH5025	1 1/2 x 75 1/4	B-287	7.85
Cylinder 1944-49	GH-5104	1 1/2 x 72 1/4	B-277	16.25
Beater & Draper	GH5046	x160 3/4	B-211	4.85
Rear Beater	GH5038	x93 3/4	B-227	2.98
Rear Fan (Fan & Fan Housing)	GH5045	x70 3/4	B-224	2.15
Reel with 3 1/2" Pulley	GH5047	x57	B-228	1.95
Reel with 6" Pulley	GH5091	x62	B-202	1.98
Grain & Tailings Auger, 1941	GH5067	x37	B-229	1.25
Clean Grain Auger	GH5067	x37	B-229	1.25
Pickup Attachment #1 (1939)	GH5045	x70 3/4	B-224	2.15
Pickup Attachment #2	GH-5081	x118	B-242	3.75
Fan & Tailings Auger	GH5100	x38	B-234	2.25
Rubber Roller Att. for Rear Beater	GH-5083	x122	B-223	1.75

MASSEY HARRIS 5', 1938

Sickle, Beater & Apron	GH5027	1 1/2 x 160 3/4	B-211	\$ 4.85
Rear Beater	GH5038	x93 3/4	B-227	2.98
Cylinder	GH5025	1 1/2 x 75 1/4	B-287	7.85

MASSEY HARRIS 5' CLIPPER, 1939

Beater & Draper	GH5046	x160 3/4	B-211	\$ 4.85
Rear Beater	GH5038	x93 3/4	B-227	2.98
Cylinder	GH5025	1 1/2 x 75 1/4	B-287	7.85
Rear Fan	GH5045	x70 3/4	B-224	2.15
Reel	GH5047	x57	B-228	1.95

MASSEY HARRIS 5' CLIPPER, 1940

Auger (2 used)	GH5067	x37	B-229	\$ 1.25
----------------	--------	-----	-------	---------

MASSEY HARRIS 21, 21A, 1941-49

Front Beater (Cylinder) Short Belt	GK5099	1 1/2 x 116 1/2	B-279	\$17.50
Front Beater (Cylinder) Long Belt	GK5100	x129	B-278	18.95
Header (Cross Conveyor)	GK5098	7/8 x 111	B-235	5.65
Rear Beater	GK5045	x126	B-210	3.75
Straw Spreader	GK5254	x128 1/2	B-237	2.95
Straw Walker	GK5019	x212 3/4	B-238	7.75
Separator Fan & Beater	GK5105	x96	B-212	2.95
Traction Drive	GK-5106	1 1/2 x 75 1/4	B-287	7.85

COCKSHUTT SP-112 & SP-115, 1945-49

Cylinder to Rear Beater	TX-554	7/8 x 65	B-239	\$ 3.60
Fan to Walker	SX-571	x111 1/2	B-240	3.45
Feed Conveyor Auger (Slow Speed)	HX-590	7/8 x 88 1/2	B-241	4.95
Beater to Grain Elevator	EX-S19	x115	B-222	3.50
Motor to Separator Fan	CX-542	x96	B-212	2.95
Countershaft to Unloader Auger	BX-S11	x48 3/4	B-232	1.65
Pickup	UX-S13	x118	B-242	3.75
Hydraulic Pump Drive	VX-551	x39	B-243	1.35

Adjustable—will fit all makes of binders, mowers and combines with vertical bolts. Tension spring returns guard to normal position after it strikes obstruction. Made of long-lasting malleable iron.

Stk. No. X-127—Wt. 3 lbs. Ea. **\$1.45**



The All-Purpose Adhesive that miraculously mends all kinds of cloth, canvas, wood, glass, etc.—anything except rubber. For indoor or outdoor use.

Weatherproof—Waterproof—Oilproof.
Makes a permanent, low cost repair.

Stk. No. 20A60—6 oz. Bottle. **65¢**

Long Wearing Extra Heavy Rubberized Harvester Duck Construction Equal or Superior to Originals

Individual specifications differ according to the needs of the various models. But you can be sure that all Combine Canvas listed is equal to—or better than manufacturer's original specifications. In many cases major improvements have been made for greater service.

All wood slats used are straight-grained hardwood, carefully selected. All slat holes are countersunk to protect rivet burrs.

On models requiring metal slats, a heavier $\frac{1}{2}$ "x $\frac{3}{8}$ " size is used rather than the customary $\frac{3}{8}$ "x $\frac{3}{8}$ ", and they are attached to the canvas with 2 extra rivets—making 4 rivets in all instead of the usual 2 rivets.

For ALLIS CHALMERS 5 Ft. Model "60"

Heavy No. 6 Harvester Duck, choice of long wearing waterproofed or rubberized finish. Heavier steel slats than originals, with extra rivets to hold canvas in severe service. Fasten like originals.

UPPER ELEVATOR—WATERPROOFED FINISH—Repl. A-C-505851. Size 59 $\frac{1}{2}$ x49. STK. NO. X-811. Ship. wt. 13 lbs. Each. **\$12.95**

LOWER ELEVATOR—WATERPROOFED FINISH—Repl. A-C-505855. Size 59 $\frac{1}{2}$ x152. STK. NO. X-812. Ship. wt. 22 lbs. Each. **\$29.50**

UPPER ELEVATOR—RUBBERIZED FINISH—Repl. A-C-505854. Size 59 $\frac{1}{2}$ x49. STK. NO. X-813. Ship. wt. 15 lbs. Each. **\$14.50**

LOWER ELEVATOR—RUBBERIZED FINISH—Repl. A-C-505855. Size 59 $\frac{1}{2}$ x152. STK. NO. X-814. Ship. wt. 28 lbs. Each. **\$36.50**

For ALLIS CHALMERS Model "40"

Extra heavy No. 4 Harvester duck, thoroughly rubberized. Metal end slats with wood intermediate slats, with metal clips at end.

UPPER ELEVATOR—RUBBERIZED FINISH—Repl. A-C-506730. Size 35 $\frac{1}{2}$ x42. STK. NO. X-815. Ship. wt. 8 lbs. Each. **\$7.95**

LOWER ELEVATOR—RUBBERIZED FINISH—Repl. A-C-506731. Size 35 $\frac{1}{2}$ x111 $\frac{1}{2}$. STK. NO. X-816. Ship. wt. 14 lbs. Each. **\$15.95**

For OLIVER Combines #2 and #6

Heavy No. 6 Harvester duck, thoroughly waterproofed. Construction like originals.

Model 6, 6 Ft. Cut—PLATFORM—WATERPROOFED. Repl. AC5897T. Size 36x214. STK. NO. X-830. Ship. wt., 29 lbs. Each. **\$51.95**

MODEL 2—UPPER—WATERPROOFED. Repl. AC-7148T. Size 55 $\frac{1}{2}$ "x52". STK. NO. X-845. 9 lbs. Each. **\$14.50**

MODEL 2—MAIN—WATERPROOFED. Repl. AC-7265T. Size 55 $\frac{1}{2}$ "x147". STK. NO. X-846. 28 lbs. Each. **\$38.95**

For IHC McCORMICK-DEERING

Canvases for Nos. 42 and 52 made of extra heavy No. 4 Harvester duck thoroughly rubberized, same construction as originals. Canvases for No. 62 made of extra heavy two ply rubberized duck, wood slats with steel clips, with improved "Alligator" type flexible joining.

Model "62"—UPPER FEED—RUBBERIZED. Repl. IHC 20140KB. Size 26 $\frac{1}{4}$ x44 $\frac{1}{4}$. STK. NO. X-834. Ship. wt 8 lbs. Each. **\$13.25**

Model "62"—FEED CONVEYOR—RUBBERIZED. Repl. 20136KC. Size 26 $\frac{1}{4}$ x151. STK. NO. X-835. Ship. wt. 22 lbs. Each. **\$36.50**

Model "SP-123"—FEED CONVEYOR—RUBBERIZED. Repl. 48121. KAW. Size 30 $\frac{3}{4}$ x55 $\frac{1}{4}$. STK. NO. X-852. Wt. 11 lbs. Each. **\$16.50**

For JOHN DEERE Combines

Heavy No. 6 Harvester Duck, waterproofed, used on No. 6 canvas, same construction as originals. Canvases for Nos. 11, 11A, 12, 12A have metal slats for joining ends with bolts and nuts, easier to handle than originals. Canvas for Nos. 11 and 11A made of extra heavy No. 4 rubberized Harvester duck. Canvas for Nos. 12 and 12A made of heavy No. 6 rubberized duck.

Model "6"—UPPER—WATERPROOFED FINISH. Repl. Deere AP9720H. Size 64 $\frac{1}{2}$ x102 $\frac{1}{2}$. STK. NO. X-821. 21 lbs. Ea. **\$58.95**

Model "6"—LOWER—WATERPROOFED FINISH. Repl. Deere AP9721. Size 64 $\frac{1}{2}$ x95 $\frac{1}{4}$. STK. NO. X-822. 19 lbs. Ea. **\$46.95**

Model "6"—PLATFORM—WATERPROOFED FINISH. Repl. Deere AP9722H. Size 64 $\frac{1}{2}$ x84 $\frac{1}{4}$. STK. NO. X-823. 17 lbs. Ea. **\$42.95**

Model 11, 11A—FEEDER—RUBBERIZED FINISH. Repl. Deere AP13963. Size 47x46. STK. NO. X-825. Ship. wt. 8 lbs. Ea., **\$16.95**

Model 11, 11A—PLATFORM—RUBBERIZED. Repl. Deere AP13682. Size 47x126 $\frac{1}{2}$. STK. NO. X-826. Ship. wt. 19 lbs. Ea., **\$34.95**

Model 12, 12A—FEEDER—RUBBERIZED. Repl. Deere AP13964. Size 59x45 $\frac{1}{2}$. STK. NO. X-827. Ship. wt., 10 lbs. Ea. **\$19.95**

Model 12, 12A—PLATFORM—RUBBERIZED. Repl. Deere AP13683. Size 59x126 $\frac{1}{2}$. STK. NO. X-828. Ship. wt. 23 lbs. Ea. **\$37.50**

For MINN. MOLINE 5' Combines

HEADER PLATFORM—WATERPROOFED. Repl. 1657R2. Size 47 $\frac{1}{2}$ "x147". STK. NO. X-837. 19 lbs. Each. **\$26.50**

MODEL "G-4"—2 PLY RUBBERIZED—Repl. 5375K4. Size 31"x114 $\frac{1}{2}$ ". Stk. No. X-851. Ship. Wt. 21 lbs. Ea. **\$29.95**

For J. I. CASE

Heavy No. 6 Harvester Duck, thoroughly rubberized. Steel end slats with bolts and washers, heavy intermediate wood slats with steel end clips.

Model "G"—UPPER—RUBBERIZED FINISH. Repl. Case 2163B. Size 64 $\frac{1}{2}$ x56. STK. NO. X-819. Ship wt. 11 lbs. Each. **\$20.95**

Model "G"—LOWER—RUBBERIZED FINISH. Repl. Case 2161BA. Size 64 $\frac{1}{2}$ x141. STK. NO. X-820. Ship. wt. 27 lbs. Ea. **\$42.95**

Model "A6"—UPPER—WATERPROOFED FINISH. Repl. B1744HTA. Size: 71 $\frac{1}{2}$ "x54". STK. NO. X839. 16 lbs. **\$15.95**

Model "A6"—LOWER—WATERPROOFED FINISH. Repl. B1743HTA. Size: 71 $\frac{1}{2}$ "x114". STK. NO. X840. 30 lbs. **\$32.50**

Model "A6"—UPPER—RUBBERIZED FINISH. Repl. 3312HTA. Size: 71 $\frac{1}{2}$ "x54". STK. NO. X841. 14 lbs. **\$21.95**

Model "A6"—LOWER—RUBBERIZED FINISH. Repl. 3311HTA. Size: 71 $\frac{1}{2}$ "x114". STK. N. X842. 29 lbs. **\$39.95**

For MASSEY HARRIS 6 & 7 Ft. CLIPPER

Construction same as original, but made with heavy No. 6 duck. CLIPPER—PLATFORM—RUBBERIZED. Repl. Massey Harris 5063 $\frac{1}{2}$. Size 58 $\frac{1}{2}$ x149. STK. NO. X-824. 27 lbs. Each. **\$48.50**

CLIPPER—PLATFORM—WATERPROOFED. Repl. 5031 $\frac{1}{2}$. size 58 $\frac{1}{2}$ "x149". STK. NO. X-836. 26 lbs. Each. **\$36.95**

For WOODS BROS. Combines

Model "16"—LONG DRAPER—TREATED. Repl. #160461. Stk. No. X-848. Ship. Wt. 26 lbs. Ea. **\$36.95**

Model "16"—SHORT DRAPER—TREATED. Repl. #160624. Stk. No. X-847. Ship. Wt. 10 lbs. Ea. **\$18.95**

For NEW HOLLAND BALER

#H-544—DRAPEE. Stk. No. X-849. Wt. 21 lbs. Ea. **\$47.95**

#H-928 & #H-550. DRAPEE. Ship. Wt. 15 lbs. Ea. **\$27.95**

Stk. No. X-850. Ea.

Mail Orders Shipped Same Day Received

Parts for Allis Chalmers ALL CROP 5' Model 60

GRAIN DRAG RADDLE Drive Shaft SPROCKET

6 Tooth, 1 1/2" bore, for #55 chain. 2 used on all combines, repl. A-C nos. 517806, C5D1620. Stk. No. U-101. Ship. wt. 3 lbs.....Each, **\$1.19**

GRAIN DRAG RADDLE Idler Shaft SPROCKET

6 Tooth, 7/8" bore, for #55 chain. 2 used on all combines, repl. A-C nos. 517807, 513768, C5D1692. Stk. No. U-102. Ship. wt. 3 lbs.....Each, **\$1.19**

GRAIN ELEVATOR DRIVE SPROCKET

8 Tooth, 7/8" bore, for #45 chain. 1 used on all combines, repl. A-C nos. 517966, 500706. Stk. No. U-104. Ship. wt. 3 lbs.....Each, **\$1.25**

GRAIN CONVEYOR AUGER Shaft SPROCKET and GRAIN ELEVATOR DRIVE SPROCKET

9 Tooth, 7/8" bore, for #45 chain. 1 used in each application, repl. A-C nos. 517967, 503799. Stk. No. U-103. Ship. wt. 3 1/2 lbs.....Each, **\$1.25**

BEVEL GEAR for AUGER DRIVE and GRAIN BIN UNLOADING CONVEYOR

18 Tooth Bevel Gear, run in pairs to drive Bin Unloading Conveyor Auger, repl. A-C no. 500529. Stk. No. U-109. Ship. wt. 3 lbs.....Each, **98c**

STEEL LINK CHAIN APPLICATIONS for 5'

Grain Drag Raddle, combines #23801 and up: 254 links #55 chain, with 11—#55AIR and 11—#55AIL.

Separator Drive Shaft, Grain Conveyor Drive: 20 links #45 chain.

Tailings Elevator Raddle, combines #15551 and up: 84 links #45 chain, with 17 attach. links #45-SD.

Grain Elevator Drive Chain: 25 links #45 chain.

Grain Elevator Conveyor Chain, combines #23801 and up: 72 links #45 chain, with 24 attach. links #45-K1.

Grain Bin Chain, combines #23801 and up: 57 links #45 chain.

Reel Countershaft Drive Chain: 56 links #45 chain.

STEEL LINK and ROLLER CHAIN Listed on Pages 5 and 6

V DRIVE BELTS

Superior Quality Construction Guarantees Longer Life.

For Complete Belt Listing for All Makes and Models of Combines see page 8.

Belt Application and Serial Nos. Fit	Repl. Mfr. No.	Stk. No.	EACH
Cylinder Drive Belt, 1935-37, prior to #23800.....	502432	B-289	\$ 9.95
Cylinder Drive Belt, 1938-40, nos. 23801-58836.....	502433	B-291	15.50
Cylinder Drive Belt, 1941 up, nos. 58837 up.....	508971	B-292	15.95
Header Drive Belt, 1935-40, prior to #58836.....	502434	B-280	5.65
Header Drive Belt, 1941 up, nos. 58837 up.....	506910	B-281	9.50
Separator Drive Belt, All years.....	502435	B-282	6.95
Reel Drive Belt, All years.....	502436	B-283	4.95
Lower Draper Drive Belt, 1941 up, 58837 up.....	501470	B-201	1.75
Grain Bin Unloading Drive Belt, #23801 up.....	502437	B-203	1.98
Straw Spreader Attachment Belt.....	502438	B-203	2.45

Mechanical CUTTER BAR LIFT

for All Crop 60


A simple, fast, positive mechanical acting cutter bar control designed for the All Crop "60". No batteries, generators, electrical controls or other complicated rigging.

A small friction wheel runs freely between two discs, driven by the grain unloader belt, "live" at all times when the PTO shaft is operating. It clamps securely under the grain bin, no drilling or machining, and the control bar locates just back of the operator so the cutter bar can be raised or lowered instantly with a slight push or pull.

Without question this is the simplest and most trouble free lift available for this combine. It is ruggedly built, installs without machining, and will operate smoothly and quickly without trouble.

Contains all parts necessary for complete installation on 5' Model 60. Stk. No. 53A9.....

\$39.95



CANVAS

for All Crop 60

Heavy No. 6 Harvester Duck, your choice of long wearing waterproofed or rubberized finish. Heavy steel slats, canvas securely riveted to hold in severe service. Fasten like originals.

UPPER ELEVATOR—WATERPROOFED FINISH—Repl. A-C 505907. Size 59 1/2"x49". Stk. No. X-811. Ship. wt. 13 lbs.....Each, **\$12.95**

LOWER ELEVATOR—WATERPROOFED FINISH—Repl. A-C 505908. Size 59 1/2"x152". Stk. No. X-812. Ship. wt. 22 lbs.....Each, **\$29.50**

UPPER ELEVATOR—RUBBERIZED FINISH—Repl. A-C 505854. Size 59 1/2"x49". Stk. No. X-813. Ship. wt. 15 lbs.....Each, **\$14.50**

LOWER ELEVATOR—RUBBERIZED FINISH—Repl. A-C 505855. Size 59 1/2"x152". Stk. No. X-814. Ship. wt. 28 lbs.....Each, **\$36.50**



GUARDS—SICKLES—SECTIONS

TRIPLE GUARD—7 used, repl. A-C nos. 501209, 515217, K5D-15873. 2 lbs.....X-310 **\$1.29**

GUARD PLATES—3 used per guard, repl. A-C nos. K4J-1555. BOX of 25. 4 lbs.....X-410 **2.29**

SECTIONS—Serrated (Rough Edge), 22 used on 5'. Repl. A-C part 500760. BOX of 25. 5 lbs.....X-210 **2.89**

SICKLE—Complete sickle with knife head, serrated sections, repl. A-C part 500786. 14 lbs.X-444 **5.95**

UNIVERSAL JOINT PARTS

There are 3 universal joints on the 5' All Crop "60" combine (2 on motor mounted type). Parts are sold in quantity to service 1 joint.




Description of Joint Part	Repl. Mfr. No.	Stk. No.	Wt.	Price
For Combines Prior to Serial No. 71336				
Center Cross	500808	T-401	1 lb.	Each, \$1.95
Bushing	500807	T-402	1 lb.	Set of 4, 1.55
Cork Washer	500810	T-403	2 oz.	Set of 4, .33
Retainer	500809	T-404	2 oz.	Set of 4, .33
For Combines Serial Nos. 71337 thru 93798				
Center Cross	509064	T-401	1 lb.	Each, \$1.95
Bushing	509065	T-406	1 lb.	Set of 4, 1.55
Cork Washer	509066	T-407	2 oz.	Set of 4, .27
Retainer	509067	T-408	2 oz.	Set of 4, .27
Cover Plate, and Screws	509068	T-409	6 oz.	4 Sets, .65

CYLINDER ADJUSTER For All Crop 5'

Adjust your cylinder clearance in 3 minutes or less by installing a pair of Trasco E-Z Cylinder Adjusters on your All Crop. Brackets and Adjusters for both ends of cylinder, with instructions for installing and operating. Wt. 9 1/2 lbs.


FOR COMBINES prior to Ser. No. 58836 (1941) without cylinder speed adjuster crank. Stk. No. 51A74.....Pr. **\$19.75**



FOR COMBINES Ser. No. 58837 and up. (1941 & up) with cylinder speed adjuster crank. Stk. No. 51A72.....Pr. **\$19.75**

BEARINGS for 5' Model 60 Combines


Application of Bearing	Type	Repl. Mfrs.	Stk. No.	lbs. -oz.	Price Each
Cylinder Shaft, same both ends, 1935-40, below #58836	Ball	507221	1307	1-0	\$2.95
Cylinder Shaft, Left Side only, 1941 up, after #58837	Ball	507223	7207	-10	2.55
Cylinder Shaft, Right Side only, Nos. 58837 to 86336	Ball	507221	1307	1-0	2.95
Cylinder Shaft, Right Side only, Nos. 86337 and up	Ball	510309	1208	-14	2.45
Gear Box Ball Bearing	Ball	MA1462	1807	-10	2.15
Grain Drag Pitman	Ball	211227	7205	-6	1.45
Grain Drag Driveshaft	Ball	205756	8505	-8	1.85
Sickle Pitman Bearing	Ball	211227	7205	-6	1.45
Power Takeoff Support	Ball	507223	7207	-10	2.55
Primary Shaft and Pinion Shaft, Nos. 23801 and up	Cone Cup	209889	14138	-8	1.49
Sickle Drive Shaft, Nos. below 58836	Cone Cup	210551	14274	-5	.55
Roller Bearing used in Many Applications		507226	93424	-3	.65
Fits 7/8" shafts, bearing is 1 1/2" long. Separator Drive shaft (2); Cleaning Fan shaft (2); Upper Draper Rolls (2); Lower Draper Rolls (4); Separator Idler Pin (1); and others.					
Roller Bearing used in Many Applications		507225	93428	-3	.65
Fits 7/8" shafts, bearing is 1 3/4" long. Cylinder Idler (1); Header Idler (1); Tailings Elevator (1); and others.					



EXTRA VALUE HERE

21-Pc. 1/2" Drive SOCKET SET

Only a Special Purchase would permit us to offer you this Socket Set at such a Low Price! Set contains 15 twelve point sockets in 1/8" to 1 1/4" sizes. Also 1 ten inch reversible ratchet, 1 eighteen inch speeder, 1 five inch extension, 1 ten inch extension, 1 fifteen inch flex handle and 1 eight inch cross bar. All parts are made of drop forged alloy steel, chrome plated to resist rust. Set is in flat steel box, fitted for all parts, with handy carrying handle. Limited Quantity! **\$13.88**
Stk.No.1E8—Ship. wt., 13 lbs.....Ea.




EXTRA VALUE HERE

Stewart-Warner Hand TACHOMETER

Take advantage of this sensational value! Stewart-Warner Tachometer measures 0 to 4000 RPM's for both clockwise or counter-clockwise readings. Operates on the accurate magnetic principle. 4" long, 3" wide with 2 1/2" easy-to-read dial. Precision built with die-cast body and chrome bezel dial cover. Comes supplied with 2 rubber tips—cone tip for shaft with center hole, cup tip for shaft with flat or convex end. Each in sturdy box that can be used for storage. Full instructions included. **\$7.55**
Stk.No.19A87—Ship. wt., 1 lb.....Ea.

ECONOMY TACHOMETER

Makes both clockwise and counter-clockwise readings in the 500 to 3000 RPM Speed Range. Operates by flyball governor action. **\$3.00**
Stk.No.3E38—Ship. wt., 1 lb.....Ea.



Base or Flange Mounted Types Rigid or Self Aligning—Ball Bearing Pressure Lubricated—Tight Grease Seal

Smooth running ball bearing pillow blocks that reduce friction drag and anchor shafting securely. Ideal for conveyors, motor shafting, and many other farm machine uses. Bearings are pressure lubricated, and have effective dust and dirt seals that keep grease in and abrasives out. Recommended for normal light loads and moderate shaft speeds. Plain type will operate satisfactorily with up to 2 degrees shaft misalignment. Self-aligning type recommended for greater deviations, wobbly shafts and off center uses.



Handy TOOL BOX

Here is the tool box you have been waiting for... specially designed so it can be mounted most anywhere on your tractor, combine or picker. Made of 18 gauge steel with 32 knock-out slugs on bottom and 5 on each end. Supplied with patent "Kwick-Fit" brackets that can be easily sawed to solve any mounting problem. Box is 20"x6 1/2"x4 3/4" with special hinge using shouldered rivets. Box is complete with mounting brackets and bolts. Enamelled red. **\$5.89**
Stk.No.25A36—Ship. wt., 13 lbs.....Ea.

HAY HOOKS

Made of 1/4" round cold rolled steel. 11" long, handles 4 1/2" wide.

Wood Grip "D" Handle **59c**
Stk.No.51A16—Wt. 1 lb. Ea.

All Steel Loop Handle **49c**
Stk.No.51A17—Wt. 1 lb. Ea.



FENCE CHARGERS

1 strand of "charged" wire mounted on stakes will do the work of 5 strands of woven wire mounted on posts. Keep stock under control at less expense. Choose from below the charger that meets your needs.

ALL ELECTRIC UNIT

"Shox-Stok" All Electric Unit will charge up to 15 miles of fence, giving continuous shock. Operates on 115 volt A.C. 60 cycle current. No moving parts to get out of order. Each unit in weatherproof steel case. **\$12.95**
Stk.No.35A77—Ship. wt. 4 lbs.....Ea.

BATTERY UNIT

For 6 volt wet or dry batteries. Uses little current to assure long battery life. Charges up to 15 miles of fencing. Each unit in weatherproof heavy gauge steel case with rotating visible dial that indicates when charger is in operation. Has battery adaptor for use with "Hot-shot" battery. **\$12.95**
Stk.No.35A75—Ship. wt. 5 lbs.....Ea.

Mounts
On
Tractors
Combines
Pickers



FARM WORK GLOVES LEATHER GLOVES

Large size with Gunn cut pattern. Leather palm and tips, full leather thumb. Canvas back and knit wrist. Lining on inside of palm.


Stk. No. 19A49.....Pr. **98c**
BUY 2 PAIR and SAVE.....2 Pr. Only **\$1.89**

HEAVY KNIT TERRY CLOTH GLOVES

Made like a terry-cloth towel. Water repellent, treated with Johnson's "Drax." With knit wrist. **69c**
Stk. No. 19A39.....Pr.
BUY 2 PAIR and SAVE.....2 Pr. Only **\$1.29**

CANVAS WORK GLOVES

Made of canvas with sturdy, tight knit wrists. Large size, white only. **50c**
Stk. No. 19A40.....Pr.
BUY 3 PAIR and SAVE.....3 Pr. Only **\$1.00**



COMPLETE SET TO BUILD YOUR OWN GATE!!

FARM GATE IRONS

Build the gate that will be the envy of your neighbors with this complete set of irons. Complete package contains end pieces, center braces, and angle supports, with pivot pins, to build a 12, 14 or 16 ft. farm gate that will last a lifetime.

End irons are U shaped to hold boards; diagonal irons exert a constant upward pull on all five cross-boards. Set is complete with bolts. All you need is lumber. **\$8.25**
Stk.No.49A90—Ship. Wt. 40 lbs.....Set



Warfarin RAT POISON

Newly developed rodenticide made with Warfarin. Rodents never develop "bait shyness" as in the case of ordinary poisons. Rats and mice continue to eat Warfarin baits even though other members of the colony have been destroyed by it. In most cases, infestations can be completely removed. **\$1.49**
Stk.No.20A63—Ship. Wt. 1/4 lb.....Ea.

Ball Bearing PILLOW BLOCKS

Dimensions: 3/4", 7/8" and 1" Base types are 2 3/4" high, 5 1/2" long;
1 1/2" and 1 3/4" Base types are 3 1/8" high, 6 1/4" long;
1 3/8" and 1 1/2" Base types are 3 3/8" high, 6 3/4" long.
Flange types are 3 3/4" square base, 2 3/4" between hole centers

BASE MOUNT

Stk. No.	Each
RIGID UNIT	
3/4".....18A51.....	\$2.59
7/8".....18A52.....	2.59
1".....18A53.....	2.59
1 1/8".....18A54.....	3.50
1 1/4".....18A55.....	3.50
1 3/8".....18A56.....	3.98
1 1/2".....18A57.....	3.98

SELF ALIGNING

3/4".....18A61.....	\$2.98
7/8".....18A62.....	3.25
1".....18A63.....	3.25


FLANGE MOUNT

Stk. No.	Each
RIGID UNIT	
3/4".....18A71.....	\$2.59
7/8".....18A72.....	2.59
1".....18A73.....	2.59
1 1/8".....18A74.....	3.50
1 1/4".....18A75.....	3.50

SELF ALIGNING

3/4".....18A81.....	\$2.98
7/8".....18A82.....	3.25
1".....18A83.....	3.25

Mail Orders Shipped Same Day Received




CANVAS COVERS

Now Protected by Formula "J"

at New Low Prices!

Save up to 24% on your new Canvas Cover! We are making these drastic reductions to acquaint you with the durability of covers impregnated with Formula "J"—the wonder working fungicide that gives lasting protection against ROT—MILDEW—MOLD. Extensive tests prove that Formula "J" kills fungus on contact, positively protects materials so treated. Buy a Canvas Cover that will give you extra service, extra wear . . . at these Special Low Prices!



FORMULA "J"

Protect fabric and leather with this wonder fungicide. Positively prevents ROT—MILDEW—MOLD! Use it on tarpaulins, camp and sports equipment, shoes, etc. Eliminates musty odors. Will not wash out. In handy 'spray-top' container. Covers about 200 sq. ft.

Formula "J" for Fabric. Stk. No. 20A61 . . . \$1.89
Formula "J" for Leather. Stk. No. 20A62 \$1.89

All Canvas Covers are treated with Formula "J" and thoroughly waterproofed. Made of heavy 12 oz. duck (before treating). Leather corner patches with grommets on each patch. Seams stitched throughout with rotproof thread. Canvases are listed in Cut Size. Actually size is slightly smaller due to hems, etc.

Cut Size: 6x10 Ft. Stk. No. X-140. Wt. 9 lbs. Each	\$8.45
Cut Size: 8x12 Ft. Stk. No. X-139. Wt. 11 lbs. Each	\$12.95
Cut Size: 10x13 Ft. Stk. No. X-141. Wt. 21 lbs. Each	\$21.45
Cut Size: 12x16 Ft. Stk. No. X-142. Wt. 27 lbs. Each	\$26.95

Low As \$8.45

Thermoid Endless HAMMERMILL BELTS

For THRESHERS, HAMMERMILLS and Other Farm Machines Where a Top Grade, Raw-Edged, Easy Flexible Belt Is Desired.

These Thermoid, Grade "A," Nationally Advertised Belts are built for maximum service on Hammermills. Will also prove vastly superior on Threshers, Ensilage Cutters, Wood Saws, Severe Tractor Drives and all other equipment using an endless belt.

Made of specially woven, extra heavy fabric. Layers of skim between each ply insures maximum cushioning and flexibility. These extra layers between the plies prevent separation. There are no splices to come apart as the belt is made endless by a continuous wind process. The square, protected edges assure a smooth running and highly flexible belt that is unequalled for wear.

NOTICE—Endless Hammermill Belts are actually 3 ft. shorter than listed, (standard industry practice) due to lap necessary for splice.

40 Ft. Long, 6 In. Wide, 4 ply. Stk. No. BH-6404. Each	\$59.95	50 Ft. Long, 7 In. Wide, 4 ply. Stk. No. BH-7504. Each	\$74.50
50 Ft. Long, 6 In. Wide, 4 ply. Stk. No. BH-6504. Each	\$71.50	60 Ft. Long, 7 In. Wide, 4 ply. Stk. No. BH-7604. Each	\$97.50
60 Ft. Long, 6 In. Wide, 4 ply. Stk. No. BH-6604. Each	\$78.50	75 Ft. Long, 7 In. Wide, 4 ply. Stk. No. BH-7754. Each	\$116.50
75 Ft. Long, 6 In. Wide, 4 ply. Stk. No. BH-6754. Each	\$99.50	100 Ft. Long, 7 In. Wide, 4 ply. Stk. No. BH-71004. Each	\$149.50




Extra Values!

6 In. x 60 Ft.

Only \$78.50

7 In. x 50 Ft.

Only \$74.50



All Purpose

WINDOW MATERIALS

- Keeps Heat In—Cold Out
- Transmits Sunshine Benefits

Ideal For: Brooder Houses, Barns and Other Farm Buildings

These newly developed, All Purpose Window Materials are ideal for many farm applications. Each type is made with 2 layers of reinforced plastic. Tough, flexible and waterproof . . . yet easy to install. Transparent and waterproof. Easy to clean and keep clean. All materials listed are 36 in. wide.

COTTON REINFORCED PLASTIC with twist cotton mesh at 1/4" intervals, fused between 2 layers of tough, flexible plastic.


Stk. No.	Ship. Wt. Per 50 Ft. Roll	Price Per Ft.	Price Per Ft. in 50 Ft. Roll	Price Per 50 Ft. Roll
20A20	5 lbs.	21c	19c	\$9.50

ALUMINUM WIRE REINFORCED with 4x4 aluminum wire fused between 2 layers of plastic provides corrosionproof, rustproof flexibility and shining transparency.

Stk. No.	Ship. Wt. Per 50 Ft. Roll	Price Per Ft.	Price Per Ft. in 50 Ft. Roll	Price Per 50 Ft. Roll
20A21	6 lbs.	32c	29c	\$14.50

MESH STEEL WIRE REINFORCED with 14 mesh galvanized steel wire, coated with tough plastic gives extra-sturdy, semi-rigid reinforcement. Easy to cut. Extremely durable.

Stk. No.	Ship. Wt. Per 50 Ft. Roll	Price Per Ft.	Price Per Ft. in 50 Ft. Roll	Price Per 50 Ft. Roll
20A22	2 1/2 lbs.	46c	42c	\$21.00



SPEED JACK

Heavy cast gears with roller bearings. 14" pulley, 4" face, offers to 5 to 1 gear reduction. Zerk lubricated. With clutch throwout and protective gear shield for operator. 1" shaft covering. All steel welded frame with holes drilled for easy mounting.

Stk. No. 31A39. Wt. 100 lbs. . . . Only \$39.00

TUMBLE ROD JOINTS

For use on elevators and other low speed drives. Star-shaped connecting holes, grey iron bearing, with square seamless tubing ends. Fits both 3/8" and 1" shafts.

Stk. No. 31A40— Wt. 2 lbs. . . . Only \$1.00



SAFETY SLIP CLUTCH



Prevents damage when elevator clogs suddenly. Grey iron faces, chilled hard for long service. Star-shaped connecting holes. Fits both 3/8" and 1" shafts.

Stk. No. 31A43 Only \$5.75

See Page 11 for Index & Shipping Information

NO-KRAK GRAIN BLOWER

**LIFTS ANY GRAIN OR FEED—TO A HEIGHT OF 30 FEET
NO LOSS DUE TO CRACKING—AIR CUSHIONED, AIR LIFT**

Moves 1200 Bushels Per Hour

5 Minutes to a Wagon Load

The Trasco No-Krak Grain Blower lifts ANY Grain or ground Feed WITH PERFECT SAFETY. A new principle is employed, and actually lifts the grain on a cushion of air. Tests show that dry grain starts to crack when contacted by an impeller moving over 6000 feet per minute, a speed within the range of some blowers on the market. Yet the New Trasco lifts to a full 30 feet, at the terrific speed of 1200 bushels per hour, with the impeller unit never exceeding 3250 rpm.

The Trasco Blower handles any Grain or Feed - Wheat, Corn, Oats, Barley, Kaffir, etc., with perfect safety even to seed grains. Grain is lifted on a cushion of air, with no danger of cracking damage.

The rotor unit is the only moving part - It is mounted on sealed self-aligning bearings that require lubrication only twice a season. The complete outfit is rugged and durable, yet light enough to be transported from place to place.

Recommended operating speed is 800 to 1200 rpm depending on the grain to be moved. Best operation is from tractor belt or power takeoff, but a separate gas engine of 4 to 5 HP can be used.

The Trasco No-Krak Grain Blower is an All Steel unit that is built to give trouble free service for years. The all steel welded construction is adequately braced, and there are no castings or easily damaged parts. No service is required other than twice a season lubrication of the rotor bearings.

The large hopper measures 36" x 68" and is of welded steel with angle braces. It can be quickly detached when moving the blower to a new location.


The blower is fitted with a flat pulley for operation from tractor belt (or power takeoff). SHIPPED FREIGHT COLLECT FROM STORE

COMPLETE BLOWER UNIT, AS PICTURED

Consists of blower housing and impeller assembled, pulley, 36" x 68" hopper and base, square-to-round base pipe, 10 feet of 6" lift pipe, elbow, and top deflector. Stk. No. X-1001. Ship. wt. 260 lbs.

OUR PRICE
\$114.50

Manufacturer's
Regular List Price
\$185.00



TRASCO GRAIN AUGERS

- 6" Diameter Tube
- 16 Gauge Tubing
- 11 Gauge Flighting
- Adjustable Height
- Timken High Speed Bearings in Wheels
- Sold Complete (less engine and tires). No Extras to Buy!



- Under Tube Engine Mounting

- Built-In Clutch

- Double Shield Ball Bearing for thrust and endurance at intake end.

- Center Bearings support spiral

19, 25, 31½ FT. DELUXE MODELS

High Quality construction throughout... the type you want on your farm for all grain loading and unloading jobs. 6", 16 gauge tubing will hold its shape; 11 gauge flighting, permanently bonded to center shaft to operate with the minimum of vibration. Timken roller bearings in nose to take up thrust. All bearings sealed against dirt and abrasives. Moves up to 1500 bushels per hour.

Augers complete with high speed transport, wheels to take 6.00x16 tires (tires not included), built-in clutch, and all necessary belts and pulleys. Towing hitch built on nose, 5 H.P. motor recommended, such as No. 51A55.

19 FT. AUGER Complete (less tires & motor). Use 3-5 H.P. motor. Stk. No. 51A57.....Ea. **\$196.50**

25 FT. AUGER Complete (less tires & motor). Use 4-5 H.P. motor. Stk. No. 51A58.....Ea. **\$224.50**

31½ FT. AUGER Complete (less tires & motor). Use 7 H.P. motor. Stk. No. 51A59.....Ea. **\$284.50**

ALL AUGERS LISTED SHIPPED F.O.B. NEAREST STORE

12, 16 FT. ECONOMY MODELS

Will handle any small grain, and move up to 1000 bushels an hour, depending on motor speed. Heavy steel auger spiral will not whip or chatter at any speed. Every moving part is equipped with oil sealed bearings. Double pillow blocks in shaft. Augers complete less carrier and motor.

12 FT. AUGER Complete (less carrier & motor). Stk. No. 51A62.....Ea. **\$104.50**

16 FT. AUGER Complete (less carrier & motor). Stk. No. 51A63.....Ea. **\$115.00**

TRUCKERS AND FEEDERS

Augers same quality construction as above. Each complete with swivel mounting bracket that fits onto truck or wagon box side.

12 FT. AUGER Complete with Mounting Bracket (less motor). Stk. No. 51A61.....Ea. **\$109.50**

16 FT. AUGER Complete with Mounting Bracket (less motor). Stk. No. 51A60.....Ea. **\$120.00**

GAS ENGINES FOR AUGER DRIVES

5 H.P. Wisconsin, model AKN. Air cooled type, rated at 5 H.P. at 2600 rpm. and 5½ H.P. at 3000 rpm. 1" shaft. Stk. No. 51A55—Wt. 90 lbs.....Ea. **\$109.50**

QUICKIE CLAMP

Instantly Clamps and Unclamps Any Flanged Pipe on Blowers, Grinders, Hammermills, Silo Fillers, etc.

Adjustable to Fit any Standard Pipe on IHC, Fox, Holland, Wetmore, Skyline, Bradley, Gehl, Case, Deere, Papeco, etc., where Flange Diameter is 5" to 8".

Most Blower Pipe have bolted flange connections which must be disassembled frequently in moving and changing position. The New Quickie Clamp will save hours during a season, eliminate fussing with nuts and washers. Just connect the blower pipe, wrap the flexible Quickie Clamp around the flange, and you have a rigid connection in a few seconds. Cast aluminum, cannot rust. HOLDS SECURELY. Stk. No. 18A99. 2 lbs.....EACH,



Specifications of Complete Unit
Tank: 3½ gal. capacity, complete with self-locking handle, pump and carrying strap. Tested at 125 lbs. Flame thrower equipment complete with valve and pressure gauge. Sprayer equipment with boom, hose and all fittings. Complete instructions included.

FLAME THROWER COMPLETE
Hand spray tank, spray unit, with flame thrower assembly. Stk. No. 49A60. 18 lbs..... **\$16.95**

FLAME THROWER ONLY
To use with your own tank. Stk. No. 49A61. 10 lbs..... **\$11.45**

HAND TANK — SPRAYER
Hand tank and sprayer less flame thrower. Stk. No. 49A59..... **\$7.45**

Your Satisfaction Guaranteed on Each Transaction

Trasco QUALITY FARM EQUIPMENT

Heavy Duty FARM WAGON

WITH ADJUSTABLE BED HEIGHT FOR DOUBLE UTILITY

CARRIES ANY LOAD TIRES WILL HOLD

The Trasco Farm Wagon combines extra strength with valuable versatility. It is a heavy duty wagon with super size axles, steel channel reach and bridge type bracing instead of the usual iron pipe tubing construction.

In corn picking season you need height on the wagon box—use your Trasco wagon as pictured with the extra bolster cross pieces.

In grain and haying time you want a low bed wagon with extra capacity—remove the extra bolster pieces and you have it.

SHORT TURNING RADIUS

Wagon turns in 10 foot circle when box is mounted above tires. Inner wheel turns on sharper angle to eliminate drag. New type semi-automatic adjustable stop prevents rubber wear.

COMPARE THIS CONSTRUCTION:

Super Size Axles—5½" deep by 3¼" channel steel, ⅝" thick. Bridge reinforcing, 23½" Front Hitch, ⅝" thick steel.


Channel Steel Adjustable Reach—Length adjusts from 7 feet to 11½", takes racks up to 15 feet. Heavy channel steel instead of iron pipe tubing.

Double Timken Bearings—Larger than usual, take extra loads, grease and dirt tight.

12" Square Steel Stakes—Adjustment holes 2" apart for extra bolster height, adjusts for 28" to 42" widths.

60" Track, 12½" Road Clearance—Extra stability with plenty of height for rough ground. Weighs 420 pounds less tires and without extra bolsters.

Disc Wheels—Take 6.00x16 to 7.00x16 tires Available with 15" Rims if wanted



With Top Bolsters Gives Height for Corn Picking... In Hay Season Remove Bolsters to keep Load Low.

WAGON COMPLETE, as pictured above but WITHOUT tires and tubes. Complete with double bolster pieces. Stk. No. X-1101 **\$129.95**

WAGON Without Extra Bolster Cross Pieces, WITHOUT tires and tubes. Stk. No. X-1100 **\$118.50**

EXTRA Bolsters Only—For converting Wagon X-1100 to X-1101. Stk. No. X-1102 **\$13.50**

Wagons Shipped F. O. B. Nearest Store

Double Utility WAGON HOIST

\$59⁹⁵

Stk. No. 50A83

- Lifts Up to 10,000 Lbs. 6 Ft. High
- Ram Can Be Used Independently as 5 Ton Hydraulic Jack

You actually get 2 jacks for the price of 1 with this newly developed Double Utility Jack. 5 ton hydraulic jack can be removed from wagon dump frame for lifting jobs around the farm. Jack handles any wagon with lifting plate installed.

Hydraulic jack is heavy duty type with special bar cap with two forked ends to permit attaching of log chains for other lifting jobs. Bolts onto hitch frame made of heavy gauge steel—no castings to break.

COMPLETE JACK FOR ALL FARM JOBS

Complete unit with 5 ton jack, with special forked cap, wagon dump frame and 1 wagon plate iron. Stk. No. 50A83—Ship wt. 83 lbs.

.....Ea. **\$59.95**

EXTRA WAGON PLATE IRONS to use with additional wagons. Wt. 3 lbs. Stk. No. 50A84.....Ea. **\$1.95**



Tractor Operated WAGON HOIST

Let Your Tractor Pump Take the Hard Work Out of Wagon Dumping!

No more hand pumping with this new wagon hoist. Operate it from hydraulic pump on your tractor. Fast, smooth raising and lowering. With this hoist you can dump 5 wagons in the time it took you to dump 1 wagon with other hoists.


SPECIFICATIONS

- 3 Ton Capacity
- Lifting Height 5 Ft.


Overall height of wagon hoist is 73½" with rugged all steel dump frame 29¼" high and heavy duty hydraulic cylinder 44" high and 3½" in diameter. With cable and handy adjustment bar. Each complete with wagon lifting plate. Hose not included. Uses ½" fitting. See Page 28 for hose and fittings.

Stk. No. 50A81

Ship. wt. 80 lbs.....Ea. **\$52⁵⁰**



FLARE WAGON BOX KIT



Here is the complete kit that contains all the pieces you need to make a fine Flare - Type Wagon box. All you need is the lumber and bolts to attach. 21

Hardware Pieces in Kit. Kit contains: 8 side channel irons, 4 side brace rods, 2 wagon box rods, 2 end gate side rods, 1 end gate lift rod, 1 lift rod holder, 2 end gate clips for side rods, and 1 spreader chain. Easy to assemble; no special tools needed. After your lumber is bolted in place you will have one of the finest wagon boxes you have ever seen... and at a surprisingly low cost to you.

51A30—Ship wt. 63 lbs.....Kit **\$19.75**

STRAIGHT SIDE WAGON BOX KIT

Makes box 5x10 ft. to 7x14 ft., or any intermediate size. All 26 in high. All hardware included except bolts.

Stk. No. 51A29—Wt. 70 lbs.....Kit **\$29.95**

DRAWBAR ROLLER



For easier turning with less wear and strain, install this drawbar roller. All steel construction with lubricated roller 5½" long, 1¼" clearance for drawbar. Holes drilled for ⅝" bolts. Stk. No. 8A62—Ship. Wt. 5 lbs.....Ea. **\$3.85**

FLAREBOARD IRONS



Complete Set

\$3⁵⁹

Add a flareboard for extra wagon capacity, or for use at corn picking time. Economical to buy—Easy to install when you have this set of irons. 4 pair of irons in set that will fit any wood wagon, straight or flare. Matched holes to fit any size board that can be secured with ordinary nuts and bolts.

51A31—Ship. wt. 19 lbs.....Set **\$3.59**



All Steel


STAKE POCKETS

Made from 10 gauge sheet steel. Straight type for 1½"x3¼" stakes. Painted black.

SINGLE BOLT HOLE MOUNTING, 2" deep. Stk. No. 51A13—Wt. ½ lb.....Ea. **19c**

DOUBLE BOLT HOLE MOUNTING, 2½" deep. Stk. No. 51A14—Wt. ¾ lb. Ea. **19c**

WHEELS • HUBS SPINDLES



ALL STEEL WHEELS

Drop center type wheels that take standard 6.00-16 tires (tires not included). Riveted and welded with extruded spokes and double thickness spider for heavy duty use. Ford type lug drilling. 5 holes on 5½" in. circle. 49A50—Ship. wt. 20 lbs.Each **\$5.45**

15 INCH WHEELS

Stk. No. 49A54. Same as wheel above, but for 15 inch tires. Wt. 20 lbs. Each **\$5.45**

STUB AXLE ASSEMBLY

1½ in. square forged steel stub axle and spindle assembly. Complete with machined hub, 2 Timken roller bearings and bolts. Fits wheels listed above. 49A51—Ship. wt. 12 lbs.Each **\$9.95**

58 IN. STRAIGHT AXLE ASSEMBLY


1½ in. square, forged alloy steel axle. Complete with spindles, Timken bearings, lug bolts, etc. Wheels not included (use wheels listed above). 49A52—Ship. wt. 55 lbs.Each **\$24.50**

58 INCH OFFSET AXLE ASSEMBLY

Same quality as above except with 4" offset for lower center of gravity. Wheels not included. Stk. No. 49A53—Wt. 57 lbs.Each **\$29.95**

Trasco QUALITY FARM EQUIPMENT

Economy WAGON UNLOADER



Only

\$39.95

Stk.No.51A28

Here is the quick . . . easy . . . inexpensive way to unload your wagons! Handles all crops. Fits all wagons. Unit is complete, all you need is scrap lumber for endgate.

This new Economy WAGON UNLOADER does the work of expensive wagon dumping and unloader equipment at a fraction of the cost. Comes complete except for false endgate which can be easily made from scrap lumber to fit any size or shape of wagon. No wasted space as false endgate fits flush to back of wagon. Fits all wagons 5, 6 or 7 ft. Ratchet handle prevents endgate from slipping back. Handle and ratchet can be installed on either side of wagon. Has 1 1/2" squared end on roller bar for power operation.

COMPLETE UNIT (less lumber for endgate)

Wagon Unloader comes complete with 7 ft. roller bar with square end and mounting brackets. All necessary cables and fittings for endgate are included. Has reversible ratchet with long handle—extension can be made on handle for greater leverage. Take advantage of this remarkable value today!

Stk.No.51A28—Ship. Wt. 80 lbs.Ea. **\$39.95**

WAGON HITCH



Pulls Wagon alongside Corn Picker **WITHOUT** danger of ramming. Make turns—wide or narrow circle—and wagon keeps desired distance away. New, patented hitch lets you speed-up all combine and corn-picking operation.

The new Trasco Wagon Hitch was designed and built to pull your wagon alongside your combine or side delivery pull-type corn picker. Has been successfully tested with small combines such as MM-69, IHC-62, Deere I2-A, 6 Ft. Baldwin, Case A-6 and Dearborn-Woods Bros.


3 FT. ADJUSTABILITY

Hitch is fully adjustable for length of tongue as well as ratchet between combine and wagon. Can be hitched and unhitched in a matter of minutes. Made of heavy gauge steel for long hard service.

Stk. No. 51A75.Ea. **\$30.95**

WAGON UNLOADER

- Unloads in 2 to 10 Minutes
- Fits and **STANDARD BOX** Straight or Flared
- Hand or Power Operated
- Handles Most Farm Crops



Save by building your own wagon box unloader! With this economy kit, all you need is the lumber to "custom-build" the finest unloader in your community.

COMPLETE UNLOADER ASSEMBLY INCLUDES rear shaft roller unit, 7 ft. wide (can be shortened for narrower widths); complete gear assembly with 60 to 1 ratio; adjustable cables 14 ft. long; all brackets for mounting and complete set of steel header braces. Lumber not included.

FIT IT YOURSELF—SAVE HALF. The versatility of the Trasco Unloader is one of its outstanding features. Will fit any size box—7x14 ft., 6x10 ft., 5x10 ft., etc. Can be operated by hand crank, and adapted to use tractor power, gas engine and speed jack, or electric motor. Your Tractor Supply Farm Store manager can supply you with full information and adapting parts and brackets.

Stk.No.51A32—Ship. wt. 120 lbs. **SHIPPED PREPAID**.Ea. **\$79.95**



Automatic SAFETY HITCH

Fast . . . easy coupling of implements without leaving your tractor seat with the **Holland Automatic Hitch!** Positive trigger action! Has tension spring release which will uncouple implement if it strikes rock or obstacle to exceed drawbar safety factor. Can be set for light or heavy pulls. Hitch is made for permanent mounting on tractor drawbar. Order extra rings for all your implements. Trigger lock sets hitch. When ring enters, hitch automatically locks. To uncouple, release with hand or toe. Hitch is set for next coupling.

RUGGED, HEAVY DUTY HITCH with tension adjustment for loads from 1500 to 8500.

Stk.No.25A99—Ship. Wt. 16 lbs.Ea. **\$8.95**

LAP RING only for above.

Stk.No.25A98—Ship. Wt. 4 lbs.Ea. **\$1.95**

ADJUSTABLE HORN HITCH



Fits any standard wagon. Front adjustment 17 1/2" to 22". Durable, heavy steel construction.

Stk.No.51A47
Ship. Wt. 18 lbs.Ea. **\$4.95**

TWISTED TRACTOR CLEVIS

Made of heavy forged steel. Rounded smooth forgings, with heavy screw pin. 1" thick with 3/4" pin. Opening 1 1/2"x4 1/2".

Stk.No.19A38—
4 1/2 lbs.Ea. **\$1.49**

Works like a safety pin. Simply line up tractor with implement and slip pin in place.

Locks self in place, won't work loose or bounce out.


Saves time, prevents mishaps. Heavy duty construction. 2 lbs. ea.

3/4" Size. Stk.No. 19A66— **75c**

1" Size. Stk.No. 19A67— **85c**



SURE-LOCK Safety GRAIN GATE



All Steel Construction

Sure-Lock Grain Gates indestructible, all steel construction. They will outlast box or bin without ever losing their free and positive action. To install—merely cut hole in box or granary, drill bolt holes and bolt in place.

EASY TO USE—SAVES TIME AND MONEY

Here is the Grain Gate that makes the transferring and handling of all small grains so easy—and actually saves enough time and money to pay for itself many times over.

Sure-Lock Grain Gates open and close in channelled guides. This means easier operation—even when grain is flowing. Gate will lock in set position, yet is easily changed by operator. There is absolutely no danger of gate opening accidentally, resulting in costly grain loss.

2 SIZES TO CHOOSE FROM—Farmers have found so many time-saving uses for Sure-Lock Grain Gates that they now come in two sizes. Each is of almost indestructible all steel construction that will outlast box or bin without losing positive action. Easy to install by cutting hole in grainary, drilling bolt holes, and bolting in place.

9"x21" Size—For Wheat, Oats, Small Grains

Guides: 1 1/2"x12" with 3/4" channel. Handle: 10".

Six 3/4" holes for mounting.

Stk. No. X921—Ship. Wt. 15 lbs.Each **\$7.95**

12"x21"—Large Size—For Corn, Beans

Guides: 1 1/2"x17 1/2" with 3/4" channel. Handle: 10".


Six 3/4" holes for mounting.

Stk. No. X922—Ship. wt. 17 lbs.Each **\$8.95**

For Real Time Savings—install these gates on all your grain boxes and farm elevators. Also, for convenience and fast elevator unloading, install 2 on large boxes—one at the rear and one at the side.

When Hours Count—Phone or Wire!


SLEEVE SETS — MOTOR OVERHAUL SETS



**ROD
BEARINGS**



**VALVES and
VALVE PARTS**



CLUTCH PLATES



BRAKE LINING




GASKETS




FAN BELTS




BEARINGS & BEARING SETS



PISTON RINGS



SHAFTS & GEARS



GAS MANIFOLDS



GENERATORS



STARTERS



**MAGNETOS
AND MAGNETO PARTS**

We Have the Parts That Save You Money On TRACTOR REPAIRS


Tractor & Implement Parts & Equipment for:

- IHC
- Ford
- J. I. Case
- Oliver
- John Deere
- Allis-Chalmers
- Massey Harris
- Minneapolis


For Tractor & Implement Parts, it's Tractor Supply! Try us first for the parts you need. You will save time . . . and money . . . and your complete satisfaction is guaranteed.

There is a Tractor Supply Farm Store near you . . . with complete stocks of repair parts and farm equipment . . . managed by a man who knows farm machines and the problems pertaining to farm maintenance as encountered in your community. He is always ready to be of service to you. See Page 2 for address of your nearest Farm Store.

If you do not have our big Tractor Parts "Blue Book," send in coupon below.




CARBURETORS AND CARBURETOR REPAIR KITS



OVERDRIVE TRANSMISSIONS



COMPLETE RADIATORS AND RADIATOR CORES



TRACTOR CUSHIONS

If You Did Not Receive Our 100 Page
CUSTOMER CATALOG With Parts Listings

SEND COUPON TODAY!



TRACTOR SUPPLY CO., 2682 N. Halsted St., Dept. K.
Chicago 14, Ill.

Please send me your FREE 100 page CUSTOMER CATALOG that has complete Parts Listings. I understand there is no obligation of any kind.
PLEASE PRINT

Name

Rural Route..... Box No.....

City..... State



Precision QUALITY MUFFLERS

Precision Replacement Mufflers are designed and engineered to equal or surpass manufacturers requirements for noise reduction qualities, while minimizing back pressure as prescribed by individual engine design. Popular "straight-through" type . . . made to exact specifications for easy installation, fit and long satisfactory service.

For Make & Model	Replaces Mfrs. No.	STK. NO.	Ship. Wt.	EACH
Allis Chalmers W, WC, before #106,509	210137	28A60	4 1/2 lbs.	\$2.98
Allis Chalmers W, WC, after #106,509	212479	28A61	4 lbs.	2.98
Allis Chalmers WD	219534	28A62	6 lbs.	4.15
Allis Chalmers B, C, RC	210081	28A15	3 lbs.	2.95
J. I. Case C, CC, D, DC. With clamp	A1341AA	28A66	7 lbs.	4.95
John Deere A ser. nos. 410,000 to 476,599; G	AA300R	28A87	5 1/2 lbs.	4.95
John Deere A after 488,000	AA2214R	28A88	7 1/2 lbs.	4.25
John Deere B ser. nos. 1000 to 59,999	AB209R	28A25	7 lbs.	4.25
John Deere B after 60,000	AB1524R	28A85	6 lbs.	5.15
Ford 2N, 9N, 8N, 1939-49. With clamp	9N-5230	28A72	7 lbs.	4.69
IHC Farmall A, B, C	48831D	28A51	4 1/2 lbs.	4.45
IHC Farmall F-12, F-14, W-12	40835D	28A52	4 lbs.	3.49
IHC Farmall F-20, F-30, W-30. With clamp	40142D	28A53	8 lbs.	4.49
IHC Farmall H, W-4	51070D	28A56	6 lbs.	3.95
IHC Farmall M, MD, W-6, TD-6	45805DB	28A55	7 lbs.	4.15
IHC Farmall W-9, TD-14	50917D	28A57	9 1/2 lbs.	5.10
Massey Harris 81, 101, 101 Jr., 22, 30, 44-4, 44-6	32289A	28A75	7 lbs.	4.95
Oliver 60	H452	28A35	2 1/2 lbs.	2.39
Oliver 70	B452A	28A81	5 lbs.	3.55
Oliver 80. With clamp	C453A	28A66	10 lbs.	4.95
Minn. Moline GT, UT, ZT	KE846	28A77	8 1/2 lbs.	4.85
Cockshutt 30		28A51	4 1/2 lbs.	4.45
Co-Op E-3		28A51	4 1/2 lbs.	4.45

Over-Drive

For Allis Chalmers
WC, RC or WF
Gives You

8 Speeds
Forward
2 Reverse
Gears

ONLY

\$69.50

Stk. No. 6A17



Extensive research has proved conclusively that your Allis Chalmers tractor will operate more efficiently in the field, save you time, and reduce maintenance cost . . . after you have installed this field-tested and proved Over-Drive Transmission.

Speed Range at 1300 RPM With Over-Drive

1st Gear	Standard Speed 2.5	Overdrive Speed 3.0
2nd Gear	Standard Speed 3.75	Overdrive Speed 4.5
3rd Gear	Standard Speed 5.0	Overdrive Speed 6.0
4th Gear	Standard Speed 9.75	Overdrive Speed 11.7

Farm surveys prove that, for these tractors, 66% of major farm work is done in the speed range of 3.75 MPH to 9 MPH. Depending upon the amount of power required, you have 5 speeds to choose from instead of the standard 2. An Over-Drive Transmission will more than repay its initial low cost in less than a year.

Specifications

HOUSING—Close-grained, high-strength grey iron.

GEARS—Heat-treated, forged, alloy steel; spur type.

MAIN SHAFT & CLUSTER GEAR BEARINGS—Automotive type anti-friction, over-size for long life.

LUBRICATION—Self-contained, 1 qt. capacity.

Unit complete. Easy installation, complete instructions included. Unit will not interfere with operation of power lift.

Stk.No.6A17 Each \$69.50

ECONOMY MUFFLERS

Straight-through type. Equal to original equipment type in strength and noise reduction qualities. Will fit perfectly. Inlet clamp included.

For Make & Model	Replaces Mfrs. No.	STK. NO.	Ship. Wt.	EACH
IHC Farmall F-12, F-14, W-12	40835D	28A2	4 lbs.	\$2.69
IHC Farmall F-20, F-30, W-30, TD-18	40142D	28A3	7 lbs.	3.39
Ford, Ford-Ferguson 1939-49	9N5230	28A22	5 lbs.	3.69

MUFFLERS For Tractors NOT NOW Equipped

Following mufflers are complete attachments for tractors not originally equipped with mufflers. Complete unit includes muffler, elbow pipe for attaching to present exhaust pipe manifold, and necessary clamps.

IHC Farmall Regular, 1924-32	28A4	11	\$4.95
IHC 22-36, all 1929-35	28A10	12	4.59
Deere D, GP, 1928-41	28A30	12	5.19

INLET CLAMPS

360° clamps for sealing inlet joints. All steel construction with hex nut for tightening.

1 1/4" Size—For Allis Chalmers WD, IHC Farmall F-12, F-14, W-12 and others. Stk.No.28A99 Each 25c

2" Size—For IHC Farmall A, B, C; Oliver 70; Cockshutt 30; Co-Op E-3 and others. Stk.No.28A98 Each 25c

2 1/2" Size—For IHC Farmall H, W-4, M, MD, W-6, TD-6; Massey Harris 81, 101, 101 Jr., 22, 30, 44-4, 44-6. Stk.No.28A97 Each



ONLY
25c



SPARKCAP

Fits onto muffler top, light in weight, absolutely rustproof, with no moving parts to wear and no noise.

Exhaust gases coming out of muffler are swirled without back pressure. Sparks are deflected by the cupola top and cooled before passing through.

One model, as pictured at left, fits onto outlet pipe from muffler, fits all pipes from 1 1/2" to 3" diameter. Deere models having no pipe on top of muffler take special cap which fastens direct to muffler shell.

For ALL 1 1/2" to 3" TOP PIPES. Fits IHC, Case, A-C, etc. Stk. No. 18A45. 1 lb. Ea. \$1.85

For JOHN DEERE ONLY

All 1935-47 Deere. Stk. No. 18A46. 1 lb. Ea. \$1.85

Left Hand BRAKE HANDLE

For Ford 9N, 2N 1939 to 1947

Did you ever try to brake the left wheel on your tractor for a short turn while using the clutch? It's easy to do with this new Left Hand Brake Handle. Does not interfere with regular foot brake. Install it on your Ford for extra convenience and extra safety. Stk.No.16A80 Ea. \$1.25



Steering Wheel EXTENSION

For Ford 9N, 2N 1939 to 1947

Will give you greater knee clearance, and steering comfort. A big help when you drive standing up. Easy to install. Get one today.

Stk.No.16A81 Ea. \$1.35





Precision

SLEEVE SETS

BUY A COMPLETE OVERHAUL SET AND SAVE

Tractor Supply has built a national reputation by distributing the finest Sleeve Sets on the market. Tens of thousands are now in use all over the Country. This superiority is the result of advanced methods of manufacturing that MATCH piston to sleeve permitting new-motor performance.

Precision Sleeve and Piston Sets are the best quality you can buy. Produced for us on contract by leading manufacturers experienced in original equipment, they incorporate all of the up-to-date improvements in alloy materials, precision casting, micro finishing, and inspection.

Sleeve Sets include cylinder barrels, pistons with pins fitted, and top quality rings, with rubber packing rings where used. Assembled in MATCHED SETS complete for the motors listed.

Overhaul Sets include sleeve sets as above, PLUS a complete valve set, motor gasket set, correct spark plugs, with rod bearings for all cylinders as described in each listing below. Overhaul Sets will save you many extra \$\$. Our sleeve set prices are far below dealers lists, and the added parts in the sets cost you even less than our low individual prices on the parts included.

Order the type sleeve set to suit the fuel you use.

**SLEEVE SETS
LOW AS**

\$22.50

For IHC McCormick-Deering FARMALL

Item	Description	STK.NO.	PRICE
	F-12, W-12, F-14, 1933-39, 3" bore.		Wt. 27 lbs.
	(Specify year and serial number when ordering Overhaul Sets)		
SLEEVE SET—Standard compression pistons for distillate.....	S-7	\$24.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs...	SX-7	39.75	
SLEEVE SET—5000' H-C pistons for gasoline.....	S-9	25.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs...	SX-9	40.75	
SLEEVE SET—8000' H-C pistons for premium gas (Not for F-14)....	S-10	26.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs...	SX-10	41.75	

	Farmall Regular, F-20, Combines, 3 3/4" bore		Wt. 52 lbs.
SLEEVE SET—Standard compression pistons for distillate.....	S-1	\$31.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-1	44.95	
OVERHAUL SET—Same as SX-1 above but complete with rod bearings	SX-1A	55.95	
SLEEVE SET—5000' H-C pistons for gasoline.....	S-2	31.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-2	45.40	
OVERHAUL SET—Same as SX-2 above but complete with rod bearings	SX-2A	56.40	
SLEEVE SET—8000' H-C pistons for premium gas.....	S-3	32.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-3	45.95	
OVERHAUL SET—Same as SX-3 above but complete with rod bearings	SX-3A	56.95	

	10-20, Farmall F-30, W-30, 1923-39, 4 1/4" bore.		Wt. 67 lbs.
	(Specify exact model when ordering Overhaul Sets)		
SLEEVE SET—Standard compression pistons for distillate.....	S-5	\$36.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-5	52.45	
OVERHAUL SET—Same as SX-5 above but complete with rod bearings	SX-5A	63.95	
SLEEVE SET—5000' H-C pistons for gasoline.....	S-6	38.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-6	53.95	
OVERHAUL SET—Same as SX-6 above but complete with rod bearings	SX-6A	67.50	
SLEEVE SET—8000' H-C pistons for premium gas.....	S-4	39.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-4	55.45	
OVERHAUL SET—Same as SX-4 above but complete with rod bearings	SX-4A	68.95	

	Farmall A, AV, B, Power Unit U-2, 3" bore.		Wt. 27 lbs.
SLEEVE SET—Flat Head pistons for gasoline.....	S-60	\$24.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs...	SX-60	39.75	
SLEEVE SET—8000' H-C stepped head pistons for prem. gas.....	S-65	25.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs...	SX-65	40.75	

	Farmall H, W-4, I-4, Power Unit U-4, 3 3/4" bore.		Wt. 27 lbs.
	(When ordering Overhaul Set specify length valves required)		
SLEEVE SET—Flat Head pistons for gasoline.....	S-61	\$27.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs...	SX-61	44.50	
SLEEVE SET—8000' H-C stepped pistons for prem. gas (not HC head)	S-64	29.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs...	SX-64	46.50	

	Farmall M, W-6, T-6, Power Unit U-6, 3 3/4" bore.		Wt. 42 lbs.
	(When ordering Overhaul Set specify length valves required)		
SLEEVE SET—Flat Head pistons for gasoline.....	S-62	\$32.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs...	SX-62	51.95	
SLEEVE SET—8000' H-C stepped pistons for prem. gas (not HC head)	S-63	35.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs...	SX-63	54.50	

	Diesel MD, WD6, TD6, UD6, 3 3/4" bore.		Wt. 50 lbs.
SLEEVE SET—Alloy pistons for Diesel engines.....	S-67	\$65.50	

	Diesel WD-9, OD-9, TD-9, UD-9, 4.4" bore.		Wt. 50 lbs.
SLEEVE SET—Alloy pistons for Diesel engines.....	S-68	\$71.50	

	W-9, I-9, T-9, Power Unit U-9, 4.4" bore.		Wt. 60 lbs.
SLEEVE SET—Flat Head pistons for gasoline.....	S-66	\$49.50	

	15-30, All 1921-28.		Wt. 85 lbs.
SLEEVE SET—4 1/2" raised head pistons, 5000' H-C for gasoline.....	S-21	\$43.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-21	62.45	
OVERHAUL SET—Same as SX-21 above but complete with rod brgs.	SX-21A	78.45	
SLEEVE SET—4 3/4" increase power pistons for distillate.....	S-22	44.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-22	62.95	
OVERHAUL SET—Same as SX-22 above but complete with rod brgs.	SX-22A	78.95	
SLEEVE SET—4 3/4" increase power pistons, 5000' H-C for gasoline...	S-26	45.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-26	64.50	
OVERHAUL SET—Same as SX-26 above but complete with rod brgs.	SX-26A	80.50	

	For 22-36, 1929-35, 4 3/4" bore.		Wt. 85 lbs.
SLEEVE SET—Standard compression pistons for distillate.....	S-23	\$42.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-23	61.45	
SLEEVE SET—5000' H-C pistons for gasoline.....	S-24	44.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-24	62.95	
SLEEVE SET—8000' super H-C pistons for premium gas.....	S-25	45.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, no rod brgs.	SX-25	63.95	

	W-40, WK-40, WA40, T40, 3 3/4" 6 Cyl.		Wt. 53 lbs.
SLEEVE SET—Bevel Head 5000' H-C pistons for gasoline. Set of 6..	S-27	\$58.50	

For ALLIS CHALMERS

Item	Description	STK.NO.	PRICE
	C, RC, Combine 60H, 3 3/8" bore. Also B to increase to 3 3/8"		Wt. 28 lbs.
SLEEVE SET—Flat head 5.7 to 1 pistons, 5000' H-C for gasoline.....	S-59	\$26.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs.	SX-59	41.95	

	WC, W, WD, WF, W-25, 1933-48, 4" bore.		Wt. 45 lbs.
	(Specify serial number when ordering Overhaul Sets)		
SLEEVE SETS—Concave head 4.2 to 1 pistons for distillate.....	S-55	\$31.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs.	SX-55	47.95	
SLEEVE SET—Flat Head iron pistons, 5000' H-C type for gasoline...	S-57	32.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs.	SX-57	48.50	
SLEEVE SET—8000' H-C aluminum alloy pistons for prem. gas.....	S-56	34.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs.	SX-56	50.50	

	U, UC, M, U-40, 1936-48, 4 1/2" bore.		Wt. 60 lbs.
SLEEVE SET—5 ring concave head 4.7 to 1 ratio pistons, all fuels..	S-53	\$46.50	

	For MASSEY HARRIS (Wallis)		
	12-20, Certified, Challenger, Pacemaker, Twin Power, 3 3/8".		Wt. 50 lbs.
SLEEVE SET—Bevel head pistons, 2 3/8" comp. distance for gas.....	S-42	\$42.50	

	For J. I. CASE		
	V, VC, VO, 1939-42. (Continental F-124) 3".		Wt. 20 lbs.
SLEEVE SET—Flat head 5000' H-C pistons for gasoline.....	S-18	\$28.50	
	VA, VAC, VAO, 1942-49, 3 3/4" bore.		Wt. 25 lbs.
SLEEVE SET—5000' H-C pistons for gasoline.....	S-70	\$28.50	

	R, RC, Combines C, K, 1935-42, 3 1/4" bore.		Wt. 22 lbs.
SLEEVE SET—5000' H-C pistons for gasoline (fits sleeved motors)..	S-19	\$29.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs.	SX-19	48.45	

	S, SC, SO, 3 1/2" bore.		Wt. 35 lbs.
SLEEVE SET—5000' H-C pistons for gasoline.....	S-17	\$31.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs, rod brgs.	SX-17	49.95	

	C, CC, D, DC, Combine P, 3 3/8" bore. (Specify Year)		Wt. 44 lbs.
SLEEVE SET—4 ring flat head standard comp. pistons for distillate..	S-12	\$35.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs.....	SX-12	50.75	
SLEEVE SET—4 ring raised head pistons, 5000' H-C for gasoline			
Not for late D, DC with high compression type head	S-15	36.95	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs.....	SX-15	52.25	

	L, LA, 26-40, 4 5/8" bore.		Wt. 73 lbs.
SLEEVE SET—Standard compression pistons for distillate.....	S-13	\$46.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs.....	SX-13	62.95	
SLEEVE SET—5000' H-C raised head pistons for gasoline.....	S-16	47.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs.....	SX-16	63.95	
SLEEVE SET—8000' H-C raised head pistons for gasoline.....	S-30	51.50	
OVERHAUL SET—Above sleeves, valve set, gaskets, plugs.....	SX-30	67.95	

	For COCKSHUTT (Buda 4B153)		
	Co-Op E3, Gamble 30, 3 1/8" bore.		Wt. 40 lbs.
SLEEVE SET—4 ring piston, factory duplicate.....	S-33	\$37.95	

	For OLIVER (also Waukesha Motors)		
	60, 60-HC, Row Crop, Standard, 3 3/8" bore.		Wt. 30 lbs.
SLEEVE SET—5000' H-C flat head pistons for gasoline.....	S-95	\$27.95	

	70, 70-HC, 6 Cylinder Row Crop, 3 1/8" bore.		Wt. 40 lbs.
SLEEVE SET—5000' H-C late type pistons for gasoline (also 70KD)..	S-91	\$43.50	
OVERHAUL SET—1939 up, sleeves, valve set, gaskets, rod brgs., etc.	SX-91	69.95	

	18-27, 18-28, Standard Row Crop, 4 1/8". (Waukesha VIS).		Wt. 73 lbs.
SLEEVE SET—Standard compression pistons for all fuels.....	S-93	\$42.50	

	80-HC, 18-28, 4 1/4" bore. (Waukesha VIM).		Wt. 67 lbs.
SLEEVE SET—Flat Head pistons for gasoline.....	S-94	\$46.25	

	80KD, 4 1/2" bore. (Waukesha VIK).		Wt. 62 lbs.
SLEEVE SET—Concave head 4 1/2" pistons for distillate.....	S-96	\$47.95	
SLEEVE SET—Flat head pistons for converting to gasoline.....	S-97	47.95	

	A, 28-44, 90, 99, 4 3/4" bore.		Wt. 83 lbs.
SLEEVE SET—Standard compression pistons for all fuels.....	S-92	\$46.50	

	For FORD, Ford Ferguson, All 1939-50		
SLEEVE SET—Set contains 4 thin wall original type sleeves, fitted with new aluminum alloy 4 ring pistons, pins, rings, etc. Wt. 12 lbs.	S-110	\$22.50	
OVERHAUL SET—Sleeves, valve set, plugs, gaskets, rod brgs.....	SX-110	33.95	
OVERHAUL SET—Sleeves, Late Type valve set, plugs, gaskets, rod brgs.	SX-111	34.95	

	For 1948-51 FERGUSON Tractor		
SLEEVE SET—For Cont. Z120 motor, 3-3/16" bore, TE20, TO20.....	S-105	\$34.95	

We Ship Free \$50.00 Shipments—See Page 31

Dependable HYDRAULIC EQUIPMENT



(A)



(B)



(E)



(G)



(D)



(A) 4-WAY HYDRAULIC PUMP

Equip your tractor with the newest in hydraulic pumps. Get more power and better performance for all farm jobs.

Trasco 4-way hydraulic pumps are the equivalent of two pumps in one. Permits operation of 2 hydraulic implements at once, as with a loader and stacker attachment.

Develops up to 1000 lbs. pressure. Mounts direct on power takeoff shaft, operating at 250 to 750 rpm. Large reservoir holds 2½ gallons of hydraulic fluid.

Three gear double pump, with double control valves and double discharge ports for operating two circuits. Balanced valves return to neutral from any position. Safety unloader valve, built in filter. Shafts made of hard alloy steel. (Hose not included).

COMPLETE WITH MOUNTING BRACKETS & P.T.O. COUPLER

Specify exact Make, Model, Year Built, and Serial Number of your Tractor.

Stk. No. 50A69. Wt. 40 lbs.

PUMP COMPLETE

PUMP ONLY—WITHOUT BRACKETS

Stk. No. 50A65. Wt. 40 lbs.

PUMP ONLY

\$72.50

FLEXIBLE P.T.O. SHAFT COUPLERS

Stk. No. 50A62—For 1½" P.T.O. Shaft Wt. 2 lbs.

Stk. No. 50A63—For 1¼" P.T.O. Shaft. Wt. 2 lbs.

\$5.95

HYDRAULIC VALVES

Easily operated hydraulic valves for use as required when adapting hydraulic pumps to multiple implement operation. Fully machined pressure seats, hold full pressure securely.

(B) Double Action Valve

For converting single acting systems for use with double action cylinders, as in pressure lowering a plow.

Stk. No. 50A68

\$16.50



FLEXIBLE HYDRAULIC HOSE

A Dependable Hydraulic System Needs High quality Hose Lines!

And these are the best . . . made of oil resistant, high quality seamless rubber with 1 layer of wire braid for maximum protection and safe flexibility. Light in weight and very flexible, these hoses are for hydraulic use on machinery, industrial equipment, scrapers, etc. Hose is ¾" diameter for all standard hydraulic cylinder applications. Recommended working pressure up to 1200 lbs. Hose fitted with ¾" end fittings, one end with swivel head for ease in coupling. End coupling with square shoulder for wrench tightening.

LENGTH: 15 inches.....	Stk. No. 50A44.....	Wt. 1½ lbs.....	Each \$ 2.25
LENGTH: 3 Ft.....	Stk. No. 50A47.....	Wt. 2 lbs.....	Each \$ 3.65
LENGTH: 6 Ft.....	Stk. No. 50A46.....	Wt. 3 lbs.....	Each \$ 5.95
LENGTH: 9 Ft.....	Stk. No. 50A60.....	Wt. 4 lbs.....	Each \$ 9.45
LENGTH: 12 Ft.....	Stk. No. 50A61.....	Wt. 5 lbs.....	Each \$11.75

(C) HYDRAULIC POWER LIFT HOSE

For IHC H & M TRACTORS

¾" I.D. hose 3 ft. long with ½" solid male coupling at one end and ½" swivel male coupling on the other. Made of 2 braid rayon. Will handle working pressure of 1000 lbs. adequate for all hydraulic pumps. Repl. IHC #351130-R91.

Stk. No. 50A48—Wt. 1¼ lbs.....

Each \$2.75

EXTRA HEAVY DUTY HOSE

Same as above except with one wire braid construction for extra heavy service. Working pressure 2000 lbs. Repl. IHC #351130-R91.

Stk. No. 50A49—Wt. 2 lbs.....

Each \$3.65



REPLACEABLE END FITTINGS

To replace end couplings on hoses of size indicated. Male thread.

¾" size. Stk. No. 50A36.....

Each \$1.15

½" size. Stk. No. 50A38.....

Each \$1.35



SWIVEL CONNECTORS

Steel connector with female threaded at each end. In sizes indicated.

Wt. ¾ lb.

¾"x¾" size. Stk. No. 50A58.....

Each 49c

½"x½" size. Stk. No. 50A59.....

Each 59c



BUSHING REDUCER

For reducing ½" to ¾" size. Made of hardened steel with male end fitting.

Stk. No. 50A57—Wt. ¼ lb.....

Each 15c

(D) DOUBLE LINE HYDRAULIC COUPLERS

Hydra-Lock design for use on implements requiring double acting power. Easy to couple and uncouple by use of snap locking pin. Will 'breakaway' at pull of only 60 lbs. pressure, sealing both lines. Made of die cast aluminum to give maximum strength without excessive weight. All surfaces are flat and exposed for easy cleaning and servicing, no special tools required. Here is the coupler you have been looking for! Advanced design . . . high quality construction . . . at a low Tractor Supply price!

Stk. No. 50A55—Wt. 4 lbs.....

Each \$16.50

(E) ALL PURPOSE HYDRAULIC COUPLERS

Here is the coupler you have been waiting for because it combines simplicity of design with the rugged construction needed for farm use.

CONVERTS TO A BREAK-A-WAY UNIT

The standard coupler can be converted to breakaway unit by the simple application of bracket on coupler socket as shown. This means only one type of coupler is needed on tractor. When bracket is removed, plug cannot disconnect until sleeve on socket is pulled back.

HEAVY DUTY CONSTRUCTION

Made of heavy steel with all parts either cadmium or nickel plated. Oversize valves are precision ground, double nickel-plated ball type that seat metal to metal for leakproof assurance. Neoprene "O" ring provides seal when connected. Coupler can be connected under pressures that are normal for farm hydraulic operation. When disconnected, socket stays on tractor, plug on hose line of implement—no loose parts to misplace. Order an extra plug and fitting for each hydraulically operated implement you have.

COUPLERS FOR ¾" or ½" HOSE LINES

COMPLETE COUPLER WITH BREAK-A-WAY BRACKET as shown. With socket, plug, and breakaway bracket.

Stk. No. 30A50—Wt. 2 lbs.

ONE UNIT \$7.35 TWO UNITS \$11.95

COMPLETE COUPLER less Breakaway Bracket as shown. With socket and plug.

Stk. No. 50A51.

Wt. 1¼ lbs.


ONE UNIT \$6.75 TWO UNITS \$12.95

PLUG End Fitting for attaching to implement as shown on left side of (Figs. No. 1, No. 2). Stk. No. 50A52—Wt. ½ lb.

EACH \$3.25 PAIR \$6.15

BREAK-A-WAY BRACKET only for above. Stk. No. 50A53

EACH 65c PAIR \$1.15



3" BORE HYDRAULIC CYLINDERS

31" Extended . . . 20¼" Retracted . . . 10¼" Power Stroke Built to rigid ASAE Standards for those who want the finest in hydraulic cylinders. Heavy duty type to withstand the hardest farm use and always be on the job. End caps, piston and clevis rod end are made of corrosion resistant die cast aluminum. All exposed steel parts are cadmium plated. Cylinder wall is of the best quality seamless steel tubing. 4 aircraft seals hold operating pressures of 1,200 p.s.i.




Positive action 2-Way power stroke will easily develop the maximum capacity of your hydraulic system.

Streamlined . . . lightweight for easy handling and installation. Will fit all your present implements. Oil ports are threaded to fit standard ¾" hose connections. Both ends have standard clevis to fit 1" diameter cross pins.

Stk. No. 50A40. Wt. 18 lbs. Cylinder Complete less hoses.

\$28.15

You Save When You Buy From Tractor Supply



1/8" Straights 3¢ Grease Fittings 1/8" Angles 7¢

(B) 1/8" STRAIGHT	Stk. No. L-10. Ea.,	3¢	Pkg. of 12, 35c
(C) 1/8" 30 Degree Angle.....	Stk. No. L-11. Ea.,	7¢	Pkg. of 12, 83c
(C) 1/8" 60 Degree Angle.....	Stk. No. L-12. Ea.,	7¢	Pkg. of 12, 83c
(C) 1/8" 90 Degree Angle.....	Stk. No. L-13. Ea.,	7¢	Pkg. of 12, 83c
(A) 1/8" Extended, 1 3/4" Long.....	Stk. No. L-14. Ea.,	15c	Pkg. of 6, 75c
(B) 1/8" STRAIGHT	Stk. No. L-16. Ea.,	11c	Pkg. of 6, 55c
(C) 1/8" 60 Degree Angle.....	Stk. No. L-17. Ea.,	15c	Pkg. of 6, 75c
(E) Midget 1/4" actual size, 28 taper thread as used on harrows, etc.....	Stk. No. L-15. Ea.,	5c	Pkg. of 12, 49c
(D) ADAPTER, uses 1/8" fitting in 1/4" hole.....	Stk. No. L-18. Ea.,	7c	Pkg. of 12, 69c

36-PC. GREASE FITTING ASST.

All 1/8" size, 24 straight and 12 angle fittings.
Stk. No. L-3.—Wt. 1 lb.....Asst. **\$1.49**

60-PC. GREASE FITTING ASST.

All 1/8" size, 24 straight and 36 assorted angle fittings.
Stk. No. L-6—Wt. 3 lbs.....Asst. **\$3.19**

GREASE GUN PIPE

Threaded on both ends to fit any standard grease gun.

Stk. No. L-42—Wt. 1/4 lb.....Ea. **19c**

SNAP COUPLERS—Ball Check

UNIVERSAL TYPE 1/8" female thread, 11/16" diam., 1 3/4" long.

Stk. No. L-43—Wt. 4 oz.....Ea. **59c**

THIN NOSE to fit in tight places. 9/16" diam., 1 3/4" long.

Stk. No. L-48—Wt. 4 oz.....Ea. **59c**

Grease Gun Brackets

Regular greasing is often delayed when your grease gun is misplaced. This can't happen to you if you have a regular place for your gun, either on your tractor, implement or tool shed wall. Trasco Grease Gun Bracket is made of heavy gauge welded steel with holes drilled for easy mounting—designed to hold gun securely. With rust-resisting primer coat of paint.
Stk. No. L-30—Wt. 1 lb.....Ea. **59c**

Dependable GREASE GUNS

- Develops 5000 lbs. Pressure for All Farm Greasing
 - Full Spring Feed—Complete with Angle Pipe and Coupler
- Large capacity Trasco Grease Guns are heavy duty type, especially developed for farm lubrication. Push type lever handle develops 5000 lbs. pressure. Handle disappears for easy loading. Gun will operate efficiently with all gun greases and semi-fluids commonly used for lubrication of farm equipment. Each complete with angle pipe and snap-on coupler for hydraulic and Zerk fittings.


99-OZ. CAPACITY—15" BARREL.
Stk. No. L-33—Wt. 7 lbs.....Ea. **\$3.75**

18-OZ. CAPACITY—15" BARREL.
Stk. No. L-36—Wt. 5 1/2 lbs.....Ea. **\$2.85**

12" FLEXIBLE HOSE

3-ply neoprene, with fitting for gun and hydraulic coupler. Leak-proof. For hard to reach places.

Stk. No. L-44—Wt 1 lb.....Ea. **\$1.59**



Trasco GREASE and GREASE DISPENSERS

HIGH PRESSURE GREASE GUN

Especially developed for tractors, farm machinery, automotive and general farm use. Made with a base of green cast, high viscosity oil that has proved ability to "cling to metal" over a long period of time. Uniform texture—won't clog or harden. For use with all grease guns, farm lubers and grease dispensers.

25 Lbs. in Lug Type Pail
In standard, reusable lug type pail.
Stk. No. L-60.....Pail **\$3.75**
BUY 2 PAILS AND SAVE!.....2 Pails **\$6.95**

25 Lbs. in "E-Z" Fill Pail
Popular grease pail with 2 1/4" opening for quick and easy filling of all standard grease guns.
Stk. No. L-61.....Pail **\$4.35**
BUY 2 PAILS AND SAVE!.....2 Pails **\$8.25**

100 Lbs. in Drum
100 lbs. of High Pressure Gun Grease in 24 gauge drum. Shipped Freight Collect only.
Stk. No. L-62.....Drum **\$11.75**

400 Lbs. in 55 Gal. Drum
This is the most economical way to buy gun grease. Drum with dust-proof lid. Shipped Freight Collect only.
Stk. No. L-63.....Drum **\$38.75**

WHEEL BEARING GREASE

Protect your wheel bearings with the right grease. With necessary fiber base that will cover and follow ball and roller more closely than any other type. About 3/4 lb. required to pack 1 wheel.
Stk. No. L-53—1 lb. can—Wt. 1 1/4 lbs. Can **23c**
BUY 2 CANS AND SAVE!.....2 Cans **40c**

4-1 LUBRICATING GREASE

Rigid laboratory testing proves that Trasco 4-1 lubricating grease has the qualities needed for most farm lubricating jobs. Particularly serviceable for chassis lubrication, wheel bearings, water pumps, universal joints, etc.

1. Water resistant, prevents rust.
 2. Temperature resistant—no change in body with temperatures up to 375° F.
 3. Unusual stability, will not thin down in service.
 4. Clings to metal—has newly developed adhesion properties.
 5. Does not drip, hence reduces waste.
 6. Pumps easily, can be used with either hand or power operated grease guns.
 7. Economical, about 1/2 as much grease is needed for each job.
- Try a pail of Trasco 4-1 Lubricating Grease. See if you don't agree it's the finest grease yet developed for farm lubrication.
Stk. No. L-59.
25 lbs. in Lug Type Pail.....Ea. **\$6.95**

All-Purpose GEAR LUBRICANT

Especially compounded for unusual load carrying capacity and long hard service. For transmissions, differential gears, overdrives, steering gears, and worm gears.
Stk. No. L-66.
25 lbs. in heavy lug type pail.....Pail **\$3.75**
BUY 2 PAILS AND SAVE!.....2 Pails **\$6.95**

100 Lbs. in Drum
In 24 gauge drum—Shipped Freight Collect only. Stk. No. L-67.....Drum **\$11.75**

FARM LUBER

- 1 Pull Charges Handle to Service 40 to 50 Fittings

This Luber was developed to meet the farmer's need to service all farm equipment quickly and efficiently. Cover assembly fits onto standard grease pail and eliminates need to transfer grease. Plunger pump sticks down into grease and charges trigger handle with 6 oz. of grease in one easy stroke. Push type trigger handle feeds grease at 6000 lbs. pressure into all hydraulic fittings. A complete unit that will handle any lubrication problem. Cover assembly fits onto any 25 to 40 lb. grease pail—tightened by 3 thumb screws. Unit is complete with cover assembly, plunger type pump, 10 ft. hose, and trigger type grease gun with adaptor.
Stk. No. L-55.
Wt. 20 lbs.....Ea. **\$17.95**

GREASE GUN FILL VALVE for above Farm Luber.
Stk. No. L-56—Wt. 6 oz.....Ea. **\$1.75**

SPECIAL LUBRICANT FOR FORD & FERGUSON TRACTORS

Meets Mfrs. specifications for use in transmission and hydraulic systems for Ford & Ferg. Non-foaming and non-corrosive type. In 5-gal. pour spout pail.
Stk. No. L-70.
Wt. 40 lbs.....Pail **\$6.95**

GREASE DISPENSER

The ideal unit for lubricating transmissions, differentials, and gear cases. Consists of cover assembly that fits onto any 25 to 40 lb. grease pail, handle, spout and 4 ft. hose. Handles all gun and semi-liquid transmission types.
Stk. No. L-47.
Wt. 16 lbs.....Ea. **\$3.95**

Your Satisfaction Guaranteed on Each Transaction



Precision

FILTER CARTRIDGES

Keep Oil Cleaner!

Low As

45^c Ea.

In Case Lots

Accept This Offer!

To induce you to use a Precision Filter in your tractor, car or truck, we make this offer. Buy a carton of 6 or 24 filters today. Install one in a recommended application. If it does not prove to you that it is the greatest filter cartridge value you have ever seen, return remaining cartridges for FULL REFUND. It is the superiority of Precision Cartridges that permits us to make this offer.

Listed by Tractor & Filter Make & Model

For IHC McCORMICK DEERING

Following Cartridges Are All Can Type

Check models listed to be sure of getting the right size cartridge for your tractor.

For PUROLATOR P-15

Each 75c

SOCK TYPE	CAN TYPE
Stk. No. L-201	Stk. No. L-101
In Ctn. of 6 Ea. 69c	6 for \$4.14
In Case of 24 Ea. 65c	24 for \$15.60

For PUROLATOR P-20

Each 98c

SOCK TYPE	CAN TYPE
Stk. No. L-202	Stk. No. L-102
In Ctn. of 6 Ea. 92c	6 for \$5.52
In Case of 24 Ea. 87c	24 for \$20.88

For PUROLATOR P-109

Each 75c

SOCK TYPE	CAN TYPE
Stk. No. L-203	Stk. No. L-103
In Ctn. of 6 Ea. 69c	6 for \$4.14
In Case of 24 Ea. 65c	24 for \$15.60

For FARMALL CUB—

Each 54c

SOCK TYPE ONLY	CAN TYPE
Stk. No. L-219	Stk. No. L-104
In Ctn. of 6 Ea. 49c	6 for \$2.94
In Case of 24 Ea. 45c	24 for \$10.80

For JOHN DEERE

For PUROLATOR T-12—

Each 79c

Fits All Deere A, B, D, G, 1940 and up; also earlier models if equipped with Deere conversion kit. Repl. Deere AA-2092R, AA2093R.	In carton of 6 Ea. 73c	6 for \$4.38
SOCK TYPE, Stk. No. L-204	In case of 24 Ea. 69c	24 for \$16.56
CAN Type, Stk. No. L-104		

Tractor Model	(Filter Make)	STK. NO.	Each	In Carton of 6 Ea./6 for	In Case of 24 Ea./24 for
---------------	---------------	----------	------	--------------------------	--------------------------

For FORD TRACTORS

All Models, 9N, 2N, 8N (Fram F-3, C-3)...	L-106	.79	.73/4.38	.69/16.56
---	-------	-----	----------	-----------

For ALLIS CHALMERS

WC, WD, B, C, RC, late UC (204912)...	L-117	.69	.65/3.90	.62/14.88
U, UC, 1933-44 (Purolator P-15)...	L-101	.75	.69/4.14	.65/15.60
HD-7, HD-10, HD-14, (Purolator P-20)...	L-102	.98	.92/5.52	.87/20.88

For J. I. CASE

D, DC, DO 1941-47 (Purolator N-16)...	L-115	.89	.93/4.98	.79/18.96
D, DC, S, SC 1948 up (Purolator P-70)...	L-129	.79	.73/4.38	.69/16.56
L, LA, LAI 1948 up (Purolator P-90)...	L-128	1.05	.98/5.88	.93/22.32
VA, VAC, VAI, VAO (Michiana)...	L-126	.65	.60/3.60	.57/13.68

For Cockshutt 30, Co-Op E-3, Farmcrest

All models with Kralinator Filter...	L-123	.95	.89/5.34	.85/20.40
--------------------------------------	-------	-----	----------	-----------

For FERGUSON

All 1948 and up (Michiana)...	L-125	.95	.89/5.34	.85/20.40
-------------------------------	-------	-----	----------	-----------

For MASSEY HARRIS

Early models using Purolator N-15...	L-114	.79	.73/4.38	.69/16.56
81, 82G, 101 Jr., 102 Jr. (Puro. P-15)...	L-114	.79	.73/4.38	.69/16.56
20, 20K, 30, 30K (Purolator P-70)...	L-129	.79	.73/4.38	.69/16.56
44, 44K, 44-6, 55 55K (Puro. P-90)...	L-128	1.05	.98/5.88	.93/22.32
21, 21A Combine (Purolator P-70)...	L-129	.79	.73/4.38	.69/16.56

For MINNEAPOLIS MOLINE

Z, ZTU, ZTS, R, RTU, RTS, KU, KEA engines (Michiana SA-5453)...	L-130	.98	.92/5.52	.87/20.88
Other Models using Michiana SA-6553...	L-124	1.05	.98/5.88	.93/22.32

For OLIVER

70, 70HC, 70KD (Michiana SA18417)...	L-118	.75	.69/4.14	.65/15.60
80, (Michiana SA-5453)...	L-130	.98	.92/5.52	.87/20.88
90, 99, 28-44 (Michiana SA-15117)...	L-136	.98	.92/5.52	.87/20.88
60, 66 (Mfrs. No. L5507)...	L-137	.79	.73/4.38	.69/16.56
77 (Mfrs. No. M5507)...	L-138	1.49	1.41/8.46	1.36/32.64
88 Mfrs. No. K5507)...	L-139	1.65	1.56/9.36	1.50/36.00

Precision Cartridges for All Filters

Listed by Filter Make & Model

Precision Cartridge for Filter Make and Model	Type	STK. NO.	Ea.	In Carton of 6 Ea./6 for	In Carton of 24 Ea./24 for
A-C.....C-11, C-112.....	Can.	L-109	.89	.83/4.98	.79/18.69
".....C-25, C-117.....	Can.	L-127	1.25	1.17/7.02	1.10/26.40
".....C-115, S-6.....	Can.	L-132	.95	.89/5.34	.85/20.40
Briggs.....G-3.....	Can.	L-121	1.15	1.05/6.30	.98/23.52
".....G-4.....	Can.	L-122	1.49	1.40/8.40	1.35/32.40
De Luxe.....JC.....	Sock.	L-213	1.05	.98/5.88	.93/22.32
".....CS, CU.....	Sock.	L-212	1.05	.98/5.88	.93/22.32
Fram.....F-3, C-3.....	Can.	L-106	.79	.73/4.38	.69/16.56
".....F-4, C4-P2.....	Can.	L-107	.95	.89/5.34	.85/20.40
".....F-21.....	Can.	L-132	.95	.89/5.34	.85/20.40
".....F-30, C30, C30, C30P2.....	Can.	L-116	1.19	1.11/6.66	1.05/25.20
".....C-31.....	Can.	L-127	1.25	1.17/7.02	1.10/26.40
".....C-40.....	Can.	L-120	2.39	2.20/13.20	2.10/50.40
Luberliner.....200-S.....	Can.	L-133	2.15	1.98/11.88	1.89/45.36
".....300-S.....	Can.	L-134	2.75	2.55/15.30	2.40/57.60
Michiana.....SA-5453, 6463.....	Can.	L-130	.98	.92/5.52	.87/20.88
".....SA-6553.....	Can.	L-124	1.05	.98/5.88	.93/22.32
".....SA-15117.....	Can.	L-136	.98	.92/5.52	.87/20.88
".....SA15217S, 15277.....	Can.	L-125	.95	.89/5.34	.85/20.40

Precision Cartridge for Filter Make and Model	Type	STK. NO.	Ea.	In Carton of 6 Ea./6 for	In Carton of 24 Ea./24 for
Michiana.....SA-18417.....	Can.	L-118	.75	.69/4.14	.65/15.60
".....SA-18717.....	Can.	L-117	.69	.65/3.90	.62/14.88
Military.....Junior.....	Can.	L-132	.95	.89/5.34	.85/20.40
".....Senior.....	Can.	L-127	1.25	1.17/7.02	1.10/26.40
Precision.....	Can.	L-19A101	1.75	1.65/9.90	1.59/38.16
Purolator.....N-15.....	Can.	L-114	.79	.73/4.38	.69/16.56
".....N-16.....	Can.	L-115	.83	.79/4.98	.79/18.96
".....N-50.....	Can.	L-127	1.25	1.17/7.02	1.10/26.40
".....N-51, P-51.....	Can.	L-132	.95	.89/5.34	.85/20.40
".....P-15.....	Can.	L-101	.75	.69/4.14	.65/15.60
".....P-20.....	Sock.	L-201	.75	.69/4.14	.65/15.60
".....P-20.....	Can.	L-102	.98	.92/5.52	.87/20.88
".....P-70.....	Sock.	L-202	.98	.92/5.52	.87/20.88
".....P-90.....	Can.	L-129	.79	.73/4.38	.69/16.56
".....P-109.....	Can.	L-128	1.05	.98/5.88	.93/22.32
".....T-6.....	Can.	L-103	.75	.69/4.14	.65/15.60
".....T-12.....	Sock.	L-205	.79	.73/4.38	.69/16.56
".....T-12.....	Can.	L-104	.79	.73/4.38	.69/16.56
".....T-12.....	Sock.	L-204	.79	.73/4.38	.69/16.56

Precision Cartridges Keep Oil Clean Longer

INDEX

See Corn Picker Parts
on Pages 3 to 18

A Adaptors	7
Adjustable Hounds	23
Augers	21
Axles, Wheels, Stubs	22
B Belts, Hammermill	20
Binder Canvas	16
Blower, Picker	7
Blower, Grain	31
Bolts, Redi	6
Brake Handle	26
Bushings	6
C Canvas Belts	20
Canvas Binder	16
Canvas Cement	17
Canvas, Combine	17
Canvas Covers	20
Cartridges, Filter	30
Cement, Fix-All	16
Chain Detacher	5
Chain Hoists	28
Chain, Link and Roller	4, 5
Chisel Teeth	27
Clamp, Quickie	21
Classified Assortments	6
Clevis Hitch Pins	23
Clutch, Slip	20
Combine Canvas	17
Combine V-Belts	16
Compound, Picker	7
Cylinders, Hydraulic	28

CORN PICKER PARTS

• Woods	8, 9
• IHC	10, 11, 12
• Case	13
• Deere	14, 15
• Min. Moline	13
• New Idea	13
• Oliver	13
Cotter Pins	6
Cylinder Sleeves	27
D Drawbar Roller	22
E Endless Belts	20
F Fence Chargers	19
Filter Cartridges	30
Flareboard Irons	22
Formula "J"	20
G Gate Irons	19
Gloves	19
Governors	24
Grain Gate, Sure-Lock	23
Grain Guards	16
Grease Equipment	29
H Hammermill Belts	20
Hay Hooks	19
Heads, Cylinder	21
Hitch, Plow and Wagon	23
Holst, Wagon Dump	23

Husking Rolls	3
Hydraulic Equipment	28
Hydraulic Seats	25
J Jacks, Hydraulic	22
Jacks, Farm	22
L Lubrication Equipment	29
M Machine Bushings	6
Manifolds, Gasoline	21
Mufflers	26
Muffler Clamps	26
O Oil Filter Cartridges	30
P Picker Compound	7
Picker Hydraulic Lift	7
Picker Rolls	3
Pillow Blocks	19
Pins, Corn Picker	6
Piston Rings	24
Piston and Sleeves	27
R Rat Poison	19
Repair Block	5
Roller Chain	4
Roller Compound	7
S Safety Hitch	23
Screw Drivers	28
Seats, Cushions	25
Sleeves and Pistons	27

Slip Clutch	20
Socket Wrenches	19
Socket Sets	19
Spark Cap	26
Speed Jack	20
Spike Harrow Teeth	27
Sprayer	21
Sprockets	4, 5
Stake Pockets	22
Steering Wheel Extension	26
Sweeps and Shovels	27
T Tachometers	19
Tarpaulins	20
Teeth, Spring Harrow	27
Threaded Steel Rod	6
Tools	19
Tool Box	19
Tooth Points	27
Transmissions	26
Tumbling Rod Joints	20
U Unloader, Wagon	23
Universal Joints	6
W Wagon Box Kit	22
Wagon Hitch	23
Wagon Hoists	22
Wagon Ladder	23
Wagon Unloader	23
Washers	6
Wheels, Hubs, Spindles	22
Window Materials	20

OUR PREPAYMENT PLAN

***We Prepay \$50.00 Shipments Anywhere in the United States**

Large mail orders make possible an extra savings in both handling and packing—a savings that we pass back to you. Here is how you qualify:

1. *The total cost of items ordered must be \$50.00 or more. (This DOES NOT INCLUDE items marked F.O.B. Factory or F.O.B. Nearest Store).

2. Enclose full remittance with order, including sales tax where applicable.

3. Allow us to choose the most economical way to ship your order. If you request shipment by special means, such as parcel post when freight would be less expensive, we will allow you the amount of freight rate only. You must pay for the method of shipping you request.

SHIPPING INFORMATION

Please Read Carefully Before Sealing Order Blank

HOW TO ORDER BY MAIL

It has always been our policy to ship your order the same day received. When this is not possible, it is often the result of incorrect ordering. Please check your order carefully to see that it conforms with Shipping Instructions:

1. Fill-in order blank completely.
2. Total cost of items ordered, including sales tax where applicable.
3. Total weights of items ordered.

PREPAYMENT PLAN

If your order is eligible for our Prepayment Plan as explained above, you need not worry about shipping information. Your order will be shipped the most economical way, at our expense.

PARCEL POST

Parcel Post is the most economical way to ship packages weighing up to 70 lbs. Compute the weight of items ordered. Refer to table at right for postage charge. Postage charges must be prepaid. PARCEL POST INSURANCE is computed at the rate of 5c up to \$5.00 value; 10c for \$5.01 to \$10.00 value; 15c for \$10.01 to \$25.00 value; 20c for \$25.01 to \$50.00; and 25c for \$50.01 to \$100.00 value. Be sure to include Parcel Post charges and insurance fee with your order.

NOTICE—Don't worry about sending us more than the correct amount of money to cover cost of merchandise, postage, and insurance. If you send too much, every cent extra will be promptly returned to you. AND IF INSUFFICIENT FUNDS ARE SENT WITH ORDER, WE WILL C.O.D. YOU FOR THE BALANCE. This runs up your cost in collection fees.

FREIGHT & EXPRESS

Orders that total in weight over 70 lbs. are shipped either Freight or Express. If the order qualifies under our Prepayment Plan, we pay the charges. If it does not qualify, it is shipped charges collect. It is important that you indicate your nearest shipping point where there is an agent on duty.

CURRENT PARCEL POST RATES

Wt. Lbs.	Miles from Branch			Wt. Lbs.	Miles from Branch		
	to 150	150-300	300-600		to 150	150-300	300-600
1	\$0.12	\$0.13	\$0.14	36	\$0.83	\$1.13	\$1.65
2	.15	.16	.19	37	.85	1.16	1.70
3	.17	.19	.23	38	.87	1.19	1.74
4	.19	.22	.28	39	.89	1.22	1.78
5	.21	.25	.32	40	.91	1.24	1.82
6	.23	.28	.37	41	.93	1.27	1.87
7	.25	.31	.41	42	.95	1.30	1.91
8	.27	.34	.46	43	.97	1.33	1.95
9	.29	.37	.50	44	.99	1.36	1.99
10	.31	.40	.55	45	1.01	1.38	2.04
11	.33	.43	.59	46	1.03	1.41	2.08
12	.35	.46	.63	47	1.05	1.44	2.12
13	.37	.49	.68	48	1.07	1.47	2.16
14	.39	.52	.72	49	1.09	1.50	2.21
15	.41	.54	.76	50	1.11	1.52	2.25
16	.43	.57	.80	51	1.13	1.55	2.29
17	.45	.60	.85	52	1.15	1.58	2.33
18	.47	.63	.89	53	1.17	1.61	2.38
19	.49	.66	.93	54	1.19	1.64	2.42
20	.51	.68	.97	55	1.21	1.66	2.46
21	.53	.71	1.02	56	1.23	1.69	2.50
22	.55	.74	1.06	57	1.25	1.72	2.55
23	.57	.77	1.10	58	1.27	1.75	2.59
24	.59	.80	1.14	59	1.29	1.78	2.63
25	.61	.82	1.19	60	1.31	1.80	2.67
26	.63	.85	1.23	61	1.33	1.83	2.72
27	.65	.88	1.27	62	1.35	1.86	2.76
28	.67	.91	1.31	63	1.37	1.89	2.80
29	.69	.94	1.36	64	1.39	1.92	2.84
30	.71	.96	1.40	65	1.41	1.94	2.89
31	.73	.99	1.44	66	1.43	1.97	2.93
32	.75	1.02	1.48	67	1.45	2.00	2.97
33	.77	1.05	1.53	68	1.47	2.03	3.01
34	.79	1.08	1.57	69	1.49	2.06	3.06
35	.81	1.10	1.61	70	1.51	2.08	3.10

You Save When You Buy From Tractor Supply



#55

**Corn Picker
LINK CHAIN**

Only

26½¢

Per Ft.

In 10 Ft. Rolls
See Page 5**Corn Picker
SPROCKETS**Low
As **59¢**See Parts Listings
By Make & Model**Corn Picker
GEARS**Low
As**85¢**See Parts Listings
By Make & Model**Corn Picker Roller
COMPOUND**


Only

\$1.6910 lb. Pail
Stk. No. L-25

Handy

**CHAIN
DETACHER**

Only

98¢Stk. No. 20A69
See Page 5**Corn Picker
V-BELTS**

Low As

\$1.25See Parts Listings
By Make & Model**TRACTOR
SUPPLY
Co.****TRACTOR SUPPLY CO.**2682 N. HALSTED ST.
CHICAGO 14, ILL.

Sec. 34.66 P. L. & R.

**U. S. POSTAGE
PAID**Chicago, Ill.
Permit No. 3098POSTMASTER: If Undeliverable for Any Reason
RETURN TO SENDER.
RETURN POSTAGE
GUARANTEED.WM. JASTER
RT ONE
AMBOY MINN.